

2.72	1	Volcan Peak; elevation 5353 feet (1632 m); good resting spot at concrete wall			
2.79	1	Unusual bank of prostrate <i>Rhus trilobata</i> "groundcover".			
2.82	r 184	Veatch's blazing star	<i>Mentzelia veatchiana</i>	5 / 1	1
2.84		End of loop; turn right and retrace steps on road to upper trail junction			
3.83		Upper trail jct.; continue on road; elevation ~4970 feet (1515 m)			
3.92	b 185	*bulbous blue grass	<i>Poa bulbosa</i>	30 / 9	3
3.98	1 186	cliff sword fern	<i>Polystichum imbricans ssp. curtum</i>	1 / 1	2
4.00	1 187	sticky cinquefoil	<i>Potentilla glandulosa ssp. glandulosa</i>	20 / 3	18
4.03	1	Best field of woodland star, <i>Lithophragma affine</i>			
4.03	1 188	long-spurred plectritis	<i>Plectritis ciliosa ssp. insignis</i>	5 / 1	4
4.03	1 189	blue-eyed Mary	<i>Collinsia parviflora</i>	5 / 1	3
4.03	1 190	goosefoot yellow violet	<i>Viola purpurea ssp. quercetorum</i>	10 / 2	3
4.04		Switchback right			
4.07	b 191	tuberous sanicle	<i>Sanicula tuberosa</i>	10 / 1	4
4.08		Switchback left			
4.18	1	Unusual wild tarragon, <i>Artemisia dracunculus</i> , with all leaves pubescent and divided halfway into three lobes			
4.20	1 192	dense false-gilia	<i>Allophyllum gilioides ssp. violaceum</i>	20 / 2	2
4.32	r 193	woodland strawberry	<i>Fragaria vesca</i>	10 / 1	4
	1 194	foothill penstemon	<u><i>Penstemon heterophyllus</i> var. <i>heterophyllus</i>[±]</u>	/ 1	2
4.42	1 195	birch-leaf mountain-mahogany	<i>Cercocarpus betuloides</i> var. <i>betuloides</i>	3 / 1	24
4.63	1	Sign: "Gateway 0.4 mi (ahead)"			
4.63		Lower trail jct.; elevation 4380 feet (1335 m); end guide			
5.01		Hubbell Gateway; elevation 4160 feet (1268 m)			

http://tchester.org/sd/plants/guides/lagunas/volcan_mtn.html
 Last update: 14 June 2007.

Laguna Mountains: Plant Guide to Volcan Mountain Loop

Mile S	#	id?	Common Name	Latin Name	#here	#all
0.00			Begin trail at Hubbell Gateway; elevation 4160 feet (1268 m)			
0.00	b 1		*foxtail barley	<i>Hordeum murinum</i>	50 / 3	24
0.00	b 2		California brome	<i>Bromus carinatus</i> var. <i>carinatus</i>	50 / 9	27
0.00	b 3		*ripgut brome	<i>Bromus diandrus</i>	99 / 9	55
0.00	b 4		*English plantain	<i>Plantago lanceolata</i>	99 / 9	21
0.00	b 5		*redstem filaree	<i>Erodium cicutarium</i>	99 / 9	62
0.00	b 6		*pineapple weed	<i>Chamomilla suaveolens</i>	99 / 5	23
0.00	b 7		*downy brome	<i>Bromus tectorum</i>	99 / 9	27
0.00	b 8		*knotweed	<i>Polygonum arenastrum</i>	30 / 5	22
0.00	b 9		*California burclover	<i>Medicago polymorpha</i>	10 / 2	43
0.00	b 10		California-aster	<i>Lessingia filaginifolia</i> var. <i>filaginifolia</i>	99 / 9	57
0.00	b 11		*soft chess	<i>Bromus hordeaceus</i>	99 / 9	42
0.00	b 12		common fiddleneck	<u><i>Amsinckia menziesii</i> var. <i>intermedia</i>[±]</u>	10 / 3	20
0.00	b 13		*slender wild oats	<i>Avena barbata</i>	99 / 9	42
0.00	r 14		western redbud	<u><i>Cercis occidentalis</i>[±]</u>	1 / 1	5
0.00	l 15		California black oak	<u><i>Quercus kelloggii</i>[±]</u>	30 / 9	14
0.00	r 16		angel's gilia	<i>Gilia angelensis</i>	99 / 9	15
0.00	r 17		dwarf lupine	<i>Lupinus bicolor</i>	99 / 9	31
0.00	r 18		purple clarkia	<i>Clarkia purpurea</i> ssp. <i>quadrivulnera</i>	99 / 9	27
0.00	r		(leafy daisy, <i>Erigeron foliosus</i> var. <i>foliosus</i> ; splendid mariposa lily, <i>Calochortus splendens</i> ; blue dicks, <i>Dichelostemma capitatum</i> ssp. <i>capitatum</i> ; popcorn flower, <i>Cryptantha intermedia</i>)			
0.00	r 19		Indian clover	<i>Trifolium albopurpureum</i> var. <i>albopurpureum</i>	99 / 9	4
0.00	l		Display Board			
0.00	b 20		California buckwheat	<u><i>Eriogonum fasciculatum</i> var. <i>polifolium</i>[±]</u>	50 / 9	26
0.00	b 21		*wild oats	<i>Avena fatua</i>	20 / 5	29
0.00	l 22		*smooth cat's ear	<i>Hypochaeris glabra</i>	50 / 9	38
0.00	r		(matchweed, <i>Gutierrezia sarothrae</i>)			
0.00	b 23		spreading fleabane	<u><i>Erigeron divergens</i>[±]</u>	99 / 9	48
0.00	r 24		*blessed thistle	<i>Cnicus benedictus</i>	5 / 3	2
0.00	r		(Spanish clover, <i>Lotus purshianus</i> var. <i>purshianus</i> ; flax-flowered linanthus, <i>Linanthus liniflorus</i>)			

0.00 r 25	narrowleaf bedstraw	<i>Galium angustifolium ssp. angustifolium</i>	10 / 9	53	1.28	Switchback right		
0.00 r 26	western ragweed	<i>Ambrosia psilostachya</i>	50 / 9	42	1.33	Switchback left		
0.00 b 27	rusty-haired popcom flower	<i>Plagiobothrys nothofulvus</i>	10 / 1	15	1.34 l 163	*prickly lettuce	<i>Lactuca serriola</i>	2 / 2 46
0.00 b 28	*shortpod mustard	<i>Hirschfeldia incana</i>	30 / 9	54	1.41 b 164	dove weed	<i>Eremocarpus setigerus</i>	30 / 5 28
0.00 r	(bush lupine, <i>Lupinus excubitus</i> var. <i>hallii</i>)				1.41 l 165	Sierra gooseberry	<i>Ribes roezlii</i> var. <i>roezlii</i>	5 / 3 12
0.00 r	Sign: "Entering mountain lion country..."				1.44 l 166	strigose sun-cup	<i>Camissonia strigulosa</i>	3 / 1 7
0.01 l 29	hoary coffeeberry	<i>Rhamnus tomentella ssp. tomentella</i>	20 / 9	3	1.44 b 167 sp	annual goosefoot	<i>Chenopodium sp.</i>	5 / 1
0.01 l 30	*domestic apple	<i>Malus sylvestris</i>	1 / 1	1	l 168 ~	Payson's wild cabbage	<u>Caulanthus simulans[±]</u>	2 / 1 3
0.01 r 31	Mexican manzanita	<i>Arctostaphylos pungens</i>	30 / 9	5	1.49	Trail turns left 90°		
0.02 r 32	California bee plant	<i>Scrophularia californica ssp. floribunda</i>	20 / 5	21	1.50 b 169	grand mountain dandelion	<i>Agoseris grandiflora</i>	5 / 1 13
0.02 l 33	white sage	<i>Salvia apiana</i>	40 / 9	43	1.51 r	Jct. Overlook bench		
0.02 b 34	popcorn flower	<i>Cryptantha intermedia</i>	30 / 9	29	1.51 r	(in far distance: bigcone-spruce, <i>Pseudotsuga macrocarpa</i>)		
0.02 l 35	imbricate phacelia	<i>Phacelia imbricata ssp. patula</i>	30 / 9	9	1.54 l 170	western choke-cherry	<i>Prunus virginiana</i> var. <i>demissa</i>	5 / 1 7
0.02 l 36	*horehound	<i>Marrubium vulgare</i>	1 / 1	36	1.54	Local high point on trail		
0.02 l 37	*red brome	<i>Bromus madritensis ssp. rubens</i>	50 / 9	62	1.61	T-jct. with road; go right; elevation ~4970 feet (1515 m); sign ahead: "Midsummit (right); midsummit gate 0.3 mi (right); summit 1.2 mi (right); gateway 1.9 mi (left)"		
0.02 r 38	arroyo willow	<i>Salix lasiolepis</i>	2 / 1	42	1.61 r 171	*yellow salsify	<i>Tragopogon dubius</i>	2 / 2 14
0.02 l 39	fragrant everlasting	<i>Gnaphalium canescens ssp. beneolens</i>	10 / 9	27	1.61 l 172 ~	Indian milkweed	<i>Asclepias eriocarpa</i>	4 / 2 21
0.02 r 40	blue dicks	<i>Dichelostemma capitatum ssp. capitatum</i>	40 / 9	49	1.75 l 173 ?	rosette with honking leaves like eriogonum	?	3 / 2
0.03 r 41	blue elderberry	<i>Sambucus mexicana</i>	10 / 9	53	1.77	Cross small drainage; local low point on road		
0.03 r 42	Spanish clover	<i>Lotus purshianus</i> var. <i>purshianus</i>	10 / 2	33	1.78 l 174	bracken	<i>Pteridium aquilinum</i> var. <i>pubescens</i>	10 / 1 14
0.03 r 43	tomcat clover	<i>Trifolium willdenovii</i>	99 / 9	18	1.80 l 175 ~	giant four o'clock	<i>Mirabilis multiflora</i> var. <i>pubescens</i>	1 / 1 4
0.03 r 44	*narrowleaf filago	<i>Filago gallica</i>	20 / 3	46	1.85	Pass through gate on Saturday and Sunday from 8 a.m. to sunset, April - November; otherwise, turn-around		
0.04 r 45	fringed spineflower	<i>Chorizanthe fimbriata</i> var. <i>fimbriata</i>	10 / 1	9	1.86 r 176	cream cups	<i>Platystemon californicus</i>	99 / 9 2
0.04 r	Sign: "Wildfire..."				1.96 r 177	common tidy-tips	<i>Layia platyglossa</i>	5 / 1 6
0.04 r 46	Patagonia plantain	<i>Plantago patagonica</i>	30 / 3	2	1.97 b 178	incense-cedar	<i>Calocedrus decurrens</i>	20 / 2 16
0.04 r 47	canyon live oak	<i>Quercus chrysolepis</i>	40 / 9	27	2.01 c 179	*common chickweed	<i>Stellaria media</i>	20 / 1 29
0.05 r 48	willow-leaved dock	<i>Rumex salicifolius</i> var. <i>denticulatus</i>	2 / 2	10	2.01 c 180	*common dandelion	<i>Taraxacum officinale</i>	5 / 1 7
0.05 l 49	flax-flowered linanthus	<i>Linanthus liniflorus</i>	20 / 1	3	2.14 l	Jct. closed road; elevation 5160 feet (1573 m)		
0.06 b 50	bush lupine	<i>Lupinus excubitus</i> var. <i>hallii</i>	10 / 2	11	2.15 c 181	California meadow barley	<i>Hordeum brachyantherum ssp. californicum</i>	2 / 2 4
0.06 l 51	matchweed	<i>Gutierrezia sarothrae</i>	3 / 1	17	2.17 r	Sign: chimney left from Hale telescope siting expedition		
0.06 l 52	shining peppergrass	<i>Lepidium nitidum</i> var. <i>nitidum</i>	20 / 2	8	2.35 l 182	confusing fescue	<i>Vulpia microstachys</i> var. <i>confusa</i>	20 / 2 1
0.06 l 53	small-head field clover	<i>Trifolium microcephalum</i>	10 / 2	11	2.38 l 183	rosy gilia	<i>Gilia sinuata</i>	5 / 1 1
0.06 l 54	tree clover	<i>Trifolium ciliolatum</i>	30 / 9	13	2.52 r	(bitter cherry, <i>Prunus emarginata</i>)		
0.06 l 55	purple owl's-clover	<i>Castilleja exserta</i> ssp. <i>exserta</i>	50 / 9	14	2.60	Y-jct; go right around loop; elevation 5320 feet (1622 m)		

0.72 b 139	*hedge mustard	<i>Sisymbrium officinale</i>	30 / 3	24	0.06 l 56	silver puffs	<i>Uropappus lindleyi</i>	40 / 9	29
0.75 b 140	caterpillar phacelia	<i>Phacelia cicutaria</i> var. <i>hispidia</i>	20 / 2	17	0.06 l 57	globe gilia	<i>Gilia capitata</i> ssp. <i>abrotanifolia</i>	99 / 9	8
0.76 l 141	saw-toothed goldenbush	<i>Hazardia squarrosa</i> var. <i>grindelioides</i>	5 / 1	37	0.06 l 58	*windmill pink	<i>Silene gallica</i>	40 / 9	35
0.76 l 142	graceful bedstraw	<i>Galium porrigens</i> var. <i>porrigens</i>	10 / 4	5	0.06 l 59	*hairy rattail fescue	<i>Vulpia myuros</i> var. <i>hirsuta</i>	99 / 9	21
0.76 l 143 ~	seashore bentgrass	<i>Agrostis pallens</i>	3 / 1	14	0.06 l 60	common linanthus	<i>Linanthus parviflorus</i>	99 / 9	9
0.78	Switchback left				0.07 l 61	bristly bird's beak	<i>Cordylanthus rigidus</i> ssp. <i>setigerus</i>	10 / 1	34
0.78 l 144	white everlasting	<i>Gnaphalium canescens</i> ssp. <i>microcephalum</i>	3 / 3	39	0.07 l 62	clustered broom-rape	<i>Orobanche fasciculata</i>	20 / 3	2
0.79 b 145	Jepson's blue wildrye	<i>Elymus glaucus</i> ssp. <i>jepsonii</i>	30 / 5	8	0.07 l	(scarlet bugler, <i>Penstemon centranthifolius</i>)			
0.82 l 146	*tumble-mustard	<i>Sisymbrium altissimum</i>	20 / 2	12	0.07 l 63	*winter vetch	<i>Vicia villosa</i> ssp. <i>varia</i>	10 / 2	21
0.83 r 147	snowberry	<u><i>Symphoricarpos albus</i> var. <i>laevigatus</i>[±]</u>	30 / 5	1	0.08 r 64	gray sage	<i>Salvia apiana</i> X <i>S. clevelandii</i> (<i>S. X palmeri</i>)	1 / 1	1
0.87 r 148	wild tarragon	<i>Artemisia dracunculus</i>	5 / 3	25	0.08 r 65	scarlet bugler	<i>Penstemon centranthifolius</i>	10 / 3	12
0.88 l	(hollyleaf redberry, <i>Rhamnus ilicifolia</i>)				0.09 r	(yarrow, <i>Achillea millefolium</i>)			
0.91 r 149 ~	autumn willowweed	<i>Epilobium brachycarpum</i>	10 / 5	6	0.10 r 66	strigose lotus	<i>Lotus strigosus</i>	50 / 9	38
0.93 r 150	sacred datura	<i>Datura wrightii</i>	20 / 9	23	0.12 r 67 ~	sapphire woolly-star	<i>Eriastrum sapphirinum</i>	20 / 1	9
0.95 l 151	red maids	<i>Calandrinia ciliata</i>	30 / 9	24	0.14 b 68 sp	annual buckwheat (round leaf)	<i>Eriogonum</i> sp.	10 / 9	
1.09 l 152	elk thistle	<i>Cirsium scariosum</i>	2 / 2	13	0.14 b 69	San Bernardino sun-cup	<i>Camissonia confusa</i>	30 / 9	2
1.12 l 153 sp	western? morning-glory	<i>Calystegia (occidentalis</i> ssp. <i>fulcrata</i> ?)	10 / 3	8	0.14 r 70 ~	Wright's thimblehead	<i>Hymenothrix wrightii</i>	20 / 1	1
1.13	Switchback left				0.15 r 71 ~	twiggy wreath plant	<i>Stephanomeria virgata</i> ssp. <i>pleurocarpa</i>	10 / 5	2
1.13 r	(bird's-foot fern, <i>Pellaea mucronata</i> var. <i>mucronata</i>)				0.15 r 72	bristly goldenaster	<i>Heterotheca sessiliflora</i> ssp. <i>echioides</i>	2 / 1	9
1.13 b 154	white fairy lantern	<i>Calochortus albus</i>	5 / 1	3	0.17 r 73	Coulter's snapdragon	<i>Antirrhinum coulterianum</i>	30 / 4	7
1.14	Switchback right				0.17 l 74	leafy daisy	<i>Erigeron foliosus</i> var. <i>foliosus</i>	20 / 9	48
1.17 b 155	coast-range melic	<i>Melica imperfecta</i>	2 / 1	45	0.20 r 75	California fuchsia	<u><i>Epilobium canum</i>[±]</u>	5 / 1	18
1.17 l 156	interior live oak	<i>Quercus wislizeni</i> var. <i>frutescens</i>	1 / 1	13	0.20 b 76	splendid mariposa lily	<i>Calochortus splendens</i>	10 / 3	21
1.18 l 157 sp	Palmer's? ceanothus	<i>Ceanothus (palmeri</i> ?)	5 / 1	6	0.20 r 77	*garden burnet	<i>Sanguisorba minor</i> ssp. <i>muricata</i>	5 / 1	2
1.18 r 158	bird's-foot fern	<i>Pellaea mucronata</i> var. <i>mucronata</i>	1 / 1	35	0.20 r 78 ~	southern mule's ears	<i>Wyethia ovata</i>	3 / 2	5
1.18 l 159	hollyleaf redberry	<i>Rhamnus ilicifolia</i>	1 / 1	49	0.21 r 79	checkerbloom	<i>Sidalcea malviflora</i> ssp. <i>sparsifolia</i>	40 / 9	26
1.19 l 160	dwarf alysanus	<i>Athysanus pusillus</i>	20 / 2	2	0.23 r	(June grass, <i>Koeleria macrantha</i> ; incense-cedar, <i>Calocedrus decurrens</i>)			
1.19 l	Second occurrence of white bluecup, <i>Githopsis diffusa</i> ssp. <i>candida</i>				0.26 r 80	bajada lupine	<i>Lupinus concinnus</i>	20 / 9	12
1.21	Switchback left				0.26 r 81	slender cottonweed	<i>Micropus californicus</i> var. <i>californicus</i>	10 / 3	8
1.21 r 161 ssp	little monardella	<i>Monardella nana</i>	3 / 2		0.26 r 82	Wright's buckwheat	<i>Eriogonum wrightii</i> var. <i>membranaceum</i>	40 / 9	6
1.21	Switchback right at blocked-off road				0.27 r 83	June grass	<i>Koeleria macrantha</i>	5 / 2	3
1.23	Switchback left				0.27 r	California black oak	<u><i>Quercus kelloggii</i>[±]</u>	/	
1.25	Switchback right				0.28 r	Check for <i>Calochortus weedii</i>			
1.26	Switchback left				0.28 l	Jct. use path to grinding stones			
1.28 l 162	*common groundsel	<i>Senecio vulgaris</i>	1 / 1	22					

0.30 r 84	wild-cucumber	<i>Marah macrocarpus</i> var. <i>macrocarpus</i>	2 / 2	47	0.48 l 110	giant needlegrass	<i>Achnatherum coronatum</i> [±]	5 / 1	24
0.31 l	(oak mistletoe, <i>Phoradendron villosum</i>)				0.48 l 111	wide-throated yellow monkeyflower	<i>Mimulus brevipes</i>	20 / 9	13
0.31 l	Check for eucrypta				0.48 l 112	sand cress	<i>Calyptidium monandrum</i>	5 / 1	13
0.31 l 85	volcanic gilia	<i>Gilia ochroleuca</i> ssp. <i>exilis</i>	30 / 4	3	0.48	Check for <i>Filago californica</i>			
0.31 b 86	baby blue eyes	<i>Nemophila menziesii</i> var. <i>menziesii</i>	99 / 9	9	0.49 l 113	chamise	<i>Adenostoma fasciculatum</i>	10 / 9	41
0.31 l 87	annual phlox	<i>Phlox gracilis</i>	30 / 4	2	0.50 r 114	California peony	<i>Paeonia californica</i>	1 / 1	19
0.33 r 88	narrow-leaved miner's lettuce	<i>Claytonia parviflora</i> ssp. <i>parviflora</i>	20 / 3	23	0.52 l 115	San Diego pea	<i>Lathyrus vestitus</i> var. <i>alefeldii</i>	5 / 2	24
0.34 l 89	common bedstraw	<i>Galium aparine</i>	99 / 9	43	0.52 b 116	common phacelia	<i>Phacelia distans</i>	10 / 3	12
0.35 b 90	*field hedge-parsley	<i>Torilis arvensis</i>	99 / 3	7	0.52 r	(stinging lupine, <i>Lupinus hirsutissimus</i>)			
0.36 r 91	woodland star	<i>Lithophragma affine</i>	40 / 9	7	0.52 l 117	snapdragon campion	<i>Silene antirrhina</i>	5 / 1	8
0.36 l	(spear-leaved mountain dandelion, <i>Agoseris retrorsa</i>)				0.52 l 118	western wallflower	<i>Erysimum capitatum</i> ssp. <i>capitatum</i>	20 / 3	22
0.36 l	Sign: "Wildfire..."				0.53 b 119	fringe-pod	<i>Thysanocarpus curvipes</i>	30 / 9	10
0.36 r 92	coast live oak	<i>Quercus agrifolia</i> var. <i>agrifolia</i>	4 / 1	45	0.54	Cross small drainage and curve right			
0.36 l 93	mountain mugwort	<i>Artemisia ludoviciana</i> ssp. <i>incompta</i>	10 / 5	8	0.54 l 120	*Italian thistle	<i>Carduus pycnocephalus</i>	5 / 2	24
0.36 r	(southern honeysuckle, <i>Lonicera subspicata</i> var. <i>denudata</i>)				0.54 l 121	one-sided bluegrass	<i>Poa secunda</i> ssp. <i>secunda</i>	20 / 2	25
0.37 r 94	spear-leaved mountain dandelion	<i>Agoseris retrorsa</i>	5 / 3	14	0.54 l 122	yarrow	<i>Achillea millefolium</i>	30 / 5	17
0.37 l 95	golden yarrow	<i>Eriophyllum confertiflorum</i> var. <i>confertiflorum</i>	20 / 9	63	0.54 l 123	goldenrod	<i>Solidago californica</i>	5 / 1	42
0.37 l 96	Child's collinsia	<i>Collinsia childii</i>	99 / 9	2	0.54 b 124	miner's lettuce	<i>Claytonia perfoliata</i> ssp. <i>perfoliata</i>	30 / 3	26
0.37 l 97	diamond-petaled clarkia	<i>Clarkia rhomboidea</i>	99 / 9	5	0.54 l 125	American vetch	<i>Vicia americana</i> var. <i>americana</i>	3 / 1	10
0.37 r 98	California sweet-cicely	<i>Osmorhiza brachypoda</i>	50 / 9	7	0.54 l 126	*mouse-ear chickweed	<i>Cerastium glomeratum</i>	20 / 3	21
0.37 r 99	southern honeysuckle	<i>Lonicera subspicata</i> var. <i>denudata</i>	10 / 9	45	0.56 r 127	slender wheatgrass	<i>Elymus trachycaulus</i> [±]	20 / 2	2
0.38 l 100 ~	goldenstar	<i>Bloomeria crocea</i>	3 / 2	15	0.57 r 128	blue-eyed grass	<i>Sisyrinchium bellum</i>	2 / 1	21
0.38 r	Jct. Five Oaks Trail; go right on it, up the steps; elevation 4380 feet (1335 m)				0.57 b 129	*Italian rye-grass	<i>Lolium multiflorum</i>	10 / 1	20
0.39 l 101	phlox-leaved bedstraw	<i>Galium andrewsii</i> ssp. <i>andrewsii</i>	5 / 2	7	0.58 b 130	southern Chinese houses	<i>Collinsia concolor</i>	99 / 9	5
0.39 r	Sign: "Five Oaks Trail..."				0.59 r 131	Engelmann oak	<i>Quercus engelmannii</i>	5 / 1	25
0.39 r	Woodrat's nest				0.60 r	(cliff sword fern, <i>Polystichum imbricans</i> ssp. <i>curtum</i>)			
0.39 b 102	prickly cryptantha	<i>Cryptantha muricata</i>	30 / 5	17	0.61 b 132	poison oak	<i>Toxicodendron diversilobum</i>	30 / 9	45
0.40 r 103	California chicory	<i>Rafinesquia californica</i>	10 / 5	23	0.61 l 133	*sow thistle	<i>Sonchus oleraceus</i>	1 / 1	44
0.40 l 104	threadstem	<i>Pterostegia drymarioides</i>	30 / 5	33	0.64	Switchback left			
0.41 l 105	southern coast live oak	<i>Quercus agrifolia</i> var. <i>oxyadenia</i>	5 / 1	6	0.65	Switchback right			
0.42 l 106	white bluecup	<i>Githopsis diffusa</i> ssp. <i>candida</i>	20 / 2	2	0.65 l 134	Laguna manzanita	<i>Arctostaphylos glandulosa</i> ssp. <i>adamsii</i>	10 / 5	3
0.43 b 107	basketbush	<i>Rhus trilobata</i>	50 / 9	28	0.65 r 135	oak mistletoe	<i>Phoradendron villosum</i>	1 / 1	8
0.47 l 108	California everlasting	<i>Gnaphalium californicum</i>	5 / 3	46	0.68	Switchback left			
0.47 b 109	Torrey's scrub oak	<i>Quercus acutidens</i>	10 / 9	29	0.68 r 136	slender madia	<i>Madia gracilis</i>	30 / 9	20
					0.68 r 137	*darnel	<i>Lolium temulentum</i>	10 / 1	5
					0.69 r 138	*hedgehog dogtail-grass	<i>Cynosurus echinatus</i>	40 / 1	1
					0.72	Switchback right			