

3.25 Jct. Coyote Trail; end plant guide; elevation ~1860 feet (567 m). Return to trailhead via Coyote Trail.

3.73 Hidden Valley Trailhead

[http://tchester.org/srp/plants/guides/n\\_tp.html](http://tchester.org/srp/plants/guides/n_tp.html)

Updated 9 April 2006.

## Plant Guide to Coyote Trail / N. Trans Preserve Trail / Ranch Road / Oak Tree Trail Loop, Santa Rosa Plateau

Mile	S	#	id?	Common Name	Latin Name	#here	#all
0.00				Begin guide just before gate at Hidden Valley Trailhead, heading south on Hidden Valley Road; elevation ~1880 feet (573 m)			
				Check for brome fescue, <i>Vulpia bromoides</i> , earlier than mile 1.0			
0.00	b	1		*short-fruited filaree	<i>Erodium brachycarpum</i>	99 / 9	14
0.00	b	2		*foxtail barley	<i>Hordeum murinum ssp. glaucum</i>	99 / 9	15
0.00	b	3		*smooth cat's ear	<i>Hypochaeris glabra</i>	99 / 9	35
0.00	b	4		*shortpod mustard	<i>Hirschfeldia incana</i>	99 / 9	51
0.00	b	5		nodding needlegrass	<i>Nassella cernua</i>	99 / 9	15
0.00	b	6		*narrowleaf filago	<i>Filago gallica</i>	99 / 9	45
0.00	b	7		*soft chess	<i>Bromus hordeaceus</i>	99 / 9	40
0.00	1	8		*red brome	<i>Bromus madritensis ssp. rubens</i>	99 / 9	52
0.00	1	9		Spanish clover	<i>Lotus purshianus var. purshianus</i>	99 / 9	31
0.00	b	10		*redstem filaree	<i>Erodium cicutarium</i>	99 / 9	55
0.00	b	11		*California burclover	<i>Medicago polymorpha</i>	99 / 9	40
0.00	1	12		horseweed	<i>Conyza canadensis</i>	99 / 9	35
0.00	b	13		*Italian rye-grass	<i>Lolium multiflorum</i>	99 / 9	15
0.00	b	14		*nit grass	<i>Gastridium ventricosum</i>	99 / 9	23
0.00	b	15		*wild oats	<i>Avena fatua</i>	99 / 9	26
0.00	b	16		*ripgut brome	<i>Bromus diandrus</i>	50 / 5	51
0.00				Go through entrance on left of gate across road			
0.00	1	17		graceful tarplant	<i>Holocarpha virgata ssp. elongata</i>	99 / 9	14
0.00	1	18		*slender wild oats	<i>Avena barbata</i>	99 / 9	39
0.00	b	19		*sand spurrey	<i>Spergularia bocconeii</i>	99 / 9	12
0.00	r			Sign: "No mountain bikes; no horseback riding".			
0.00	1	20		*knotweed	<i>Polygonum arenastrum</i>	40 / 9	17
0.00	1			Iron Ranger: "Pay Fees Here"; bench			
0.00	b	21		*jointed goatgrass	<i>Aegilops cylindrica</i>	10 / 1	4
0.01	1	22		*prickly lettuce	<i>Lactuca serriola</i>	99 / 9	42
0.01	r	23		purple clarkia	<i>Clarkia purpurea ssp. quadrivulnera</i>	99 / 9	25

0.01	b	24	*hairy rattail fescue	<i>Vulpia myuros</i> var. <i>hirsuta</i>	99 / 9	17	3.25		Jct. Coyote Trail; end plant guide; elevation ~1860 feet (567 m). Return to trailhead via Coyote Trail.
0.01	r	25	checkerbloom	<i>Sidalcea malviflora</i> ssp. <i>sparsifolia</i>	99 / 9	25	3.73		Hidden Valley Trailhead
0.01	r	26	western vervain	<i>Verbena lasiostachys</i> var. <i>lasiostachys</i>	3 / 2	8			
0.02	r	27	*scarlet pimpernel	<i>Anagallis arvensis</i>	50 / 9	32	2.69	1	<b>Guide to eastern portion of Oak Tree Loop; begin at Y-jct taking left path</b>
0.02	l	28	blue dicks	<i>Dichelostemma capitatum</i> ssp. <i>capitatum</i>	40 / 9	46	2.70	1	Boulder with mortero
0.02	l		(prickly sow thistle, <i>Sonchus asper</i> ssp. <i>asper</i> )				2.72	1	Signpost "3": "Outcropping of granite provided perfect growing conditions for this young Engelmann oak"
0.03	l	29	*spring vetch	<i>Vicia sativa</i> ssp. <i>sativa</i>	20 / 2	5	2.75	1	~ (Schott's sedge, <i>Carex schottii</i> )
0.04	c	30	toad rush	<i>Juncus bufonius</i> var. <i>bufonius</i>	99 / 9	13	2.78		Signpost "4": "The soil remains somewhat moist throughout the year. Listen for Pacific tree frogs in spring and early summer"
0.04			Begin wood plank bridge over drainage						
0.04	l	31	*curly dock	<i>Rumex crispus</i>	50 / 9	23	2.79	1	white-flowering currant <i>Ribes indecorum</i> /
0.04	r		(autumn willowweed, <i>Epilobium brachycarpum</i> )				2.79	r 181	narrow-leaf milkweed <i>Asclepias fascicularis</i> 5 / 2 9
0.04	r	32	*grass poly	<i>Lythrum hyssopifolia</i>	40 / 7	14	2.80	1	sp (cattail, <i>Typha</i> sp.)
0.04	r	33	common spikerush	<i>Eleocharis macrostachya</i>	20 / 3	11	2.81		Short fence; sign: "Trail Closed"
0.04	r	34	wrinkled rush	<i>Juncus rugulosus</i>	99 / 9	10	2.84	r 182	meadow-rue <i>Thalictrum fendleri</i> var. <i>polycarpum</i> 3 / 1 8
0.04	l	35	*Mediterranean barley	<i>Hordeum marinum</i> ssp. <i>gussoneanum</i>	10 / 1	4	2.84	r	Signpost "6": "All the trees ahead are Engelmann oaks; behind you in a coast live oak"
0.04			Trail goes uphill				2.86	1	Signpost "7": "This Engelmann oak blew down in 1991"
0.04	b	36	johnny jump-up	<i>Viola pedunculata</i>	99 / 9	16	2.87		Cross small drainage
0.05	r	37	Indian milkweed	<i>Asclepias eriocarpa</i>	20 / 9	16	2.88	1	Signpost "8" with lichen growing on it! "Note the western sycamore tree across the tenaja"
0.05	r	38	sharp-toothed sanicle	<i>Sanicula arguta</i>	30 / 9	17	2.88	1	(red willow, <i>Salix laevigata</i> )
0.05	r	39	California plantain	<i>Plantago erecta</i>	30 / 2	14	2.92	1	Short fence; sign: "Trail Closed"
0.05	r		Sign: "Trail closed" for older portion of trail prior to rerouting						
0.05	r	40	shooting star	<i>Dodecatheon clevelandii</i> ssp. <i>clevelandii</i>	50 / 5	11	2.92	l 183	creeping wild rye <i>Leymus triticoides</i> 10 / 1 9
0.05	l	41	Palmer's goldenbush	<i>Ericameria palmeri</i> var. <i>pachylepis</i>	30 / 7	10	2.93	r	Signpost "10": "Engelmann and coast live oak together. Can you tell which is which?"
0.05	r		(big squirreltail, <i>Elymus multisetus</i> )				2.94		Cross small drainage
0.05	r	42	slender cottonweed	<i>Micropus californicus</i> var. <i>californicus</i>	2 / 1	7	2.96	b	milk maids <a href="#"><u><i>Cardamine californica</i> var. <i>californica</i></u></a> ± /
0.06	l		(rattlesnake weed, <i>Daucus pusillus</i> )				2.96	r	Signpost "11": "Huge coast live oak; listen for birds or the wind in its branches"
0.07	l		(sow thistle, <i>Sonchus oleraceus</i> )				2.96	1	(Portion of bridge from 0.3 miles upstream carried to this point in the creek)
0.07	r	43	big squirreltail	<i>Elymus multisetus</i>	3 / 3	6	2.99		Jct. Trans Preserve Trail and other branch of the Oak Tree Loop.
0.07	r	44	blue-eyed grass	<i>Sisyrinchium bellum</i>	99 / 9	19	3.20		Local high point on trail
0.08	l	45	coast live oak	<i>Quercus agrifolia</i> var. <i>agrifolia</i>	20 / 9	42			

2.60	b	175	western sycamore	<i>Platanus racemosa</i>	3 / 1	26	0.09	r	Sign: "Trail closed" for upper portion of old trail prior to rerouting.
2.60	r		(big leaf mistletoe, <i>Phoradendron macrophyllum</i> )				0.10	r	(Engelmann oak, <i>Quercus engelmannii</i> )
2.60	b		adult mule fat	<i>Baccharis salicifolia</i>		/	0.10	r	46 *sow thistle <i>Sonchus oleraceus</i> 20 / 9 40
2.61			Cross branch of Cole Creek; lowest point on route; elevation 1790 feet (545 m)				0.10	r	First of ~4 fields of shooting stars, <i>Dodecatheon clevelandii</i> ssp. <i>clevelandii</i>
2.66	l	176	Mexican rush	<i>Juncus mexicanus</i>	20 / 2	16	0.11	b	47 California-aster <i>Lessingia filaginifolia</i> var. <i>filaginifolia</i> 50 / 9 51
2.67			Begin Oak Tree Trail at its Ranch Road / Tenaja Truck Trail entrance; elevation ~1795 feet (547 m)				0.11		Area here and somewhat before are almost pure <i>Nassella</i> .
2.67	r		(just outside gate across Ranch Road: field bindweed, <i>Convolvulus arvensis</i> and white sweetclover, <i>Melilotus albus</i> )				0.12		Minor local high point on trail
2.67	l		(A large tumbleweed of Russian thistle, <i>Salsola tragus</i> , was here on 11/18/04, but no rooted population was seen.)				0.13	r	48 *windmill pink <i>Silene gallica</i> 50 / 9 33
2.68	r	177	*horehound	<i>Marrubium vulgare</i>	10 / 4	31	0.13	r	49 dove weed <i>Eremocarpus setigerus</i> 30 / 9 24
2.68	r		Last fence post of fence				0.17		Local high point on trail; elevation ~1900 feet (580 m)
2.68	l		Sign: "Oak Tree Trail (straight); to Hidden Valley Trailhead 1.1 mi; to Adobes 2 mi; to Vernal Pool 2.4 mi"				0.22	l	50 vinegar weed <i>Trichostema lanceolatum</i> 99 / 9 13
2.69			Y-jct; guide to right path of Oak Tree Loop follows immediately; guide to left path is at the end of this guide				0.22		51 purple needlegrass <i>Nassella pulchra</i> / 19
2.69			<b>Guide to western portion of Oak Tree Loop; begin at Y-jct taking right path</b>				0.23	r	(splendid mariposa lily, <i>Calochortus splendens</i> ; coyote bush, <i>Baccharis pilularis</i> )
2.73	l		Badger hole in 2004				0.27	l	52 splendid mariposa lily <i>Calochortus splendens</i> 40 / 9 18
2.78	l		Bench without a back				0.27	r	53 rattlesnake weed <i>Daucus pusillus</i> 99 / 9 28
2.79			Local high point on trail				0.29	r	54 Engelmann oak <i>Quercus engelmannii</i> 10 / 9 23
2.79		178	purple owl's clover	<i>Castilleja exserta</i> ssp. <i>exserta</i>	10 / 4	13	0.29	b	55 miner's lettuce <i>Claytonia perfoliata</i> ssp. <i>perfoliata</i> 20 / 2 24
2.81			Local low point on trail				0.29	b	56 common bedstraw <i>Galium aparine</i> 99 / 9 39
2.85	b	179	tree clover	<i>Trifolium ciliolatum</i>	20 / 3	11	0.29	l	57 common fiddleneck <i>Amsinckia menziesii</i> var. <i>intermedia</i> 30 / 7 17
2.87	r	180	white-flowering currant	<i>Ribes indecorum</i>	2 / 2	22	0.31	r	58 earth brodiaea <i>Brodiaea terrestris</i> ssp. <i>kernensis</i> 30 / 6 6
2.88			Local high point on trail				0.31	r	(Vasey's prickly-pear, <i>Opuntia vaseyi</i> ; white-flowering currant, <i>Ribes indecorum</i> ; soap plant, <i>Chlorogalum pomeridianum</i> var. <i>pomeridianum</i> ; California everlasting, <i>Gnaphalium californicum</i> )
2.92			Cross small drainage; local low point on trail. Note scoured area in drainage on left lower than rest of drainage.				0.31	l	59 seashore bentgrass <i>Agrostis pallens</i> 5 / 1 9
2.92	l		(slender woolly marbles, <i>Psilocarphus tenellus</i> var. <i>tenellus</i> )				0.32	r	60 *tocalote <i>Centaurea melitensis</i> 99 / 9 45
2.95	r		Trail post "13" (numbers face other direction): "The Old Man of the Forest" tree; its interior is rotting"				0.32	r	(hedge parsley, <i>Torilis nodosa</i> )
2.99	r		Jct. Trans Preserve Trail; continue on it; sign "Trans Preserve Trail". Trail on left is the other branch of the Oak Tree Loop.				0.34	r	(poison oak, <i>Toxicodendron diversilobum</i> )
3.20			Local high point on trail				0.34	r	(Torrey's scrub oak, <i>Quercus acutidens</i> )
							0.36		Trail crosses small rock outcrop / dyke and curves right
							0.36	l	Field of purple clarkia, <i>Clarkia purpurea</i> ssp. <i>quadrivulnera</i> , with lots of variation in petal coloration, including some with 4 clear spots
							0.38	r	(darnel, <i>Lolium temulentum</i> )

0.38	Trail crosses rock outcrop / dyke and turns right				1.91 r 155	elk thistle	<i>Cirsium scariosum</i>	5 / 5	10
0.39 r	(wild-cucumber, <i>Marah macrocarpus</i> var. <i>macrocarpus</i> )				1.93	Cross drainage			
0.39 r 61	fragrant everlasting	<i>Gnaphalium canescens</i> ssp. <i>beneolens</i>	40 / 9	23	1.94 r 156	seaside heliotrope	<i>Heliotropium curassavicum</i>	10 / 2	9
0.39 r 62	California everlasting	<i>Gnaphalium californicum</i>	30 / 9	42	2.02	Local high point on road; elevation ~1900 feet (580 m)			
0.40 r	(leafy daisy, <i>Erigeron foliosus</i> var. <i>foliosus</i> ; blue elderberry, <i>Sambucus mexicana</i> ; soap plant, <i>Chlorogalum pomeridianum</i> var. <i>pomeridianum</i> )				2.16 l 157	*damel	<i>Lolium temulentum</i>	5 / 2	4
0.43 r	(bicolored everlasting, <i>Gnaphalium bicolor</i> ; white everlasting, <i>Gnaphalium canescens</i> ssp. <i>microcephalum</i> ; San Diego pea, <i>Lathyrus vestitus</i> var. <i>alefeldii</i> )				2.16 b 158	chick lupine	<i>Lupinus microcarpus</i> var. <i>microcarpus</i>	50 / 9	9
0.44 r 63	California brome	<i>Bromus carinatus</i> var. <i>carinatus</i>	20 / 9	24	2.18 r 159	southern miner's lettuce	<i>Claytonia perfoliata</i> ssp. <i>mexicana</i>	10 / 2	28
0.45 r 64	San Diego wreathplant	<i>Stephanomeria diegensis</i>	3 / 3	21	2.21 r	(goldenrod, <i>Solidago californica</i> )			
0.47 r	View of the rock outcrop / dyke almost paralleling trail				2.22 b 160	*rose clover	<i>Trifolium hirtum</i>	50 / 5	11
0.48 r 65	soap plant	<i>Chlorogalum pomeridianum</i> var. <i>pomeridianum</i>	1 / 1	18	2.22 l 161	cobwebby thistle	<i>Cirsium occidentale</i> var. <i>occidentale</i>	1 / 1	8
0.50 b 66	*goldentop	<i>Lamarckia aurea</i>	10 / 2	20	2.22 l 162	slim vetch	<i>Vicia ludoviciana</i> var. <i>ludoviciana</i>	3 / 1	9
0.51 r	Jct. N. Trans Preserve Trail; go right on it; elevation ~1860 feet (567 m). Sign: "Coyote Trail; 0.5 mi to Hidden Valley Trailhead; Trans Preserve Trail (left and right); To Adobes 1.3 mi (right)"				2.22 l	(western sycamore, <i>Platanus racemosa</i> ; big leaf mistletoe, <i>Phoradendron macrophyllum</i> )			
0.52	Cross small drainage				2.22 b 163	rusty-haired popcorn flower	<i>Plagiobothrys nothofulvus</i>	99 / 9	11
0.52 r 67	rattlesnake weed	<i>Chamaesyce albomarginata</i>	30 / 5	8	2.23 r 164	goldenrod	<i>Solidago californica</i>	30 / 3	35
0.53 r	(Italian thistle, <i>Carduus pycnocephalus</i> )				2.29 b 165	cocklebur	<i>Xanthium strumarium</i>	10 / 3	15
0.56 l	(southern California morning-glory, <i>Calystegia macrostegia</i> ssp. <i>arida</i> )				2.29 l 166	*common cudweed	<i>Gnaphalium luteo-album</i>	2 / 2	15
0.56 r 68	dwarf lupine	<i>Lupinus bicolor</i>	20 / 3	29	2.29 l 167	arroyo willow	<i>Salix lasiolepis</i>	3 / 1	34
0.56 r 69	San Diego birdsfoot lotus	<i>Lotus hamatus</i>	30 / 3	24	2.29 l 168	Hooker's evening-primrose	<i>Oenothera elata</i> ssp. <i>hirsutissima</i>	5 / 1	10
0.56 r 70	leafy daisy	<i>Erigeron foliosus</i> var. <i>foliosus</i>	50 / 9	43	2.30 l	(Fremont cottonwood, <i>Populus fremontii</i> ssp. <i>fremontii</i> )			
0.56 l 71	long-stemmed buckwheat	<i>Eriogonum elongatum</i> var. <i>elongatum</i>	3 / 3	26	2.33 r 169	hybrid wild-rye	<i>Leymus Xmultiflorus</i> ( <i>L. condensatus</i> X <i>L. triticoides</i> )	3 / 3	3
0.57 l	Curious shallow excavated pit covered with sticks and leaves.				2.33 r 170	shining willow	<i>Salix lucida</i> ssp. <i>lasiandra</i>	2 / 1	3
0.57 b 72	*winter vetch	<i>Vicia villosa</i> ssp. <i>varia</i>	50 / 5	19	2.33 r 171	saltgrass	<i>Distichlis spicata</i>	30 / 5	15
0.57 r 73	western ragweed	<i>Ambrosia psilostachya</i>	50 / 9	36	2.34 l 172	thyme-leafed spurge	<i>Chamaesyce serpyllifolia</i> ssp. <i>serpyllifolia</i>	1 / 1	4
0.57 b 74	deergrass	<i>Muhlenbergia rigens</i>	30 / 9	21	2.34 r 173	sand spikerush	<i>Eleocharis montevidensis</i>	1 / 1	5
0.57 r	(California oxalis, <i>Oxalis albicans</i> ssp. <i>californica</i> ; hollyleaf redberry, <i>Rhamnus ilicifolia</i> )				2.36 r 174	autumn willowweed	<i>Epilobium brachycarpum</i>	20 / 3	4
0.57 75	California sagebrush	<i>Artemisia californica</i>	3 / 3	47	2.42 b	Field of chick lupine, <i>Lupinus microcarpus</i> var. <i>microcarpus</i>			
0.57	Begin bridge over drainage of a Cole Creek tributary; elevation ~1835 feet (560 m)				2.43	Local high point			
0.57 b 76	common monkeyflower	<i>Mimulus guttatus</i>	10 / 2	14	2.54 r	Jct. N. Lomas Trail			
					2.55	Jct. Tenaja Truck Trail; go left toward gate at old main entrance			

0.99	r	(Siskiyou aster, <i>Aster lanceolatus</i> ssp. <i>hesperius</i> , in Cole Creek)				0.57	r 77	*whorled dock	<i>Rumex conglomeratus</i>	3 / 2	7
1.00	b 139 ~	*brome fescue	<i>Vulpia bromoides</i>	99 / 9	5	0.57	b 78	spike primrose	<i>Epilobium densiflorum</i>	30 / 7	4
1.02	r	Cross small drainage with deepish hole				0.57	r 79	*mouse-ear chickweed	<i>Cerastium glomeratum</i>	5 / 2	19
1.15	r	(California buckwheat, <i>Eriogonum fasciculatum</i> var. <i>foliolosum</i> )				0.57	l 80	Bolander's water-starwort	<i>Callitriche heterophylla</i> var. <i>bolanderi</i>	5 / 2	3
1.18	b 140	bush lupine	<i>Lupinus excubitus</i> var. <i>hallii</i>	5 / 2	9	0.57	l	(western sycamore, <i>Platanus racemosa</i> )			
1.19	l 141	Pomona locoweed	<i>Astragalus pomonensis</i>	4 / 4	11	0.57	l 81	water crowfoot	<i>Ranunculus aquatilis</i> var. <i>capillaceus</i>	2 / 1	2
1.20	r 142	California poppy	<i>Eschscholzia californica</i>	3 / 2	28	0.57	l 82	*rabbits-foot grass	<i>Polypogon monspeliensis</i>	20 / 5	21
1.22	l 143	red maids	<i>Calandrinia ciliata</i>	30 / 3	21	0.57	b 83	umbrella sedge	<i>Cyperus eragrostis</i>	5 / 2	10
1.22	l 144	small-flowered fiddleneck	<i>Amsinckia menziesii</i> var. <i>menziesii</i>	20 / 2	11	0.57	r 84	willow-leaved dock	<i>Rumex salicifolius</i> var. <i>denticulatus</i>	2 / 2	6
1.22		Y-jct; take left branch				0.57	l 85	knot grass	<i>Paspalum distichum</i>	3 / 2	5
1.29		Jct. Hidden Valley Road; elevation ~1880 feet (573 m); go left to Ranch Road				0.57	l 86	*sourclover	<i>Melilotus indicus</i>	3 / 1	23
1.29	b 145	*pineapple weed	<i>Chamomilla suaveolens</i>	30 / 3	22	0.57		End bridge			
1.29		Jct. Ranch Road; go left; sign: "Ranch Road (left-right); To Visitor Center 3.0 mi (left); To Adobes 0.5 mi (right)"				0.57	l	(California peony, <i>Paeonia californica</i> )			
1.29	l 146	*Crete weed	<i>Hedypnois cretica</i>	50 / 5	21	0.58	b	(annual sunflower, <i>Helianthus annuus</i> )			
1.31	r 147	*long-beaked filaree	<i>Erodium botrys</i>	30 / 9	10	0.58		Trail begins to ascend			
1.33	r	*little horseweed	<a href="#"><u><i>Conyza bonariensis</i></u></a> <sup>±</sup>	/		0.58	b 87	western buttercup	<i>Ranunculus occidentalis</i>	50 / 9	7
1.36	l 148	*Bermuda grass	<i>Cynodon dactylon</i>	99 / 9	29	0.58	l 88	blue larkspur	<i>Delphinium parryi</i> ssp. <i>parryi</i>	50 / 9	13
1.40	l 149	clustered toad rush	<i>Juncus bufonius</i> var. <i>congestus</i>	50 / 5	5	0.58	b 89	slender madia	<i>Madia gracilis</i>	5 / 1	18
1.40	l 150	telegraph weed	<i>Heterotheca grandiflora</i>	20 / 3	34	0.58	l 90	owl's-clover	<i>Castilleja densiflora</i>	3 / 1	7
1.43	l 151	*annual blue grass	<i>Poa annua</i>	2 / 2	11	0.58	b 91	small-head field clover	<i>Trifolium microcephalum</i>	30 / 5	10
1.56	l 152	clustered field sedge (female)	<i>Carex praegracilis</i>	20 / 1	6	0.58	l 92	grand mountain dandelion	<i>Agoseris grandiflora</i>	20 / 3	10
1.59	l	A white-flowered Spanish clover, <i>Lotus purshianus</i> var. <i>purshianus</i>				0.58	b 93	*cut-leaved geranium	<i>Geranium dissectum</i>	20 / 2	13
1.65		(l: mule fat, <i>Baccharis salicifolia</i> ; r: Sign: "Main")				0.58	l 94	climbing bedstraw	<i>Galium nuttallii</i> ssp. <i>nuttallii</i>	20 / 9	30
1.67	l	Jct. cutoff to Trans Preserve Trail; sign: "To Trans Preserve 0.3 mi"				0.58	b 95	blue wildrye	<i>Elymus glaucus</i> ssp. <i>glaucus</i>	50 / 9	21
1.67	r	Pass through open gate on Ranch Road; Jct. Monument Hill Road				0.58	l 96	*bull thistle	<i>Cirsium vulgare</i>	40 / 9	16
1.71		Cross drainage				0.58	r	(basketbush, <i>Rhus trilobata</i> )			
1.75		Local high point				0.58	r 97	hollyleaf redberry	<i>Rhamnus ilicifolia</i>	4 / 4	43
1.80	r	(Patch of dallis grass, <i>Paspalum dilatatum</i> that did very well during the 2002 drought due to a spring / seep here. The patch became huge in 2005)				0.58	r 98	southern honeysuckle	<i>Lonicera subspicata</i> var. <i>denudata</i>	2 / 1	40
1.80	r 153	*dog-fennel	<a href="#"><u><i>Anthemis cotula</i></u></a> <sup>±</sup>	1 / 1	2	0.59	l 99	poison oak	<i>Toxicodendron diversilobum</i>	10 / 4	43
1.87		Cross drainage				0.59	b 100	*hedge parsley	<i>Torilis nodosa</i>	99 / 9	14
1.90	154	baby mule fat	<i>Baccharis salicifolia</i>	3 / 2	40	0.59	l 101	giant wild-rye	<i>Leymus condensatus</i>	30 / 5	27
						0.59	r 102	toyon	<i>Heteromeles arbutifolia</i>	4 / 3	44

