

2.13 r Jct. Vista Grande Trail; elevation 1920 feet (585 m); end this plant guide.

http://tchester.org/srp/plants/guides/punta_mesa.html

Updated 3 March 2006.

Plant Guide to Punta Mesa Trail, Santa Rosa Plateau

Mile s	#	id?	Common Name	Latin Name	#here	#all
0.00			Begin trail at jct. with Adobe Loop Trail; elevation 1800 feet (550 m)			
0.00	b	1	holly-leaf navarretia	<i>Navarretia atractyloides</i>	99 / 9	9
0.00	l	2	*Crete weed	<i>Hedypnois cretica</i>	99 / 5	20
0.00	l	3	*short-fruited filaree	<i>Erodium brachycarpum</i>	99 / 9	14
0.00	l	4	*redstem filaree	<i>Erodium cicutarium</i>	/	57
0.00	l	5	*windmill pink	<i>Silene gallica</i>	/	33
0.00	l	6	San Diego birdsfoot lotus	<i>Lotus hamatus</i>	/	24
0.00	l	7	rattlesnake weed	<i>Daucus pusillus</i>	99 / 9	30
0.00	b	8	*tiny bedstraw	<i>Galium murale</i>	/	2
0.00	l	9	*smooth cat's ear	<i>Hypochaeris glabra</i>	/	35
0.00	l	10	dwarf lupine	<i>Lupinus bicolor</i>	/	29
0.00	l	11	narrowleaf bedstraw	<i>Galium angustifolium ssp. angustifolium</i>	20 / 9	50
0.00	r	12	black sage	<i>Salvia mellifera</i>	20 / 9	40
0.00	b	13	miner's lettuce	<i>Claytonia perfoliata ssp. perfoliata</i>	/	22
0.00	r	14	*common chickweed	<i>Stellaria media</i>	/	25
0.00	l		Sign: "Adobe Loop / Punta Mesa Trail"			
0.00	b	15	California sagebrush	<i>Artemisia californica</i>	99 / 9	47
0.00	r	16	San Diego pea	<i>Lathyrus vestitus var. alefeldii</i>	2 / 2	21
0.00	b	17	*soft chess	<i>Bromus hordeaceus</i>	20 / 3	40
0.00	b	18	saw-toothed goldenbush	<i>Hazardia squarrosa var. grindelioides</i>	5 / 5	35
0.00	r	19	southern Indian pink	<i>Silene laciniata ssp. major</i>	10 / 1	20
0.00	r	20	chamise	<i>Adenostoma fasciculatum</i>	50 / 9	37
0.00	r	21	coast live oak	<i>Quercus agrifolia var. agrifolia</i>	20 / 9	42
0.00	b	22	bush monkeyflower	<i>Mimulus aurantiacus</i>	20 / 9	42
0.00	r	23	white everlasting	<i>Gnaphalium canescens ssp. microcephalum</i>	10 / 5	37
0.00	r	24	silver puffs	<i>Uropappus lindleyi</i>	10 / 1	26
0.00	r	25	*shortpod mustard	<i>Hirschfeldia incana</i>	30 / 3	51
0.00	r	26	southern honeysuckle	<i>Lonicera subspicata var. denudata</i>	30 / 9	40
0.00	r	27	deerweed	<i>Lotus scoparius var. scoparius</i>	30 / 9	29
0.00	r	28	golden yarrow	<i>Eriophyllum confertiflorum var. confertiflorum</i>	20 / 9	56
0.00	l	29	*rattail fescue	<i>Vulpia myuros var. myuros</i>	/	20
0.00	l	30	purple clarkia	<i>Clarkia purpurea ssp. quadrivulnera</i>	30 / 3	26
0.00	r	31	*hedge parsley	<i>Torilis nodosa</i>	99 / 9	14
0.00	r	32	Pacific sanicle	<i>Sanicula crassicaulis</i>	20 / 9	20
0.00	r	33	California everlasting	<i>Gnaphalium californicum</i>	50 / 9	43

0.00	l 34	leafy daisy	<i>Erigeron foliosus</i> var. <i>foliosus</i>	20 / 9	44	1.28	l 185	*yellow salsify	<i>Tragopogon dubius</i>[±]	1 / 1	13
0.00	l 35	*red brome	<i>Bromus madritensis</i> ssp. <i>rubens</i>	/	55	1.28	b 186	Mexican rush	<i>Juncus mexicanus</i>	20 / 1	17
0.00	l	(canchalagua, <i>Centaureum venustum</i>)				1.28	r 187	*olive	<i>Olea europaea</i>	1 / 1	10
0.00	r	Bench with back, built by Daniel Pavoni and Murrieta Boy Scout Troop 304				1.29	l 188	southern California morning-glory	<i>Calystegia macrostegia</i> ssp. <i>arida</i>[±]	2 / 2	15
0.00	b 36	*nit grass	<i>Gastridium ventricosum</i>	99 / 9	27	1.29	r	(Some very old and very large western sycamore trees, <i>Platanus racemosa</i> .)			
0.00	b 37	Pomona locoweed	<i>Astragalus pomonensis</i>	5 / 3	11	1.33	l 189	*Italian thistle	<i>Carduus pycnocephalus</i>	10 / 1	21
0.00	r 38	coast-range melic	<i>Melica imperfecta</i>	30 / 9	43	1.34	c 190	California poppy	<i>Eschscholzia californica</i>	30 / 9	29
0.00	l 39	California buckwheat	<i>Eriogonum fasciculatum</i> var. <i>foliolosum</i>	10 / 5	51	1.37	r	(California fuchsia, <i>Epilobium canum</i> ssp. <i>canum</i>)			
0.00	r 40	*Australian brass-buttons	<i>Cotula australis</i>	10 / 1	17	1.38		Cross main drainage; creek is now on your left			
0.00	r 41	*scarlet pimpernel	<i>Anagallis arvensis</i>	50 / 9	34	1.39	r 191	Ramona-lilac	<i>Ceanothus tomentosus</i> var. <i>olivaceus</i>	4 / 2	9
0.00	r 42	*narrowleaf filago	<i>Filago gallica</i>	50 / 9	45	1.41	r 192	blue elderberry	<i>Sambucus mexicana</i>	1 / 1	48
0.00	l	(bicolored everlasting, <i>Gnaphalium bicolor</i>)				1.42	r 193	Parish's purple nightshade	<i>Solanum parishii</i>	/	20
0.00	r 43	basketbush	<i>Rhus trilobata</i>	1 / 1	25	1.45		Cross main drainage; creek is now on your right again			
0.00	r 44	wild-cucumber	<i>Marah macrocarpus</i> var. <i>macrocarpus</i>	10 / 9	45	1.46	r 194	California fuchsia	<i>Epilobium canum</i> ssp. <i>canum</i>	3 / 1	22
0.00	r 45	checkerbloom	<i>Sidalcea malviflora</i> ssp. <i>sparsifolia</i>	/	25	1.46		(slender sunflower, <i>Helianthus gracilentus</i>)			
0.00	r 46	Torrey's scrub oak	<i>Quercus acutidens</i>	5 / 3	26	1.47	r 195	western marsh cudweed	<i>Gnaphalium palustre</i>	10 / 1	5
0.00	l 47	rusty-haired popcorn flower	<i>Plagiobothrys nothofulvus</i>	10 / 2	13	1.47	r 196	*tumble pigweed	<i>Amaranthus albus</i>	10 / 1	14
0.00	l 48	pygmy-weed	<i>Crassula connata</i>	/	27	1.47		Cross main drainage; creek is now on your left again			
0.00	r 49	climbing bedstraw	<i>Galium nuttallii</i> ssp. <i>nuttallii</i>	3 / 3	31	1.47	r 197	purple everlasting	<i>Gnaphalium purpureum</i>	10 / 1	5
0.00	r 50	Rainbow manzanita	<i>Arctostaphylos rainbowensis</i>	4 / 3	2	1.51		Cross small side drainage; main creek is still on your left			
0.00	b 51	canchalagua	<i>Centaureum venustum</i>	99 / 9	15	1.52	r 198	slender sunflower	<i>Helianthus gracilentus</i>	1 / 1	13
0.00	r 52	sp canyon clarkia?	<i>Clarkia epilobioides?</i>	2 / 1		1.53	c 199	telegraph weed	<i>Heterotheca grandiflora</i>	2 / 2	37
0.00		Gate				1.58	r 200	dove weed	<i>Eremocarpus setigerus</i>	10 / 3	26
0.01	r 53	heartleaf penstemon	<i>Keckiella cordifolia</i>	30 / 9	28	1.59	r 201	Palmer's goldenbush	<i>Ericameria palmeri</i> var. <i>pachylepis</i>	2 / 2	10
0.01	c 54	*pineapple weed	<i>Chamomilla suaveolens</i>	1 / 1	19	1.62	r	Field of solid tocalote, <i>Centaurea melitensis</i> for next 0.05 miles			
0.01	r 55	*mouse-ear chickweed	<i>Cerastium glomeratum</i>	/	19	1.72	r	Field of solid prickly lettuce, <i>Lactuca serriola</i> , and shortpod mustard, <i>Hirschfeldia incana</i> , for next 0.11 miles			
0.01	l 56	bicolored everlasting	<i>Gnaphalium bicolor</i>	2 / 1	32	1.72	r 202	*wild oats	<i>Avena fatua</i>	20 / 9	27
0.01	r 57	white-flowering currant	<i>Ribes indecorum</i>	3 / 3	24	1.86	r 203	western vervain	<i>Verbena lasiostachys</i> var. <i>lasiostachys</i>	2 / 1	10
0.01	r 58	popcorn flower	<i>Cryptantha intermedia</i>	/	27	1.89	r	(Tenaja with year-round water)			
0.01	r 59	bristly bird's beak	<i>Cordylanthus rigidus</i> ssp. <i>setigerus</i>	30 / 9	28	1.89	r 204	*white-stemmed filaree	<i>Erodium moschatum</i>	/	21
0.01	r 60	blue dicks	<i>Dichelostemma capitatum</i> ssp. <i>capitatum</i>	/	46	1.90		Cross drainage from tenaja			
0.02	l 61	threadstem	<i>Pterostegia drymarioides</i>	/	31	1.90	r 205	creeping wild rye	<i>Leymus triticoides</i>	10 / 1	12
0.02	l	Trail is now lined with fringed spineflower, <i>Chorizanthe fimbriata</i>				1.90		Cross through open gate			
0.02	l 62	fringed spineflower	<i>Chorizanthe fimbriata</i> var. <i>fimbriata</i>	99 / 9	8	1.94	c 206	*shepherd's purse	<i>Capsella bursa-pastoris</i>	20 / 1	10
0.02	l 63	combseed	<i>Pectocarya penicillata</i>	/	4	1.94		Jct. Monument Hill / Faultline Roads; elevation 1800 feet (550 m); turn left onto Monument Hill Road			
0.02	c 64	angel's gilia	<i>Gilia angelensis</i>	1 / 1	13	1.95		Cross main drainage			
0.02	b 65	collar lupine	<i>Lupinus truncatus</i>	/	24	2.04	l 207	long-stemmed buckwheat	<i>Eriogonum elongatum</i> var. <i>elongatum</i>	3 / 1	29
0.02	b 66	goldback fern	<i>Pentagramma triangularis</i> ssp. <i>triangularis</i>	30 / 3	24	2.08	r 208	rattlesnake weed	<i>Chamaesyce albomarginata</i>	5 / 1	11

0.72 l 155	*whorled dock	<i>Rumex conglomeratus</i>	5 / 2	12	0.03	Trail is now additionally lined with hooked skunkweed, <i>Navarretia hamata</i> , as well as lesser numbers of canchalagua, <i>Centaureum venustum</i> :		
0.72 l 156	*green bentgrass	<i>Agrostis viridis</i>	1 / 1	5	0.03 l 67	hooked skunkweed	<i>Navarretia hamata ssp. hamata</i>	99 / 9 11
0.72 l 157	*curly dock	<i>Rumex crispus</i>	5 / 2	23	0.03 r 68	coyote bush	<i>Baccharis pilularis</i>	2 / 2 25
0.72 l 158	knot grass	<i>Paspalum distichum</i>	3 / 1	7	0.04 r	Second occurrence of Rainbow manzanita, <i>Arctostaphylos rainbowensis</i> .		
0.72 l 159	wrinkled rush	<i>Juncus rugulosus</i>	1 / 1	14	0.05	Trail is now on Bedford Canyon Formation , which has many exposures along nearly the entire trail.		
0.72 l	(long-leaved rush, <i>Juncus macrophyllus</i> ; Pacific rush, <i>Juncus effusus</i> var. <i>pacificus</i>)				0.05 l 69	chaparral yucca	<i>Yucca whipplei</i>	2 / 2 31
0.72 b 160	sticky cinquefoil	<i>Potentilla glandulosa ssp. glandulosa</i>	3 / 2	17	0.06 b 70	*tocalote	<i>Centaurea melitensis</i>	99 / 9 45
0.72 l 161	clustered toad rush	<i>Juncus bufonius</i> var. <i>congestus</i>	1 / 1	9	0.06 l 71	mission manzanita	<i>Xylococcus bicolor</i>	1 / 1 14
0.72	End bridge				0.07 l 72	*goldentop	<i>Lamarckia aurea</i>	/ 22
0.72 l 162	mule fat	<i>Baccharis salicifolia</i>	3 / 2	39	0.07 l 73	fragrant everlasting	<i>Gnaphalium canescens ssp. beneolens</i>	2 / 2 25
0.72 l 163	*winter vetch	<i>Vicia villosa ssp. varia</i>	10 / 1	19	0.07 l 74	horseweed	<i>Conyza canadensis</i>	20 / 9 42
0.72 l	(goldenrod, <i>Solidago californica</i>)				0.07 l 75	*prickly lettuce	<i>Lactuca serriola</i>	50 / 9 42
0.73 r	Concrete slab; from former Arizona crossing?				0.09 r 76	laurel sumac	<i>Malosma laurina</i>	5 / 5 42
0.73 r 164	cocklebur	<i>Xanthium strumarium</i>	1 / 1	17	0.10 r 77	*Bermuda grass	<i>Cynodon dactylon</i>	10 / 9 34
0.73 l 165	nodding needlegrass	<i>Nassella cernua</i>	/	17	0.11 r 78 ~	Vasey's prickly-pear	<i>Opuntia vaseyi</i>	4 / 4 24
0.73 l 166	California brome	<i>Bromus carinatus</i> var. <i>carinatus</i>	/	24	0.12 r	Arborescent form of Tucker's scrub oak, <i>Q. acutidens</i>		
0.75 l 167	branching phacelia	<i>Phacelia ramosissima</i> var. <i>latifolia</i>	5 / 1	34	0.13 l 79	slender tarweed	<i>Hemizonia fasciculata</i>	50 / 9 18
0.76	Trail curves left 90°				0.13 r 80	sapphire woolly-star	<i>Eriastrum sapphirinum</i>	20 / 3 7
0.78 l 168	stinging lupine	<i>Lupinus hirsutissimus</i>	1 / 1	15	0.13 r 81	*common cudweed	<i>Gnaphalium luteo-album</i>	10 / 2 18
0.82 r 169	goldenrod	<i>Solidago californica</i>	10 / 1	35	0.14 b 82	hoaryleaf ceanothus	<i>Ceanothus crassifolius</i>	40 / 9 12
0.83 l 170	*English plantain	<i>Plantago lanceolata</i>	50 / 9	20	0.15 c 83	*Mediterranean schismus	<i>Schismus barbatus</i>	/ 24
0.85 r 171	triangular-fruit sedge	<i>Carex triquetra</i>	/	17	0.17 l	(wild canterbury bells, <i>Phacelia minor</i>)		
0.86 r 172	southern miner's lettuce	<i>Claytonia perfoliata ssp. mexicana</i>	/	25	0.17 r 84	San Diego wreathplant	<i>Stephanomeria diegensis</i>	20 / 7 24
0.90 r 173	*Italian rye-grass	<i>Lolium multiflorum</i>	/	19	0.20 l 85	yellow mariposa lily	<i>Calochortus weedii</i> var. <i>weedii</i>	3 / 1 12
0.90 r 174	*field hedge-parsley	<i>Torilis arvensis</i>	50 / 2	6	0.21 l 86	*sow thistle	<i>Sonchus oleraceus</i>	10 / 9 42
0.92 l 175	grand mountain dandelion	<i>Agoseris grandiflora</i>	/	11	0.21 l 87	toyon	<i>Heteromeles arbutifolia</i>	5 / 5 44
0.92 l 176 ~	wild celery	<i>Apiastrum angustifolium</i>	10 / 1	13	0.23 l 88	Jepson's blue wildrye	<i>Elymus glaucus ssp. jepsonii</i>	50 / 9 12
0.92 l 177	common bedstraw	<i>Galium aparine</i>	10 / 1	39	0.23 b 89	cotton-batting plant	<i>Gnaphalium stramineum</i>	/ 20
0.95 l 178	purple sanicle	<i>Sanicula bipinnatifida</i>	/	11	0.23 r	Fencepost		
0.95 l 179 sp	owl's clover	<i>Castilleja</i> sp.	/		0.25 l	Opening in chaparral, formerly with large "X" for aerial photographs.		
0.95 b 180	bush lupine	<i>Lupinus excubitus</i> var. <i>hallii</i>	10 / 5	10	0.25 b 90	sharp-toothed sanicle	<i>Sanicula arguta</i>	/ 16
0.95 l	Housing for wildlife camera				0.25 l 91	graceful tarplant	<i>Holocarpha virgata ssp. elongata</i>	40 / 9 15
0.99 l 181	coastal goldenbush	Isocoma menziesii[±]	1 / 1	17	0.25 b 92	Spanish clover	<i>Lotus purshianus</i> var. <i>purshianus</i>	10 / 3 31
1.11 c 182	*Mediterranean pygmy-weed	<i>Crassula tillaea</i>	20 / 1	7	0.25 l 93 ~	tree clover	<i>Trifolium ciliolatum</i>	/ 12
1.12 c 183	common fiddleneck	<i>Amsinckia menziesii</i> var. <i>intermedia</i>	10 / 2	15	0.25 l 94	balloon clover	<i>Trifolium depauperatum</i> var. <i>truncatum</i>	/ 7
1.16 r	Jct. road to Punta Mesa Research area, closed to the public, with a gate across it.				0.25 l 95 ~	splendid mariposa lily	Calochortus splendens[±]	/ 20
1.16 r	(stinking gourd, <i>Cucurbita foetidissima</i>)				0.25 r 96	purple needlegrass	<i>Nassella pulchra</i>	/ 20
1.19 r	(Field of rigid hedge-nettle, <i>Stachys ajugoides</i> var. <i>rigida</i> , in drainage)				0.25 l 97	red maids	<i>Calandrinia ciliata</i>	/ 17
1.24 l 184 ~	California chicory	<i>Rafinesquia californica</i>	1 / 1	22				

0.25 b 98	Indian milkweed	<i>Asclepias eriocarpa</i>	/	18	0.60 l	Beautiful set of weathered Bedford Canyon Formation boulders		
0.25 l 99	short-winged deerweed	<i>Lotus scoparius</i> var. <i>brevialatus</i>	10 / 2	24	0.62 l 121	California oxalis	<i>Oxalis albicans</i> ssp. <i>californica</i>	3 / 1 4
0.28 l 100	vinegar weed	<i>Trichostema lanceolatum</i>	20 / 9	15	0.64 r	Vasey's prickly-pear	<i>Opuntia vaseyi</i>[±]	/
0.29	Best view of 8 million year old river valley filled by Santa Rosa Basalt, at 2 o'clock.				0.64 r 122	slender madia	<i>Madia gracilis</i>	/ 19
0.33 r 101	Engelmann oak	<i>Quercus engelmannii</i>	2 / 2	23	0.66 r 123	California four o'clock	<i>Mirabilis californica</i>	/ 23
0.33 l 102	white sage	<i>Salvia apiana</i>	10 / 9	38	0.67 r 124	*hedge mustard	<i>Sisymbrium officinale</i>	/ 20
0.34	Long switchback right.				0.68 b 125	*cut-leaved geranium	<i>Geranium dissectum</i>	99 / 3 13
0.39 l 103	*little horseweed	<i>Conyza bonariensis</i>	4 / 4	20	0.70 l 126	coffee fern	<i>Pellaea andromedifolia</i>	1 / 1 22
0.39 r 104	chaparral bush mallow	<i>Malacothammus fasciculatus</i>	5 / 3	14	0.70 r 127	*bull thistle	<i>Cirsium vulgare</i>	20 / 9 20
0.40	Trail curves slightly left				0.70 l 128	California bee plant	<i>Scrophularia californica</i> ssp. <i>floribunda</i>	5 / 2 17
0.41 l 105	three spot	<i>Osmadenia tenella</i>	20 / 1	15	0.71 r 129	giant wild-rye	<i>Leymus condensatus</i>	5 / 1 28
0.41 l 106	*slender wild oats	<i>Avena barbata</i>	/	40	0.71 l 130	milk maids	<i>Cardamine californica</i> var. <i>californica</i>	20 / 1 6
0.41 r 107	soap plant	<i>Chlorogalum pomeridianum</i> var. <i>pomeridianum</i>	10 / 9	19	0.71 b 131	western ragweed	<i>Ambrosia psilostachya</i>	10 / 2 39
0.41 r 108	purple snapdragon	<i>Antirrhinum nuttallianum</i> ssp. <i>nuttallianum</i>	/	19	0.71 b 132	mugwort	<i>Artemisia douglasiana</i>	20 / 1 28
0.42 r 109	slim vetch	<i>Vicia ludoviciana</i> var. <i>ludoviciana</i>	/	9	0.71 b 133	*California burclover	<i>Medicago polymorpha</i>	/ 40
0.45 l 110	California-aster	<i>Lessingia filaginifolia</i> var. <i>filaginifolia</i>	20 / 9	52	0.71 l 134	eucrypta	<i>Eucrypta chrysanthemifolia</i> var. <i>chrysanthemifolia</i>	/ 25
0.45 r 111	bird's-foot fern	<i>Pellaea mucronata</i> var. <i>mucronata</i>	1 / 1	30	0.71 l 135	deergass	<i>Muhlenbergia rigens</i>	3 / 2 21
0.46 r	(wood rat's nest)				0.72 b 136	*sourclover	<i>Melilotus indicus</i>	10 / 1 25
0.48	Long switchback left.				0.72 r 137	*knotweed	<i>Polygonum arenastrum</i>	20 / 5 21
0.48 r	(blue elderberry, <i>Sambucus mexicana</i>)				0.72 b 138	rigid hedge-nettle	<i>Stachys ajugoides</i> var. <i>rigida</i>	10 / 1 15
0.50 r	Jct. use trail				0.72	Beginning of bridge to cross creek, a tributary of the De Luz River; low point on trail, elevation 1605 feet (490 m)		
0.50 b 112	*ripgut brome	<i>Bromus diandrus</i>	/	53	0.72 b 139	arroyo willow	<i>Salix lasiolepis</i>	1 / 1 36
0.50 r 113	San Diego mountain mahogany	<i>Cercocarpus minutiflorus</i>	1 / 1	12	0.72 l 140	red willow	<i>Salix laevigata</i>	1 / 1 23
0.50 l 114	sticky false-gilia	<i>Allophyllum glutinosum</i>	10 / 1	8	0.72 b 141	*fennel	<i>Foeniculum vulgare</i>[±]	4 / 1 13
0.52 r	(California dodder, <i>Cuscuta californica</i> var. <i>californica</i> ; silky lotus, <i>Lotus heermannii</i> var. <i>heermannii</i>)				0.72 r	(narrow-leaf milkweed, <i>Asclepias fascicularis</i>)		
0.52 r	(Check for black willow, <i>Salix gooddingii</i>)				0.72 b 142	*Himalaya blackberry	<i>Rubus discolor</i>	5 / 1 3
0.53 l 115	*horehound	<i>Marrubium vulgare</i>	50 / 9	33	0.72 r 143 sp	short sedge	<i>Carex</i> sp.	1 / 1
0.53 l 116	poison oak	<i>Toxicodendron diversilobum</i>	10 / 3	43	0.72 r 144	*grass poly	<i>Lythrum hyssopifolia</i>	10 / 1 15
0.53 r 117	western sycamore	<i>Platanus racemosa</i>	1 / 1	28	0.72 l 145 ~	leather root	<i>Hoita macrostachya</i>	1 / 1 2
0.57 r	(California wood fern, <i>Dryopteris arguta</i>)				0.72 l 146	*bristly ox-tongue	<i>Picris echioides</i>	3 / 1 12
0.57 r	splendid mariposa lily	<i>Calochortus splendens</i>[±]	/		0.72 b 147	*common plantain	<i>Plantago major</i>	3 / 1 9
0.58 r 118	hollyleaf redberry	<i>Rhamnus ilicifolia</i>	/	43	0.72 l 148	*dallis grass	<i>Paspalum dilatatum</i>	10 / 1 10
0.58 l 119	autumn willowweed	<i>Epilobium brachycarpum</i>	1 / 1	5	0.72 l 149	scarlet monkeyflower	<i>Mimulus cardinalis</i>	10 / 1 16
0.60 r	Third occurrence of Rainbow manzanita, <i>Arctostaphylos rainbowensis</i> , whacked on 2/26/06				0.72 b 150	*spearmint	<i>Mentha spicata</i> var. <i>spicata</i>	10 / 1 4
0.60 l 120	California thistle	<i>Cirsium occidentale</i> var. <i>californicum</i>	20 / 5	11	0.72 b 151	*rabbits-foot grass	<i>Polypogon monspeliensis</i>	10 / 1 26
0.60 l	(Parish's purple nightshade, <i>Solanum parishii</i>)				0.72 l 152	water cress	<i>Rorippa nasturtium-aquaticum</i>	5 / 1 12
					0.72 l 153	common spikerush	<i>Eleocharis macrostachya</i>	1 / 1 12
					0.72 l 154	sand spikerush	<i>Eleocharis montevidensis</i>	2 / 1 7