

**Plant Guide to Vista Grande / Monument Hill Road / N. Lomas / Tenaja
Truck Trail Loop, Santa Rosa Plateau**

3.47		Local low point			
3.54	r 206	*dog-fennel	Anthemis cotula[±]	1 / 1	2
3.55		Minor local high point			
3.58		Minor local low point			
3.98		Local high point			
3.98	1 207	hook three-awn	<i>Aristida ternipes var. hamulosa</i>	3 / 1	1
4.02	1	Jct. Waterline Road: go left on it to return to Visitor Center; see its plant trail guide for additional species on that trail			
4.87		End Plant Trail Guide at Visitor Center			
		Additional species on alternate trail not found elsewhere on guide; mileage from jct at mile 0.11			
0.11	1 208	mustang mint	<i>Monardella lanceolata</i>	10 / 2	6
0.11	1 209	papillate dodder	<i>Cuscuta californica var. papillosa</i>	3 / 2	3
0.12	r 210	canyon clarkia	<i>Clarkia epilobioides</i>	10 / 1	12
0.13	b 211	southern Indian pink	<i>Silene laciniata ssp. major</i>	10 / 2	20
0.14	1 212	virgin's bower	<i>Clematis pauciflora</i>	1 / 1	12
0.14		Trail descends slightly			
0.15	r 213	slender vetch	<i>Vicia hassei</i>	1 / 1	7
0.15	r 214	warty spurge	<i>Euphorbia spathulata</i>	5 / 1	5
0.16	r 215	Venus looking-glass	<i>Triodanis biflora</i>	3 / 1	3
0.16	r 216	showy plectritis	<i>Plectritis ciliosa ssp. insignis</i>	20 / 1	3
0.16	1 217	willowherb	<i>Epilobium ciliatum ssp. ciliatum</i>	1 / 1	19
0.16		Trail turns right 90°			
0.16	1 218	*shepherd's purse	<i>Capsella bursa-pastoris</i>	1 / 1	11
0.17	r	(Tejon cryptantha, <i>Cryptantha microstachys</i>)			
0.17	1 219	purple everlasting	<i>Gnaphalium purpureum</i>	1 / 1	6
0.21	c 220	thyme-leaved spurge	<i>Chamaesyce serpyllifolia ssp. serpyllifolia</i>	1 / 1	5
0.21		Jct. with other branch of loop			

http://tchester.org/srp/plants/guides/vista_grande_loop.html
Updated 9 November 2007

Mile	S	#	id?	Common Name	Latin Name	#here	#all
				Begin at the jct. of the Granite Loop and N. Vista Grande Trails; elevation 1760 feet (536 m). Sign: "Granite Loop Trail [ahead]; To Visitor Center 0.6 mile; Vista Grande Trail [right]; Tenaja Truck Trail 0.9 mile". Go right, on the Vista Grande Trail.			
0.00							
0.00	b	1		*windmill pink	<i>Silene gallica</i>	99 / 9	33
0.00	1	2		*smooth cat's ear	<i>Hypochaeris glabra</i>	99 / 9	35
0.00	b	3		purple needlegrass	<i>Nassella pulchra</i>	99 / 9	19
0.00	1	4		*scarlet pimpernel	<i>Anagallis arvensis</i>	99 / 9	32
0.00	b	5		*short-fruited filaree	<i>Erodium brachycarpum</i>	99 / 9	14
0.00	b	6		variegated clover	<i>Trifolium variegatum</i>	10 / 2	5
0.00	1	7		*narrowleaf filago	<i>Filago gallica</i>	99 / 9	45
0.00	b	8		*nit grass	<i>Gastridium ventricosum</i>	99 / 9	24
0.00	1	9		*ripgut brome	<i>Bromus diandrus</i>	99 / 9	51
0.00	b	10		purple clarkia	<i>Clarkia purpurea ssp. quadrivulnera</i>	99 / 9	25
0.00	r	11		nodding needlegrass	<i>Nassella cernua</i>	/	16
0.00	b	12		San Diego tarweed	<i>Hemizonia paniculata</i>	99 / 9	7
0.00	b	13		graceful tarplant	<i>Holocarpha virgata ssp. elongata</i>	99 / 9	14
0.00	1	14		*rattail fescue	<i>Vulpia myuros var. myuros</i>	99 / 9	20
0.00	1	15		tree clover	<i>Trifolium ciliolatum</i>	50 / 9	11
0.00	b	16		Spanish clover	<i>Lotus purshianus var. purshianus</i>	99 / 9	31
0.00	b	17		*California burclover	<i>Medicago polymorpha</i>	99 / 9	40
0.00	b	18		*soft chess	<i>Bromus hordeaceus</i>	99 / 9	40
0.00	r	19		vinegar weed	<i>Trichostema lanceolatum</i>	50 / 9	14
0.00	b	20		*yellow salsify	<i>Tragopogon dubius</i>	10 / 3	12
0.00	1	21		toad rush	<i>Juncus bufonius var. bufonius</i>	99 / 9	13
0.00	b	22		canchalagua	<i>Centaurium venustum</i>	50 / 5	14
0.00	b	23		rattlesnake weed	<i>Daucus pusillus</i>	99 / 9	28
0.00	1	24		rattlesnake weed	<i>Chamaesyce albomarginata</i>	20 / 5	9
0.00	1	25	~	sharp-toothed sanicle	Sanicula arguta[±]	3 / 2	16

0.00	l	26	California-aster	<i>Lessingia filaginifolia</i> var. <i>filaginifolia</i>	99/9	51	2.48	Local low point				
							2.48	c 199	*annual blue grass	<i>Poa annua</i>	5/1	14
0.00	b	27	checkerbloom	<i>Sidalcea malviflora</i> ssp. <i>sparsifolia</i>	99/9	25	2.48	b	foxtail barley	<i>Hordeum murinum</i> ssp. <i>glaucum</i>	/	
0.00	r	28	balloon clover	<i>Trifolium depauperatum</i> var. <i>truncatum</i>	/	7	2.50	r	(Tin shade structure)			
							2.58	l 200	*horehound	<i>Marrubium vulgare</i>	1/1	32
0.00	l	29	ssp *foxtail barley	<u><i>Hordeum murinum</i> ssp. <i>glaucum</i>[±]</u>	30/4	13	2.60		Local high point			
							2.62	l	Local low point; note curving linear granite (~apalite) dike on two hills			
0.00	r	30	*prickly sow thistle	<i>Sonchus asper</i> ssp. <i>asper</i>	20/9	29	2.69		Local high point			
0.00	l	31	Mexican rush	<i>Juncus mexicanus</i>	99/5	16	2.81	r	Jct. N. Lomas Trail; go right on it			
0.00	r	32	wrinkled rush	<i>Juncus rugulosus</i>	99/9	11	2.81	l	Sign: "(left) Lomas Trail to Adobes .9 mi; (left) to Ranch Road 0.5 mi; (ahead) to Visitor Center 2.2 mi"			
0.00	r	33	horseweed	<i>Conyza canadensis</i>	99/9	35	2.82	l				
0.00	r	34	cocklebur	<i>Xanthium strumarium</i>	50/7	15	2.92		Trail turns right			
0.00	r	35	*shortpod mustard	<i>Hirschfeldia incana</i>	99/9	51	2.93		Local high point			
0.00	b	36	*grass poly	<i>Lythrum hyssopifolia</i>	99/7	14	2.94		Switchback left.			
0.00	b	37	common spikerush	<i>Eleocharis macrostachya</i>	50/7	11	2.98	r	An unusual Engelmann oak, <i>Quercus engelmannii</i> with most leaves entire and oblanceolate and with only Engelmann trichomes underneath			
0.00	r	38	*prickly lettuce	<i>Lactuca serriola</i>	50/9	42	3.02	r 201 ~	Indian clover	<i>Trifolium alborpurpureum</i> var. <i>alborpurpureum</i>	10/1	3
0.00	b	39	deergrass	<i>Muhlenbergia rigens</i>	50/9	21	3.02		Begin steep downhill			
0.00	l	41	owl's-clover	<i>Castilleja densiflora</i>	10/2	7	3.03		Switchback right.			
0.00	r	42	*weak blue grass	<i>Poa infirma</i>	5/1	6	3.07	l	leafy daisy, <i>Erigeron foliosus</i> var. <i>foliosus</i> , plants with deformed inflorescence, very crowded near top			
0.00	b	43	hybrid wild-rye	<i>Leymus Xmultiflorus</i> (L. <i>condensatus</i> X L. <i>triticooides</i>)	10/9	4	3.18		Trail curves left			
0.00	r	44	dove weed	<i>Eremocarpus setigerus</i>	50/9	24	3.21		Trail curves right			
0.00	l	45	wire rush	<i>Juncus balticus</i>	10/2	2	3.26		Trail curves left			
0.00	r	46	angel's gilia	<i>Gilia angelensis</i>	99/9	14	3.27	b 202	*brome fescue	<i>Vulpia bromoides</i>	20/1	6
0.00	r	47	dwarf lupine	<i>Lupinus bicolor</i>	99/9	29	3.30	203	California meadow barley	<i>Hordeum brachyantherum</i> ssp. <i>californicum</i>	10/1	3
0.01	r	48	pin-point clover	<i>Trifolium gracilentum</i> var. <i>gracilentum</i>	/	8	3.32		Jct. Ranch Road; go right on it, then right again on Tenaja Truck Trail			
0.01	r		(goldenrod, <i>Solidago californica</i>)				3.32	r 204	seaside heliotrope	<i>Heliotropium curassavicum</i>	30/3	10
0.01	r	49	*redstem filaree	<i>Erodium cicutarium</i>	99/9	55	3.33	c 205	*pineapple weed	<i>Chamomilla suaveolens</i>	30/5	21
0.01	l	50	*cut-leaved geranium	<i>Geranium dissectum</i>	99/9	13	3.40	r	Siskiyou aster	<u><i>Aster lanceolatus</i> ssp. <i>hesperius</i>[±]</u>	/	
0.01	l	51	southern miner's lettuce	<i>Claytonia perfoliata</i> ssp. <i>mexicana</i>	/	25	3.41		Local low point			
0.01	r	52	*slender wild oats	<i>Avena barbata</i>	99/9	39	3.44	r	Wide turnout at local high point			
0.01	l	53	blue wildrye	<i>Elymus glaucus</i> ssp. <i>glaucus</i>	30/9	21						

1.33	l	soap plant	<i>Chlorogalum pomeridianum</i> var. <i>pomeridianum</i>	/	0.01	l	54	*hedge mustard	<i>Sisymbrium officinale</i>	50 / 4	20
					0.01	l	55	coast live oak	<i>Quercus agrifolia</i> var. <i>agrifolia</i>	30 / 9	42
1.35	r	Good field of purple needlegrass, <i>Nassella pulchra</i>			0.01	l	56	*mouse-ear chickweed	<i>Cerastium glomeratum</i>	30 / 4	19
1.37	r	Check for different rhizomed <i>Agrostis</i>			0.01	l	57	*sow thistle	<i>Sonchus oleraceus</i>	10 / 9	41
1.40	l	188 *hairy rattail fescue	<i>Vulpia myuros</i> var. <i>hirsuta</i>	99 / 9	20						
					0.01	l	58	*bull thistle	<i>Cirsium vulgare</i>	3 / 2	17
1.45	r	189 southern California morning-glory	<i>Calystegia macrostegia</i> ssp. <i>arida</i> [±]	5 / 4	18						
					0.02	r		(hollyleaf redberry, <i>Rhamnus ilicifolia</i>)			
1.47		Cross drainage; local low point on trail			0.02	l	59	wild-cucumber	<i>Marah macrocarpus</i> var. <i>macrocarpus</i>	10 / 9	44
1.50		Local high point on trail			0.02	l		Benches without backs under coast live oak			
1.52	r	Jct. shortcut use trail to Monument Hill Road			0.02	r	60	southern honeysuckle	<i>Lonicera subspicata</i> var. <i>denudata</i>	20 / 9	40
1.53	l	190 California four o'clock	<i>Mirabilis californica</i>	1 / 1	24						
		End Vista Grande Trail at T-Jct. with Monument Hill Road, go right; elevation 1920 feet (585 m); sign (directions as you face the sign on Vista Grande Trail from Monument Hill Road): "(ahead) Vista Grande Trail; To Visitor Center 1.7 mi; (right) To Punta Mesa Trail 0.2 mi; (left) To Monument Hill 0.5 mi"			0.02	b	61	*tocalote	<i>Centaurea melitensis</i>	99 / 9	45
					0.02	r	62	western ragweed	<i>Ambrosia psilostachya</i>	99 / 9	36
					0.03	b	63	poison oak	<i>Toxicodendron diversilobum</i>	30 / 9	43
					0.03	r		(Vasey's prickly-pear, <i>Opuntia vaseyi</i>)			
1.54	b	191 *Crete weed	<i>Hedynois cretica</i>	50 / 5	19						
					0.03	l	64	hollyleaf redberry	<i>Rhamnus ilicifolia</i>	30 / 9	43
1.57	r	192 *long-beaked filaree	<i>Erodium botrys</i>	50 / 9	11						
					0.03	r	65	collar lupine	<i>Lupinus truncatus</i>	5 / 1	24
1.67		Road curves left 90°			0.03	b	66	blue dicks	<i>Dichelostemma capitatum</i> ssp. <i>capitatum</i>	50 / 9	46
1.68	r	Sign: "Area Closed; Wildlife habitat area"			0.03	r		(long-stemmed buckwheat, <i>Eriogonum elongatum</i> var. <i>elongatum</i>)			
1.71	l	An unusual Engelmann oak, <i>Quercus engelmannii</i> , tag #0417, with entire to toothed leaves with only Engelmann trichomes underneath			0.03	r	67	leafy daisy	<i>Erigeron foliosus</i> var. <i>foliosus</i>	50 / 9	43
1.77	r	An unusual Engelmann oak, <i>Quercus engelmannii</i> with all leaves oblanceolate and with only Engelmann trichomes underneath			0.04	l	68	climbing bedstraw	<i>Galium nuttallii</i> ssp. <i>nuttallii</i>	30 / 9	30
1.79	b	193 *sand spurrey	<i>Spergularia bocconeii</i>	99 / 9	13						
					0.04	r		(mule fat, <i>Baccharis salicifolia</i> ; arroyo willow, <i>Salix lasiolepis</i> ; scarlet monkeyflower, <i>Mimulus cardinalis</i> ; Durango root, <i>Datisca glomerata</i> ; rabbits-foot grass, <i>Polypogon monspeliensis</i> ; pit-seed goosefoot, <i>Chenopodium berlandieri</i>)			
1.97	l	Jct. Monument Hill Spur Road; go left on it			0.04	l	69	Pacific sanicle	<i>Sanicula crassicaulis</i>	20 / 5	20
2.04	b	194 bush lupine	<i>Lupinus excubitus</i> var. <i>hallii</i>	3 / 1	10						
					0.05	l	70	coast-range melic	<i>Melica imperfecta</i>	20 / 9	43
2.05	r	195 California fuchsia	<i>Epilobium canum</i> ssp. <i>canum</i>	3 / 1	20						
					0.05	l	71	American vetch	<i>Vicia americana</i> var. <i>americana</i>	5 / 2	8
2.07		Monument Hill; two benches with backs; elevation 2046 feet (624 m); enjoy the view and then return to Monument Hill Road			0.05	l	72	California buckwheat	<i>Eriogonum fasciculatum</i> var. <i>foliolosum</i>	2 / 2	51
		(laurel sumac, <i>Malosma laurina</i> ; San Diego pea, <i>Lathyrus vestitus</i> var. <i>alefeldii</i> ; bicolored everlasting, <i>Gnaphalium bicolor</i>)			0.05	l	73	purple sanicle	<i>Sanicula bipinnatifida</i>	50 / 9	11
2.17		Jct. Monument Hill Road; go left on it			0.05	l	74	goldenrod	<i>Solidago californica</i>	20 / 9	35
2.18	c	196 shining peppergrass	<i>Lepidium nitidum</i> var. <i>nitidum</i>	2 / 1	7						
					0.05	l	75	Indian milkweed	<i>Asclepias eriocarpa</i>	30 / 9	17
2.21	l	197 telegraph weed	<i>Heterotheca grandiflora</i>	10 / 5	35						
					0.05	r	76	Fish's milkwort	<i>Polygala cornuta</i> var. <i>fishiae</i>	5 / 2	5
2.23		Local low point			0.07	l	77	slender madia	<i>Madia gracilis</i>	30 / 5	18
2.26		Local high point			0.07	b	78	saltgrass	<i>Distichlis spicata</i>	99 / 9	15
2.37	c	198 red maids	<i>Calandrinia ciliata</i>	30 / 9	19						

0.07	l	79	basketbush	<i>Rhus trilobata</i>	10 / 9	24	0.71	l	175	rough-seeded blue toad-flax	<i>Linaria canadensis var. texana</i>	1 / 1	10
0.08	b	80	chick lupine	<i>Lupinus microcarpus var. microcarpus</i>	50 / 9	9	0.72			Trail turns left 90°			
0.10			Trail turns 90° left.				0.73	l	176	big squirreltail	<i>Elymus multisetus</i>	2 / 2	7
0.10	l		(California everlasting, <i>Gnaphalium californicum</i> ; saw-toothed goldenbush, <i>Hazardia squarrosa var. grindelioides</i>)				0.75	b	177	*goldentop	<i>Lamarckia aurea</i>	99 / 9	21
0.11	r		(California peony, <i>Paeonia californica</i>)				0.79	r		(California fuchsia, <i>Epilobium canum ssp. canum</i>)			
0.11	r	81	*hedge parsley	<i>Torilis nodosa</i>	99 / 9	14	0.82	l		Sign: "Vista Grande Trail; to Granite Loop Trail .9 mi (back); to Monument Hill Road .6 mi (forward)"			
0.11	l	82	California chicory	<i>Rafinesquia californica</i>	2 / 2	22	0.82	c	178	*knotweed	<i>Polygonum arenastrum</i>	99 / 9	18
0.11	l	83	silver puffs	<i>Uropappus lindleyi</i>	5 / 3	26	0.82	r	179	mule fat	<i>Baccharis salicifolia</i>	2 / 1	40
0.11	l	84	Chinese houses	<i>Collinsia heterophylla</i>	50 / 3	11	0.82			Jct. Waterline Road; elevation 1770 feet (539 m); Vista Grande Trail jogs right; continue on it			
0.11			Trail turns 90° right.				0.82	l	180	*Mediterranean barley	<i>Hordeum marinum ssp. gussoneanum</i>	20 / 1	5
0.11	l	85	johnny jump-up	<i>Viola pedunculata</i>	99 / 9	16	0.82	r	181	common hareleaf	<i>Lagophylla ramosissima ssp. ramosissima</i>	10 / 1	3
0.11	l	86	chamise	<i>Adenostoma fasciculatum</i>	5 / 2	37	0.85	r	182	common fiddleneck	<i>Amsinckia menziesii var. intermedia</i>	10 / 1	21
0.11			Y-junction for alternate trail section; go right (see end of guide for two species found only on the alt trail)				0.89	l	183	*Bermuda grass	<i>Cynodon dactylon</i>	99 / 9	30
0.12	r	87	*common chickweed	<i>Stellaria media</i>	10 / 1	25	0.93	r		Sign: "Area Closed"; trail begins ascending			
0.12	r	88	California peony	<i>Paeonia californica</i>	5 / 5	17	0.95	b	184	shooting star	<i>Dodecatheon clelandii ssp. clelandii</i>	50 / 9	11
0.14	r		(toyon, <i>Heteromeles arbutifolia</i>)				1.13	r	185	white everlasting	<i>Gnaphalium canescens ssp. microcephalum</i>	10 / 9	36
0.14	r	89	soap plant	<u><i>Chlorogalum pomeridianum var. pomeridianum</i></u> [±]	2 / 2	18	1.17	l	186	*little horseweed	<i>Conyza bonariensis</i>	2 / 2	17
0.14	r	90	meadow nemophila	<i>Nemophila pedunculata</i>	30 / 3	2	1.18			Huge field of purple needlegrass, <i>Nassella pulchra</i> , with few weeds other than an understory of ripgut, <i>Bromus diandrus</i> .			
0.15	l	91	Vasey's prickly-pear	<i>Opuntia vaseyi</i>	7 / 7	24	1.18	b	187	coast jepsonia	<i>Jepsonia parryi</i>	99 / 9	15
0.16	l	92	long-stemmed buckwheat	<i>Eriogonum elongatum var. elongatum</i>	10 / 2	27	1.19			End steepest ascent; trail now gently ascending			
0.17	l	93	Pomona locoweed	<i>Astragalus pomonensis</i>	5 / 3	11	1.19	r		(California four o'clock, <i>Mirabilis californica</i> ; imbricate phacelia, <i>Phacelia imbricata ssp. patula</i>)			
0.17	r	94	basket rush	<i>Juncus textilis</i>	5 / 1	5	1.23	r		Boulders of <u>Bedford Canyon Formation</u> ; note how different they are from the white smooth rounded Woodson Mountain Granodiorite boulders			
0.18	r	95	fringe-pod	<i>Thysanocarpus curvipes</i>	10 / 1	9	1.23	r		(southern California morning-glory, <i>Calystegia macrostegia ssp. arida</i>)			
0.19	r	96	*wild oats	<i>Avena fatua</i>	99 / 9	26	1.24			The ridge here separates the Cole Creek drainage to the north from the Sandia Creek / De Luz Creek drainage to the south			
0.19			Trail curves left; low bridge under fallen tree limb				1.27			Minor local low point on trail			
0.23	l	97	fragrant everlasting	<i>Gnaphalium canescens ssp. beneolens</i>	50 / 9	23	1.32			Local high point on trail; elevation 1940 feet (591 m).			
0.23	l		Jct. with other branch of loop; go right.										
0.23	b	98	holly-leaf navarretia	<i>Navarretia atractyloides</i>	1 / 1	8							
0.23	b	99	slender buckwheat	<i>Eriogonum gracile var. gracile</i>	20 / 1	3							
0.23	l	100	creeping wild rye	<i>Leymus triticoides</i>	3 / 3	11							

0.35	r	161	bristly bird's beak	<i>Cordylanthus rigidus ssp. setigerus</i>	10 / 2	26	0.23	b	101	strigose lotus	<i>Lotus strigosus</i>	10 / 2	33
0.36	l	162	bird's-foot fern	<i>Pellaea mucronata var. mucronata</i>	1 / 1	30	0.23	l		Field of angel's gilia, <i>Gilia angelensis</i>			
0.37	l	163	purple snapdragon	<i>Antirrhinum nuttallianum ssp. nuttallianum</i>	1 / 1	18	0.23	r	102	purple owl's clover	<i>Castilleja exserta ssp. exserta</i>	10 / 2	13
0.37			Leave chaparral / oak woodland; enter grassland				0.23	r	103	strigose sun-cup	<i>Camissonia strigulosa</i>	10 / 1	6
0.38	r	164	earth brodiaea	<i>Brodiaea terrestris ssp. kernensis</i>	10 / 2	7	0.23	r	104	*winter vetch	<i>Vicia villosa ssp. varia</i>	30 / 3	19
0.38	l		Cross creek on wood-plank bridge				0.24	l	105	*Mediterranean schismus	<i>Schismus barbatus</i>	10 / 1	22
0.38	r		(dense sedge, <i>Carex densa</i>)				0.24			Trail curves right toward bridge.			
0.38	l		Field of deergrass, <i>Muhlenbergia rigens</i> .				0.24	l	106	bristly goldenaster	<i>Heterotheca sessiliflora ssp. echioides</i>	3 / 2	7
0.38	l	165	western vervain	<i>Verbena lasiostachys var. lasiostachys</i>	5 / 1	10	0.25	l		Sign: "Sensitive Wetland Area; Do Not Enter".			
0.38	l	166	elk thistle	<i>Cirsium scariosum</i>	3 / 3	11	0.25	l		(California poppy, <i>Eschscholzia californica</i> ; floriferous monkeyflower, <i>Mimulus floribundus</i> ; false monkeyflower, <i>Mimulus pilosus</i> ; *sweet alyssum, <i>Lobularia maritima</i> ; western marsh cudweed, <i>Gnaphalium palustre</i> ; slender wreathplant, <i>Stephanomeria exigua ssp. deanei</i> ; mugwort, <i>Artemisia douglasiana</i>)			
0.38	l	167	blue-eyed grass	<i>Sisyrinchium bellum</i>	30 / 9	19	0.25	l		Check unusual <i>Leymus</i> hybrid down drainage with lobed lemmas in 2005			
0.39	l	168	clustered field sedge	<i>Carex praegracilis</i>	10 / 1	4	0.25	r	107	San Diego birdsfoot lotus	<i>Lotus hamatus</i>	30 / 9	24
0.39	r		(sticky cinquefoil, <i>Potentilla glandulosa ssp. glandulosa</i>)				0.25	b	108	willow-leaved dock	<i>Rumex salicifolius var. denticulatus</i>	2 / 1	7
0.43	r	169	Palmer's goldenbush	<i>Ericameria palmeri var. pachylepis</i>	6 / 4	10	0.25	r	109	*tumble pigweed	<i>Amaranthus albus</i>	5 / 1	10
0.45	l		(white-flowering currant, <i>Ribes indecorum</i>)				0.25	r	110	spike primrose	<i>Epilobium densiflorum</i>	20 / 3	5
0.45			Cross creek on wood-plank bridge				0.25	r	111	*sourclover	<i>Melilotus indicus</i>	20 / 2	24
0.46	l		(blue elderberry, <i>Sambucus mexicana</i>)				0.25	r	112	*rabbits-foot grass	<i>Polypogon monspeliensis</i>	10 / 2	22
0.47	l	170	miner's lettuce	<i>Claytonia perfoliata ssp. perfoliata</i>	40 / 2	21	0.25	r	113	*Italian rye-grass	<i>Lolium multiflorum</i>	99 / 9	17
0.48	r	171	*Italian thistle	<i>Carduus pycnocephalus</i>	10 / 1	21	0.25	r	114	common monkeyflower	<i>Mimulus guttatus</i>	5 / 1	15
0.49	r	172	Engelmann oak	<i>Quercus engelmannii</i>	23 / 9	23	0.25	r	115	pit-seed goosefoot	<i>Chenopodium berlandieri</i>	2 / 1	4
0.51	l		(Hundreds of Italian thistle, <i>Carduus pycnocephalus</i>)				0.25	r	116	*common cudweed	<i>Gnaphalium luteo-album</i>	5 / 1	16
0.52	r		Jct. loop around rocks for trail maintenance mower				0.25	r	117	hooked skunkweed	<i>Navarretia hamata ssp. hamata</i>	/	11
0.53	l	173	threadstem	<i>Pterostegia drymarioides</i>	2 / 1	30	0.25	r		(tall fescue, <i>Festuca arundinacea</i> ; sand spikerush, <i>Eleocharis montevidensis</i> ; southern skullcap, <i>Scutellaria bolanderi ssp. austromontana</i> ; mule fat, <i>Baccharis salicifolia</i>)			
0.53	l	174	*red brome	<i>Bromus madritensis ssp. rubens</i>	40 / 9	56	0.25	b		(arroyo willow, <i>Salix lasiolepis</i> ; rigid hedge-nettle, <i>Stachys ajugoides var. rigida</i>)			
0.53	r		Jct. other end of loop				0.25	b	118	umbrella sedge	<i>Cyperus eragrostis</i>	5 / 1	10
0.59			Trail curves left 20°				0.25	b	119	*curly dock	<i>Rumex crispus</i>	3 / 2	23
0.59	l		(white everlasting, <i>Gnaphalium canescens ssp. microcephalum</i>)				0.25	l	120	narrow-leaf milkweed	<i>Asclepias fascicularis</i>	5 / 1	7
0.61			Trail curves left 20°				0.25			Beginning of bridge over Cole Creek; elevation 1730 feet (527 m)			
0.66			Trail curves right 45°				0.26	l	121	cotton-batting plant	<i>Gnaphalium stramineum</i>	2 / 1	17

0.26	b	122	clover fern	<i>Marsilea vestita ssp. vestita</i>	20 / 1	3	0.28	l	143	splendid mariposa lily	<i>Calochortus splendens</i>	99 / 9	19
0.26	r	123	southern cattail	<i>Typha domingensis</i>	5 / 1	1	0.30	r	144	toyon	<i>Heteromeles arbutifolia</i>	2 / 2	44
0.26	r		(needle spikerush, <i>Eleocharis acicularis</i> var. <i>bella</i>)				0.30	r	145	Parish's purple nightshade	<i>Solanum parishii</i>	10 / 5	20
0.26	l	124	brown-headed rush	<i>Juncus phaeocephalus</i> var. <i>phaeocephalus</i>	10 / 1	1	0.30			Top of steep uphill; elevation 1760 feet (536 m). Trail now descends gently.			
0.26	b	125	knot grass	<i>Paspalum distichum</i>	5 / 1	6	0.30	b		Oak moss lichen, <i>Evernia prunastri</i> , is the unusual foliose (leaf-like) lichen growing on the hollyleaf redberry, <i>Rhamnus ilicifolia</i> and chamise, <i>Adenostoma fasciculatum</i> .			
0.26	b	126	*whorled dock	<i>Rumex conglomeratus</i>	5 / 1	8	0.30	l	146	goldfields	<i>Lasthenia californica</i>	5 / 1	14
0.26	r	127	*dallis grass	<i>Paspalum dilatatum</i>	5 / 1	9	0.30	r	147	goldback fern	<i>Pentagramma triangularis</i> ssp. <i>triangularis</i>	2 / 1	25
0.26	r	128	Bolander's water-starwort	<i>Callitriche heterophylla</i> var. <i>bolanderi</i>	5 / 1	3	0.31	b	148	three spot	<i>Osmadenia tenella</i>	5 / 1	13
0.26			End of bridge				0.31	b	149	slender cottonweed	<i>Micropus californicus</i> var. <i>californicus</i>	20 / 1	9
0.26	r	129	Siskiyou aster	<u><i>Aster lanceolatus</i> ssp. <i>hesperius</i>[±]</u>	10 / 2	3	0.31			Trail jags left.			
0.26	r	130	witchgrass	<i>Panicum capillare</i>	5 / 1	3	0.31	l	150	golden yarrow	<i>Eriophyllum confertiflorum</i> var. <i>confertiflorum</i>	/	55
0.26	r	131	Hooker's evening-primrose	<i>Oenothera elata</i> ssp. <i>hirsutissima</i>	2 / 1	10	0.31	l		Jct. closed trail signed: "Trail closed to protect habitat ..." (sign gone in 2006)			
0.26	r		(annual sunflower, <i>Helianthus annuus</i> ; red willow, <i>Salix laevigata</i>)				0.32	r		(California lace fern, <i>Aspidotis californica</i> ; many California maidenhair ferns, <i>Adiantum jordanii</i> , at base of beautiful boulder)			
0.26	l	132 ~	narrow-leaved miner's lettuce	<i>Claytonia parviflora</i> ssp. <i>parviflora</i>	20 / 2	19	0.32	r		(milk maids, <i>Cardamine californica</i> var. <i>californica</i>)			
0.26	r	133	California sagebrush	<i>Artemisia californica</i>	3 / 1	47	0.33	b	151	branching phacelia	<i>Phacelia ramosissima</i> var. <i>latifolia</i>	2 / 2	34
0.26	r		Jct short path to bench overlooking Cole Creek; take it				0.33	l	152	Ramona clarkia	<i>Clarkia similis</i>	2 / 2	4
0.26	l	134	chaparral currant	<u><i>Ribes malvaceum</i> var. <i>viridifolium</i>[±]</u>	1 / 1	4	0.33	l	153	bush monkeyflower	<i>Mimulus aurantiacus</i>	2 / 1	42
0.26	l	135	California maidenhair fern	<i>Adiantum jordanii</i>	10 / 3	6	0.33	l	154	California everlasting	<i>Gnaphalium californicum</i>	20 / 5	42
0.27	l	136	giant wild-rye	<i>Leymus condensatus</i>	10 / 9	27	0.33	l	155	saw-toothed goldenbush	<i>Hazardia squarrosa</i> var. <i>grindelioides</i>	1 / 1	35
0.27	l	137	cobwebby thistle	<i>Cirsium occidentale</i> var. <i>occidentale</i>	2 / 1	9	0.33	r	156	purple head	<i>Acourtia microcephala</i>	1 / 1	19
0.27	b	138	blue larkspur	<i>Delphinium parryi</i> ssp. <i>parryi</i>	50 / 8	13	0.33	l	157	ground pink	<i>Linanthus dianthiflorus</i>	5 / 1	9
0.27	r		(white sage, <i>Salvia apiana</i> ; western sycamore, <i>Platanus racemosa</i> ; common tule, <i>Scirpus acutus</i> var. <i>occidentalis</i> ; olive, <i>Olea europaea</i>)				0.34	r	158	redberry	<i>Rhamnus crocea</i>	1 / 1	15
0.27			Bench; turnaround and rejoin trail				0.35	l		Jct. view rock on left. Take ten steps to the top of the rock and enjoy the view down into a deeper branch of Cole Creek.			
0.28			Turn right on main trail; trail briefly climbs steeply uphill.				0.35	b	159	narrowleaf bedstraw	<i>Galium angustifolium</i> ssp. <i>angustifolium</i>	20 / 9	48
0.28	l	139	seashore bentgrass	<i>Agrostis pallens</i>	10 / 1	10	0.35	l		Top of overlook rock			
0.28	r	140	Torrey's scrub oak	<i>Quercus acutidens</i>	5 / 2	26	0.35			Back on trail.			
0.28	r	141	rusty-haired popcorn flower	<i>Plagiobothrys nothofulvus</i>	10 / 9	12	0.35	r	160	deerweed	<i>Lotus scoparius</i> var. <i>scoparius</i>	5 / 1	29
0.28	r	142	one-sided bluegrass	<i>Poa secunda</i> ssp. <i>secunda</i>	10 / 1	23							