

2.95	r	196	California polypody	<i>Polypodium californicum</i>	1 / 1	16
2.99	l		5 deergrass plants, <i>Muhlenbergia rigens</i> , above the trail that seem twice normal size since they are above you, instead of their normal position below you in a drainage			
2.99	l		(San Diego sedge, <i>Carex spissa</i>)			
3.00	r		Jct. blocked-off trail			
3.02	l		Sign: "SRPER boundary; Wiashal Trail"			
3.19	l	197	*goldentop	<i>Lamarckia aurea</i>	10 / 1	23
3.22	r		Sign: "No motor vehicles"			
3.22	l		Sign: "Cole Canyon; (to) Santa Rosa Plateau"			
3.22	r		Jct. use trail			
3.23	r	198	southern suncup	<i>Camissonia bistorta</i>	3 / 1	11
3.23	l	199	chaparral bush mallow	<i>Malacothamnus fasciculatus</i>	1 / 1	14
3.24			T-jct.; go right; sign on left: "No trespassing PC602(J)"			
3.26	l	200	nodding needlegrass	<i>Nassella cernua</i>	3 / 1	19
3.30	b		Jct. trail; sign: "Please stay on trail"			
3.30			End trail at T-jct. with a road; elevation 1200 feet (365 m); end plant trail guide; go left to get to the lower trailhead parking on Single Oak Way.			
3.34			Road curves right toward back yards of homes			
3.36			Trail curves left and parallels back yards of homes			
3.41			Y-jct with path; stay right			
3.45			Leave road and head toward access in fence			
3.49			Cul-de-sac near end of Single Oak Way			

<http://tchester.org/srp/plants/guides/wiashal.html>

Comments and feedback: [Tom Chester](#)

Updated 19 April 2006.

Plant Guide to Wiashal Trail, Santa Rosa Plateau

Mile	S	#	id?	Common Name	Latin Name	#here	#all
				Beginning of Wiashal Trail at northwest edge of SRP Visitor Center Parking Lot. This guide begins at the post holding the swinging end of the entrance gate; elevation ~1800 feet (550 m)			
0.00							
0.00	b	1		California buckwheat	<i>Eriogonum fasciculatum var. foliolosum</i>	99 / 9	51
0.00	l	2		saw-toothed goldenbush	<i>Hazardia squarrosa var. grindelioides</i>	99 / 9	35
0.00	b	3		*soft chess	<i>Bromus hordeaceus</i>	99 / 9	40
0.00	b	4		telegraph weed	<i>Heterotheca grandiflora</i>	5 / 2	34
0.00	b	5		*narrowleaf filago	<i>Filago gallica</i>	99 / 9	45
0.00	b	6		*shortpod mustard	<i>Hirschfeldia incana</i>	99 / 9	51
0.00	b	7		*tocalote	<i>Centaurea melitensis</i>	99 / 9	45
0.00	b	8		everlasting nest-straw	<i>Stylocline gnaphaloides</i>	99 / 9	11
0.00	b	9		*redstem filaree	<i>Erodium cicutarium</i>	99 / 9	54
0.00	b	10		holly-leaf navarretia	<i>Navarretia atractyloides</i>	1 / 1	7
0.00	b	11		strigose lotus	<i>Lotus strigosus</i>	50 / 9	33
0.00	b	12		*smooth cat's ear	<i>Hypochaeris glabra</i>	99 / 9	34
0.00	b	13		San Diego tarweed	<i>Hemizonia paniculata</i>	99 / 9	7
0.00	b	14		*Mediterranean schismus	<i>Schismus barbatus</i>	99 / 9	22
0.00	r	15		slender combseed	<i>Pectocarya linearis ssp. ferocula</i>	20 / 2	7
0.00	r	16		pygmy-weed	<i>Crassula connata</i>	99 / 9	28
0.00	r	17		small-head field clover	<i>Trifolium microcephalum</i>	20 / 9	9
0.00	r	18		*short-fruited filaree	<i>Erodium brachycarpum</i>	20 / 3	16
0.00	b	19		*red brome	<i>Bromus madritensis ssp. rubens</i>	99 / 9	51
0.00	r	20		fragrant everlasting	<i>Gnaphalium canescens ssp. beneolens</i>	10 / 9	23
0.00	b	21		hooked skunkweed	<i>Navarretia hamata ssp. hamata</i>	99 / 9	10
0.00	b	22		Spanish clover	<i>Lotus purshianus var. purshianus</i>	99 / 9	30
0.00	b	23		*nit grass	<i>Gastrium ventricosum</i>	99 / 9	22
0.00	b	24		*scarlet pimpernel	<i>Anagallis arvensis</i>	99 / 9	31
0.00	b	25		San Diego birdsfoot lotus	<i>Lotus hamatus</i>	20 / 5	23
0.00	l	26	~	slender popcorn flower	<i>Plagiobothrys tenellus</i>	50 / 9	3
0.00	l	27		*rattail fescue	<i>Vulpia myuros var. myuros</i>	99 / 9	21
0.00	r	28		rattlesnake weed	<i>Daucus pusillus</i>	99 / 9	28
0.00	r	29		slender wreathplant	<i>Stephanomeria exigua ssp. deanei</i>	50 / 9	12
0.00	b	30		bristly bird's beak	<i>Cordylanthus rigidus ssp. setigerus</i>	99 / 9	25
0.00	b	31		canchalagua	<i>Centaureum venustum</i>	99 / 9	12
0.00	l	32		California-aster	<i>Lessingia filaginifolia var. filaginifolia</i>	30 / 9	51
0.00	r	33		Pomona locoweed	<i>Astragalus pomonensis</i>	20 / 9	10
0.00	l			Sign: "Wiashal Trail (straight); to Cole Canyon 3.5 mi"			
0.00	r	34		*prickly sow thistle	<i>Sonchus asper ssp. asper</i>	50 / 9	28

0.00	b 35	chamise	<i>Adenostoma fasciculatum</i>	99 / 9	37	1 179	short-winged deerweed	<u><i>Lotus scoparius</i> var. <i>brevialatus</i></u> [±]	30 / 9	22
0.00	l 36	purple owl's clover	<i>Castilleja exserta</i> ssp. <i>exserta</i>	10 / 3	12	1.59 b 180	Coulter's snapdragon	<i>Antirrhinum coulterianum</i>	30 / 9	5
0.00	l 37	*slender wild oats	<i>Avena barbata</i>	99 / 9	38	1.59 r 181	California suncup	<i>Camissonia californica</i>	3 / 3	20
0.00	r 38	golden yarrow	<i>Eriophyllum confertiflorum</i> var. <i>confertiflorum</i>	99 / 9	53	1.59 r	Check for new species like a gilia			
0.00	r 39	silver puffs	<i>Uropappus lindleyi</i>	20 / 9	25	1.60 r 182	California filago	<i>Filago californica</i>	20 / 9	21
0.00	r 40	leafy daisy	<i>Erigeron foliosus</i> var. <i>foliosus</i>	50 / 9	42	1.68 r	Rock overhang / shelter 5 steps away.			
0.01	l 41	Torrey's scrub oak	<i>Quercus acutidens</i>	30 / 9	26	1.68 l 183	twining snapdragon	<i>Antirrhinum kelloggii</i>	5 / 2	6
0.01	r 42	deerweed	<u><i>Lotus scoparius</i> var. <i>scoparius</i></u> [±]	30 / 9	28	1.71 l	Jct. Overlook trail; elevation ~1920 feet (585 m). Sign: "To Overlook 0.1 mi [left]; Wiashal Trail [right]"			
0.01	l	Jct. bicycle / horse entrance from Clinton Keith Road				1.78 l 184	*wild oats (waif?)	<i>Avena fatua</i>	1 / 1	25
0.01	r 43	popcorn flower	<i>Cryptantha intermedia</i>	99 / 9	27	1.78	Highest point on trail; elevation ~1950 feet (595 m)			
0.01	l 44	purple clarkia	<i>Clarkia purpurea</i> ssp. <i>quadrivulnera</i>	50 / 5	24	2.01 r	Jct. use trail			
0.01	l 45	rush-rose	<i>Helianthemum scoparium</i>	5 / 5	14	2.02	First of two closely-spaced saddles; elevation ~1750 feet (535 m)			
0.01	r	Check for yellow mariposa lily, <i>Calochortus weedii</i> var. <i>weedii</i>				2.10 l 185	yellow mariposa lily	<i>Calochortus weedii</i> var. <i>weedii</i>	30 / 9	10
0.01	b 46	triangular-fruit sedge	<i>Carex triquetra</i>	20 / 9	16	2.12 r 186	white everlasting	<i>Gnaphalium canescens</i> ssp. <i>microcephalum</i>	1 / 1	36
0.01	r 47	narrowleaf bedstraw	<i>Galium angustifolium</i> ssp. <i>angustifolium</i>	30 / 9	47	2.12 l 187 ~	sand cress	<i>Calyptidium monandrum</i>	10 / 1	12
0.01	b 48	redberry	<i>Rhamnus crocea</i>	20 / 9	15	2.13	Local high point; elevation ~1800 feet (550 m)			
0.01	l 49	hoaryleaf ceanothus	<i>Ceanothus crassifolius</i>	99 / 9	12	2.18	Big patch of sapphire woolly-star, <i>Eriastrum sapphirinum</i>			
0.01	r 50	blue dicks	<i>Dichelostemma capitatum</i> ssp. <i>capitatum</i>	50 / 9	45	2.19	Second of two closely-spaced saddles; elevation ~1750 feet (535 m)			
0.01	l 51	splendid mariposa lily	<i>Calochortus splendens</i>	50 / 9	17	2.24 b 188	small-seeded spurge	<i>Chamaesyce polycarpa</i>	20 / 2	13
0.01	l 52	coast jepsonia	<i>Jepsonia parryi</i>	30 / 2	15	2.27 l	Jct. blocked-off trail easily visible only on return trip			
0.02	b 53	foothill needlegrass	<i>Nassella lepida</i>	30 / 9	20	2.29	Local peak, elevation ~1840 feet (560 m), with a nice flat rock for sitting on, with great views			
0.02	r 54	chaparral yucca	<i>Yucca whipplei</i>	5 / 5	31	2.33 l	Jct. trail blocked-off by line of large rocks; note "Eagle Rock" ahead if the light is right.			
0.02	b 55	purple head	<i>Acourtia microcephala</i>	5 / 3	19	2.35 l	Jct. Second Overlook Trail. Sign: "To Overlook 0.1 mi [left]; Wiashal Trail [right]". Note "Eagle Rock" has turned into "Turkey Vulture" rock, if you are coming back from the Overlook. Most of the many switchbacks on the descent are not noted.			
0.02	l 56	ground pink	<i>Linanthus dianthiflorus</i>	30 / 9	9	2.40 l 189	*Italian thistle	<u><i>Carduus pycnocephalus</i></u> [±]	2 / 2	18
0.03	l 57	intermediate sun-cups	<u><i>Camissonia intermedia</i></u>	30 / 9	6	2.48 r 190	eucrypta	<i>Eucrypta chrysanthemifolia</i> var. <i>chrysanthemifolia</i>	30 / 5	26
0.03	l 58	coast-range melic	<i>Melica imperfecta</i>	99 / 9	42	2.53 r	Jct. use trail			
0.03	l 59	southern honeysuckle	<i>Lonicera subspicata</i> var. <i>denudata</i>	20 / 9	40	2.54	Trail turns left 90°			
0.03	b 60	climbing bedstraw	<i>Galium nuttallii</i> ssp. <i>nuttallii</i>	50 / 9	30	2.56	Switchback right; (blocked-off old trail continues ahead)			
0.03	r 61	hollyleaf redberry	<i>Rhamnus ilicifolia</i>	20 / 9	43	2.60 r 191	scaly lipfern	<i>Cheilanthes clevelandii</i>	5 / 1	4
0.04	l 62	southern Indian pink	<i>Silene laciniata</i> ssp. <i>major</i>	2 / 2	19	2.62 r	(California four o'clock, <i>Mirabilis californica</i>)			
0.04	l 63	bush monkeyflower	<i>Mimulus aurantiacus</i>	40 / 9	42	2.64 r 192	wild celery	<i>Apiastrum angustifolium</i>	10 / 2	14
0.04	l 64	*windmill pink	<i>Silene gallica</i>	99 / 9	32	2.75 r 193	California four o'clock	<i>Mirabilis californica</i>	1 / 1	22
0.04	l 65	Parish's purple nightshade	<i>Solanum parishii</i>	30 / 9	20	2.75	Switchback left; jct. with new trail going uphill			
0.05	l 66	Tejon cryptantha	<i>Cryptantha microstachys</i>	10 / 2	6	2.78 l 194	odora	<i>Porophyllum gracile</i>	4 / 4	6
0.05	l 67	basketbush	<i>Rhus trilobata</i>	10 / 5	24	2.83 l 195 ?	dead like clarkia, seedling like chinese houses	?	10 / 1	
0.05	r 68	goldback fern	<i>Pentagramma triangularis</i> ssp. <i>triangularis</i>	99 / 9	24					
0.05	l 69	blue larkspur	<i>Delphinium parryi</i> ssp. <i>parryi</i>	30 / 5	12					
0.06	r 70	mustang mint	<i>Monardella lanceolata</i>	5 / 1	5					

0.55	Local high point on trail				0.06 l 71	San Diego pea	<i>Lathyrus vestitus var. alefeldii</i>	2 / 2	20
0.60 r	(toyon, <i>Heteromeles arbutifolia</i>)				0.06 l 72	seashore bentgrass	<i>Agrostis pallens</i>	30 / 3	8
0.60	Cross small drainage; local low point on trail, followed by a series of minor local high and low points				0.07 l 73	*sow thistle	<i>Sonchus oleraceus</i>	20 / 9	39
0.60 l 158	clustered toad rush	<i>Juncus bufonius var. congestus</i>	10 / 1	4	0.07 l 74	Pacific sanicle	<i>Sanicula crassicaulis</i>	3 / 1	21
0.66 l	Jct. cleared path?				0.07 l 75	cobwebby thistle	<i>Cirsium occidentale var. occidentale</i>[±]	3 / 2	7
0.67 r 159	western toad rush	<i>Juncus bufonius var. occidentalis</i>	10 / 1	2	0.07 r 76	California everlasting	<i>Gnaphalium californicum</i>	99 / 9	42
0.67 r 160	slender woolly marbles	<i>Psilocarphus tenellus var. tenellus</i>	20 / 1	4	0.07 b 77	coast live oak	<i>Quercus agrifolia var. agrifolia</i>	5 / 5	42
0.67 l 161	Venus looking-glass	<i>Triodanis biflora</i>	10 / 1	2	0.07 r 78	threadstem	<i>Pterostegia drymarioides</i>	20 / 9	29
0.77	Cross small drainage with black culvert				0.07 r 79	southern miner's lettuce	<i>Claytonia perfoliata ssp. mexicana</i>	30 / 5	25
0.77 b 162	shiny lomatium	<i>Lomatium lucidum</i>	2 / 1	7	0.07 r 80	common bedstraw	<i>Galium aparine</i>	30 / 5	39
0.81	Local low point; cross small drainage; elevation ~1750 feet (535 m); climb now steep.				0.07 r 81	*common chickweed	<i>Stellaria media</i>	30 / 3	28
0.90 r	southern California morning-glory	<i>Calystegia macrostegia ssp. arida</i>[±]	/		0.07 r 82	giant wild-rye	<i>Leymus condensatus</i>	1 / 1	27
0.92 l 163	bicolored everlasting	<i>Gnaphalium bicolor</i>	10 / 5	29	0.07 b 83	*bull thistle	<i>Cirsium vulgare</i>[±]	2 / 1	16
0.92 l 164	chaparral beard-tongue	<i>Keckiella antirrhinoides var. antirrhinoides</i>	30 / 9	10	0.07 r 84	*rippgut brome	<i>Bromus diandrus</i>	30 / 3	51
0.92 r 165	San Diego mountain mahogany	<i>Cercocarpus minutiflorus</i>	3 / 2	12	0.07 r 85	checkerbloom	<i>Sidalcea malviflora ssp. sparsifolia</i>	10 / 3	25
0.97 b 166	California sagebrush	<i>Artemisia californica</i>	10 / 4	46	0.07 b 86	johnny jump-up	<i>Viola pedunculata</i>	30 / 3	15
0.99	First of many local high points; elevation ~1840 feet (560 m)				0.07 r 87 ssp	*foxtail barley	<i>Hordeum murinum</i>	10 / 2	
1.15	Check for different <i>Cuscuta</i> sp.				0.07 r 88	*hedge mustard	<i>Sisymbrium officinale</i>	5 / 2	20
1.21 b 167	bird's-foot fern	<i>Pellaea mucronata var. mucronata</i>	10 / 9	30	0.07 r 89 ~	basket rush	<i>Juncus textilis</i>	10 / 1	4
1.21	Cross small drainage.				0.07 r 90	blue wildrye	<i>Elymus glaucus ssp. glaucus</i>	20 / 9	20
1.28 b 168	hollyleaf cherry	<i>Prunus ilicifolia ssp. ilicifolia</i>	5 / 1	12	0.07 r 91	white-flowering currant	<i>Ribes indecorum</i>	3 / 3	22
1.30 b 169	common monkeyflower	<i>Mimulus guttatus</i>	20 / 1	13	0.08 b 92	goldenrod	<i>Solidago californica</i>	2 / 1	34
1.30 l	deergrass	<i>Muhlenbergia rigens</i>	/		0.08 l 93 ~	horseweed	<i>Conyza canadensis</i>	10 / 5	35
1.30 b 170	variegated clover	<i>Trifolium variegatum</i>	20 / 1	4	0.08 l 94	sticky cinquefoil	<i>Potentilla glandulosa ssp. glandulosa</i>	5 / 1	15
1.30 b 171	wrinkled rush	<i>Juncus rugulosus</i>	10 / 1	9	0.08 l 95	*prickly lettuce	<i>Lactuca serriola</i>	99 / 9	42
1.30 r 172	slim vetch	<i>Vicia ludoviciana var. ludoviciana</i>	5 / 1	8	0.08 l 96	long-leaved rush	<i>Juncus macrophyllus</i>	2 / 2	4
1.30	Cross dike cutting boulder in trail				0.08 r 97	*California burclover	<i>Medicago polymorpha</i>	30 / 3	41
1.30	Cross middle of bridge; local low point; elevation ~1755 feet (535 m)				0.08 l 98	toad rush	<i>Juncus bufonius var. bufonius</i>	50 / 5	12
1.30 l 173	California poppy	<i>Eschscholzia californica</i>	2 / 1	29	0.08 l 99	*grass poly	<i>Lythrum hyssopifolia</i>	10 / 2	13
1.32	Cross small drainage				0.08 l	Check for a lupine that appeared here only in 2005			
1.32 l 174	wide-throated yellow monkeyflower	<i>Mimulus brevipes</i>	5 / 1	12	0.08 b 100	western ragweed	<i>Ambrosia psilostachya</i>	10 / 1	36
1.32 l 175	rough-seeded blue toad-flax	<i>Linaria canadensis var. texana</i>	1 / 1	10	0.08 b 101	*hairy rattail fescue	<i>Vulpia myuros var. hirsuta</i>	99 / 9	16
1.35	Cross small drainage				0.08 r 102	American vetch	<i>Vicia americana var. americana</i>	2 / 1	9
1.43	View of San Gabriel Mountains at 10 o'clock at a local high point				0.08 b 103	narrow-leaved miner's lettuce	<i>Claytonia parviflora ssp. parviflora</i>	10 / 1	21
1.49	Cross small drainage over a black-pipe culvert; elevation ~1755 feet (535 m). Trail now goes upward steeply.				0.08 l	(black sage, <i>Salvia mellifera</i>)			
1.54 l 176	chia	<i>Salvia columbariae</i>	20 / 3	21	0.08 l 104	*knotweed	<i>Polygonum arenastrum</i>	2 / 2	16
1.56 l 177	wild canterbury bells	<i>Phacelia minor</i>	20 / 5	21	0.08 l	*Check for Bermuda grass, <i>Cynodon dactylon</i> , probably sighted here in 2005 but absent in 2006.10228			
1.57 r 178	*common cudweed	<i>Gnaphalium luteo-album</i>	/	14	0.08 l 105	*white-stemmed filaree	<i>Erodium moschatum</i>	10 / 1	22
					0.08 l 106	*sourclover	<i>Melilotus indicus</i>	20 / 1	22
					0.08 l 107	*Italian rye-grass	<i>Lolium multiflorum</i>	10 / 1	14

0.08 r 108	tree clover	<i>Trifolium ciliolatum</i>	20 / 5	10	0.24 r	(California poppy, <i>Eschscholzia californica</i>)		
0.09 l	(mule fat, <i>Baccharis salicifolia</i>)				0.24 r	Go through gate; sign: "Trail"		
0.09 r 109	arroyo willow	<i>Salix lasiolepis</i>[±]	1 / 1	33	0.24 r 135	cotton-batting plant	<i>Gnaphalium stramineum</i>	30 / 9 14
0.09 r	Begin bridge over small drainage. In drainage to left: California fuchsia, <i>Epilobium canum</i> ssp. <i>canum</i> ; rabbits-foot grass, <i>Polypogon monspeliensis</i> . In drainage to right: deergrass, <i>Muhlenbergia rigens</i> . In drainage on both sides: scarlet monkeyflower, <i>Mimulus cardinalis</i> .				0.27 r	Sign: "Mountain Lion..."		
0.09 r 110	dwarf lupine	<i>Lupinus bicolor</i>	50 / 9	29	0.28 l 136	black sage	<i>Salvia mellifera</i>	50 / 9 40
0.09 r 111	Durango root	<i>Datisca glomerata</i>	1 / 1	6	0.29 l 137	purple snapdragon	<i>Antirrhinum nuttallianum</i> ssp. <i>nuttallianum</i>	99 / 9 17
0.09 b 112	wild tarragon	<i>Artemisia dracunculus</i>	3 / 1	21	0.29	Begin uphill section		
0.09	End bridge				0.33 r 138	California lace fern	<i>Aspidotis californica</i>	20 / 9 9
0.09 r 113	angel's gilia	<i>Gilia angelensis</i>	10 / 2	14	0.34 l 139	mission manzanita	<i>Xylococcus bicolor</i>	99 / 9 14
0.09 r 114	matchweed	<i>Gutierrezia sarothrae</i>	3 / 2	9	0.34 l 140	wild-cucumber	<i>Marah macrocarpus</i> var. <i>macrocarpus</i>	5 / 5 43
0.09 l 115 ~	bristly goldenaster	<i>Heterotheca sessiliflora</i> ssp. <i>echioides</i>	1 / 1	7	0.34	Trail begins series of close-spaced 90° turns; enter forest of hoaryleaf ceanothus, <i>Ceanothus crassifolius</i> , and cross a minor drainage.		
0.09 l 116	*wall bedstraw	<i>Galium parisiense</i>	20 / 1	7	0.34 l 141	meally white pincushion	<i>Chaenactis artemisifolia</i>	50 / 9 14
0.09 l 117	*Crete weed	<i>Hedynois cretica</i>	20 / 2	22	0.35 l 142	California chicory	<i>Rafinesquia californica</i>	40 / 9 22
0.09 l 118	slender madia	<i>Madia gracilis</i>	10 / 2	17	0.37 b 143	San Diego wreathplant	<i>Stephanomeria diegensis</i>	30 / 9 20
0.10 l 119	long-stemmed buckwheat	<i>Eriogonum elongatum</i> var. <i>elongatum</i>	1 / 1	26	0.38 r 144	caterpillar phacelia	<i>Phacelia cicutaria</i> var. <i>hispidula</i>	30 / 5 15
0.10 b 120	three spot	<i>Osmadenia tenella</i>	20 / 2	12	0.38 l 145	laurel sumac	<i>Malosma laurina</i>	50 / 9 42
0.10 r 121 ~	purple sanicle	<i>Sanicula bipinnatifida</i>	2 / 1	11	0.40	Local high point on trail; elevation 1840 feet (560 m)		
0.11	Jct. use trail				0.41 r 146	California peony	<i>Paeonia californica</i>	2 / 2 17
0.11	Enter chamise forest				0.42 l 147	sugar bush	<i>Rhus ovata</i>	5 / 5 25
0.11 l	(California bee plant, <i>Scrophularia californica</i> ssp. <i>floribunda</i>)				0.43 l	intermediate sun-cups	<i>Camissonia intermedia</i>[±]	/
0.12 l 122	papillate dodder	<i>Cuscuta californica</i> var. <i>papillosa</i>	10 / 3	2	0.43 r	Jct. use trail		
0.12 r 123	common skullcap	<i>Scutellaria tuberosa</i>	10 / 2	5	0.43 l	(honking California bee plant, <i>Scrophularia californica</i> ssp. <i>floribunda</i>)		
0.13 l	Jct. faint path; first of many beautiful patches of canchalagua, <i>Centaurium venustum</i>				0.43 148	southern California morning-glory	<i>Calystegia macrostegia</i> ssp. <i>arida</i>[±]	10 / 9 17
0.16 l	(common groundsel, <i>Senecio vulgaris</i>)				0.44	Trail is flattish here, but continues to descend		
0.16 l 124	sharp-toothed sanicle	<i>Sanicula arguta</i>	2 / 2	18	0.44 r	Check for different <i>Vulpia</i> sp.		
0.17 r 125	*long-beaked filaree	<i>Erodium botrys</i>	20 / 3	9	0.44 r 149	false monkeyflower	<i>Mimulus pilosus</i>	99 / 9 5
0.17 l 126	*curly dock	<i>Rumex crispus</i>	1 / 1	23	0.48 l 150	slender sunflower	<i>Helianthus gracilentus</i>	50 / 9 12
0.17 r 127	rattlesnake weed	<i>Chamaesyce albomarginata</i>	10 / 1	7	0.48 l 151	thick-leaved yerba santa	<i>Eriodictyon crassifolium</i> var. <i>crassifolium</i>	50 / 9 7
0.18 b 128	fringed spineflower	<i>Chorizanthe fimbriata</i> var. <i>fimbriata</i>	99 / 5	7	0.49 l	(bird's-foot fern, <i>Pellaea mucronata</i> var. <i>mucronata</i>)		
0.18 b 129	sapphire woolly-star	<i>Eriastrum sapphirinum</i>	99 / 9	7	0.50 l 152	tomcat clover	<i>Trifolium willdenovii</i>	20 / 2 17
0.18 l 130	deergrass	<i>Muhlenbergia rigens</i>[±]	5 / 2	21	0.50 r 153	floriferous monkeyflower	<i>Mimulus floribundus</i>	20 / 3 5
0.18 r ~	(coyote bush, <i>Baccharis pilularis</i>)				0.50 r 154	California popcorn flower	<i>Plagiobothrys collinus</i> var. <i>fulvescens</i>	5 / 1 4
0.19 l	(poison oak, <i>Toxicodendron diversilobum</i>)				0.50 l 155	*rabbits-foot grass	<i>Polypogon monspeliensis</i>	3 / 1 20
0.20 r 131	showy penstemon	<i>Penstemon spectabilis</i> var. <i>spectabilis</i>[±]	3 / 1	11	0.51 156	*Bermuda grass	<i>Cynodon dactylon</i>	10 / 1 90
0.23 r	Jct. driveway into 40 acre inholding.				0.52	Local low point on trail, followed by minor local high point then minor local low point		
0.23 132	*Russian thistle	<i>Salsola tragus</i>	1 / 1	25	0.53	View of San Jacinto Mountains at 2 o'clock.		
0.23 r 133	*common groundsel	<i>Senecio vulgaris</i>	2 / 1	19	0.54 b 157	yellow pincushion	<i>Chaenactis glabriuscula</i> var. <i>glabriuscula</i>	99 / 9 13
0.23	Jct. parking lot; elevation 1760 feet (535 m); continue on trail to right.							
0.24 l 134	*pineapple weed	<i>Chamomilla suaveolens</i>	10 / 1	19				