

3.30 b	Jct. trail; sign: "Please stay on trail"	Mile S	#	id?	Common Name	Latin Name	#here	#all
3.30	End trail at T-jct. with a road; elevation 1200 feet (365 m); end plant trail guide; go left to get to the lower trailhead parking on Single Oak Way.	0.00			Beginning of Wiashal Trail at northwest edge of SRP Visitor Center Parking Lot. This guide begins at the post holding the swinging end of the entrance gate; elevation ~1800 feet (550 m)			
3.34	Road curves right toward back yards of homes	0.00	b	1	California buckwheat	<i>Eriogonum fasciculatum</i> var. <i>foliolosum</i>	99 / 9	51
3.36	Trail curves left and parallels back yards of homes							
3.41	Y-jct with path; stay right	0.00	l	2	saw-toothed goldenbush	<i>Hazardia squarrosa</i> var. <i>grindeloides</i>	99 / 9	35
3.45	Leave road and head toward access in fence	0.00	b	3	*soft chess	<i>Bromus hordeaceus</i>	99 / 9	40
3.49	Cul-de-sac near end of Single Oak Way	0.00	b	4	telegraph weed	<i>Heterotheca grandiflora</i>	5 / 2	34
		0.00	b	5	*narrowleaf filago	<i>Filago gallica</i>	99 / 9	45
		0.00	b	6	*shortpod mustard	<i>Hirschfeldia incana</i>	99 / 9	51
		0.00	b	7	*tocalote	<i>Centaurea melitensis</i>	99 / 9	45
		0.00	b	8	everlasting nest-straw	<i>Stylocline gnaphaloides</i>	99 / 9	11
		0.00	b	9	*redstem filaree	<i>Erodium cicutarium</i>	99 / 9	54
		0.00	b	10	holly-leaf navarretia	<i>Navarretia atractyloides</i>	1 / 1	7
		0.00	b	11	strigose lotus	<i>Lotus strigosus</i>	50 / 9	33
		0.00	b	12	*smooth cat's ear	<i>Hypochaeris glabra</i>	99 / 9	34
		0.00	b	13	San Diego tarweed	<i>Hemizonia paniculata</i>	99 / 9	7
		0.00	b	14	*Mediterranean schismus	<i>Schismus barbatus</i>	99 / 9	22
		0.00	r	15	slender combseed	<i>Pectocarya linearis</i> ssp. <i>ferocula</i>	20 / 2	7

<http://tchester.org/srp/plants/guides/wiashal.html>

Comments and feedback: [Tom Chester](#)

Updated 19 April 2006.

0.00 r 16	pygmy-weed	<i>Crassula connata</i>	99 / 9	28	2.60 r 191	scaly lipfern	<i>Cheilanthes clevelandii</i>	5 / 1	4
0.00 r 17	small-head field clover	<i>Trifolium microcephalum</i>	20 / 9	9	2.62 r	(California four o'clock, <i>Mirabilis californica</i>)			
0.00 r 18	*short-fruited filaree	<i>Erodium brachycarpum</i>	20 / 3	16	2.64 r 192	wild celery	<i>Apiastrum angustifolium</i>	10 / 2	14
0.00 b 19	*red brome	<i>Bromus madritensis ssp. rubens</i>	99 / 9	51	2.75 r 193	California four o'clock	<i>Mirabilis californica</i>	1 / 1	22
					2.75	Switchback left; jct. with new trail going uphill			
0.00 r 20	fragrant everlasting	<i>Gnaphalium canescens ssp. beneolens</i>	10 / 9	23	2.78 l 194	odora	<i>Porophyllum gracile</i>	4 / 4	6
0.00 b 21	hooked skunkweed	<i>Navarretia hamata ssp. hamata</i>	99 / 9	10	2.83 l 195 ?	dead like clarkia, seedling like chinese houses	?	10 / 1	
0.00 b 22	Spanish clover	<i>Lotus purshianus var. purshianus</i>	99 / 9	30	2.95 r 196	California polypody	<i>Polypodium californicum</i>	1 / 1	16
0.00 b 23	*nit grass	<i>Gastridium ventricosum</i>	99 / 9	22	2.99 l	5 deergrass plants, <i>Muhlenbergia rigens</i> , above the trail that seem twice normal size since they are above you, instead of their normal position below you in a drainage			
0.00 b 24	*scarlet pimpernel	<i>Anagallis arvensis</i>	99 / 9	31	2.99 l	(San Diego sedge, <i>Carex spissa</i>)			
0.00 b 25	San Diego birdsfoot lotus	<i>Lotus hamatus</i>	20 / 5	23	2.99 l	(San Diego sedge, <i>Carex spissa</i>)			
0.00 l 26 ~	slender popcorn flower	<i>Plagiobothrys tenellus</i>	50 / 9	3	3.00 r	Jct. blocked-off trail			
0.00 l 27	*rattail fescue	<i>Vulpia myuros var. myuros</i>	99 / 9	21	3.02 l	Sign: "SRPER boundary; Wiashal Trail"			
0.00 r 28	rattlesnake weed	<i>Daucus pusillus</i>	99 / 9	28	3.19 l 197	*goldentop	<i>Lamarckia aurea</i>	10 / 1	23
0.00 r 29	slender wreathplant	<i>Stephanomeria exigua ssp. deanei</i>	50 / 9	12	3.22 r	Sign: "No motor vehicles"			
					3.22 l	Sign: "Cole Canyon; (to) Santa Rosa Plateau"			
0.00 b 30	bristly bird's beak	<i>Cordylanthus rigidus ssp. setigerus</i>	99 / 9	25	3.22 r	Jct. use trail			
0.00 b 31	canchalagua	<i>Centaurium venustum</i>	99 / 9	12	3.23 r 198	southern suncup	<i>Camissonia bistorta</i>	3 / 1	11
0.00 l 32	California-aster	<i>Lessingia filaginifolia var. filaginifolia</i>	30 / 9	51	3.23 l 199	chaparral bush mallow	<i>Malacothamnus fasciculatus</i>	1 / 1	14
0.00 r 33	Pomona locoweed	<i>Astragalus pomonensis</i>	20 / 9	10	3.24	T-jct.; go right; sign on left: "No trespassing PC602(J)"			

2.02	First of two closely-spaced saddles; elevation ~1750 feet (535 m)			0.00 l	Sign: "Wiashal Trail (straight); to Cole Canyon 3.5 mi"		
2.10 l 185	yellow mariposa lily	<i>Calochortus weedii var. weedii</i>	30 / 9 10	0.00 r 34	*prickly sow thistle	<i>Sonchus asper ssp. asper</i>	50 / 9 28
2.12 r 186	white everlasting	<i>Gnaphalium canescens ssp. microcephalum</i>	1 / 1 36	0.00 b 35	chamise	<i>Adenostoma fasciculatum</i>	99 / 9 37
2.12 l 187 ~	sand cress	<i>Calyptidium monandrum</i>	10 / 1 12	0.00 l 36	purple owl's clover	<i>Castilleja exserta ssp. exserta</i>	10 / 3 12
2.13	Local high point; elevation ~1800 feet (550 m)			0.00 l 37	*slender wild oats	<i>Avena barbata</i>	99 / 9 38
2.18	Big patch of sapphire woolly-star, <i>Eriastrum sapphirinum</i>			0.00 r 38	golden yarrow	<i>Eriophyllum confertiflorum var. confertiflorum</i>	99 / 9 53
2.19	Second of two closely-spaced saddles; elevation ~1750 feet (535 m)			0.00 r 39	silver puffs	<i>Uropappus lindleyi</i>	20 / 9 25
2.24 b 188	small-seeded spurge	<i>Chamaesyce polycarpa</i>	20 / 2 13	0.00 r 40	leafy daisy	<i>Erigeron foliosus var. foliosus</i>	50 / 9 42
2.27 l	Jct. blocked-off trail easily visible only on return trip			0.01 l 41	Torrey's scrub oak	<i>Quercus acutidens</i>	30 / 9 26
2.29	Local peak, elevation ~1840 feet (560 m), with a nice flat rock for sitting on, with great views			0.01 r 42	deerweed	<u><i>Lotus scoparius var. scoparius</i></u> [±]	30 / 9 28
2.33 l	Jct. trail blocked-off by line of large rocks; note "Eagle Rock" ahead if the light is right.			0.01 l	Jct. bicycle / horse entrance from Clinton Keith Road		
2.35 l	Jct. Second Overlook Trail. Sign: "To Overlook 0.1 mi [left]; Wiashal Trail [right]". Note "Eagle Rock" has turned into "Turkey Vulture" rock, if you are coming back from the Overlook. Most of the many switchbacks on the descent are not noted.			0.01 r 43	popcorn flower	<i>Cryptantha intermedia</i>	99 / 9 27
2.40 l 189	*Italian thistle	<u><i>Carduus pycnocephalus</i></u> [±]	2 / 2 18	0.01 l 44	purple clarkia	<i>Clarkia purpurea ssp. quadrivulnera</i>	50 / 5 24
2.48 r 190	eucrypta	<i>Eucrypta chrysanthemifolia var. chrysanthemifolia</i>	30 / 5 26	0.01 l 45	rush-rose	<i>Helianthemum scoparium</i>	5 / 5 14
2.53 r	Jct. use trail			0.01 r	Check for yellow mariposa lily, <i>Calochortus weedii var. weedii</i>		
2.54	Trail turns left 90°			0.01 b 46	triangular-fruit sedge	<i>Carex triquetra</i>	20 / 9 16
2.56	Switchback right; (blocked-off old trail continues ahead)			0.01 r 47	narrowleaf bedstraw	<i>Galium angustifolium ssp. angustifolium</i>	30 / 9 47
				0.01 b 48	redberry	<i>Rhamnus crocea</i>	20 / 9 15
				0.01 l 49	hoaryleaf ceanothus	<i>Ceanothus crassifolius</i>	99 / 9 12

0.01 r 50	blue dicks	<i>Dichelostemma capitatum</i> ssp. <i>capitatum</i>	50 / 9	45	1.32 l 174	wide-throated yellow monkeyflower	<i>Mimulus brevipes</i>	5 / 1	12
0.01 l 51	splendid mariposa lily	<i>Calochortus splendens</i>	50 / 9	17	1.32 l 175	rough-seeded blue toad-flax	<i>Linaria canadensis</i> var. <i>texana</i>	1 / 1	10
0.01 l 52	coast jepsonia	<i>Jepsonia parryi</i>	30 / 2	15	1.35	Cross small drainage			
0.02 b 53	foothill needlegrass	<i>Nassella lepida</i>	30 / 9	20	1.43	View of San Gabriel Mountains at 10 o'clock at a local high point			
0.02 r 54	chaparral yucca	<i>Yucca whipplei</i>	5 / 5	31	1.49	Cross small drainage over a black-pipe culvert; elevation ~1755 feet (535 m). Trail now goes upward steeply.			
0.02 b 55	purple head	<i>Acourtia microcephala</i>	5 / 3	19	1.54 l 176	chia	<i>Salvia columbariae</i>	20 / 3	21
0.02 l 56	ground pink	<i>Linanthus dianthiflorus</i>	30 / 9	9	1.56 l 177	wild canterbury bells	<i>Phacelia minor</i>	20 / 5	21
0.03 l 57	intermediate sun-cups	<u><i>Camissonia intermedia</i></u>	30 / 9	6	1.57 r 178	*common cudweed	<i>Gnaphalium luteo-album</i>	/	14
0.03 l 58	coast-range melic	<i>Melica imperfecta</i>	99 / 9	42					
0.03 l 59	southern honeysuckle	<i>Lonicera subspicata</i> var. <i>denudata</i>	20 / 9	40	l 179	short-winged deerweed	<u><i>Lotus scoparius</i> var. <i>brevialatus</i></u> [±]	30 / 9	22
0.03 b 60	climbing bedstraw	<i>Galium nuttallii</i> ssp. <i>nuttallii</i>	50 / 9	30	1.59 b 180	Coulter's snapdragon	<i>Antirrhinum coulterianum</i>	30 / 9	5
0.03 r 61	hollyleaf redberry	<i>Rhamnus ilicifolia</i>	20 / 9	43	1.59 r 181	California suncup	<i>Camissonia californica</i>	3 / 3	20
0.04 l 62	southern Indian pink	<i>Silene laciniata</i> ssp. <i>major</i>	2 / 2	19	1.59 r	Check for new species like a gilia			
0.04 l 63	bush monkeyflower	<i>Mimulus aurantiacus</i>	40 / 9	42	1.60 r 182	California filago	<i>Filago californica</i>	20 / 9	21
0.04 l 64	*windmill pink	<i>Silene gallica</i>	99 / 9	32	1.68 r	Rock overhang / shelter 5 steps away.			
0.04 l 65	Parish's purple nightshade	<i>Solanum parishii</i>	30 / 9	20	1.68 l 183	twining snapdragon	<i>Antirrhinum kelloggii</i>	5 / 2	6
0.05 l 66	Tejon cryptantha	<i>Cryptantha microstachys</i>	10 / 2	6	1.71 l	Jct. Overlook trail; elevation ~1920 feet (585 m). Sign: "To Overlook 0.1 mi [left]; Wiashal Trail [right]"			
0.05 l 67	basketbush	<i>Rhus trilobata</i>	10 / 5	24	1.78 l 184	*wild oats (waif?)	<i>Avena fatua</i>	1 / 1	25
0.05 r 68	goldback fern	<i>Pentagramma triangularis</i> ssp. <i>triangularis</i>	99 / 9	24	1.78	Highest point on trail; elevation ~1950 feet (595 m)			
					2.01 r	Jct. use trail			

0.92 l 163	bicolored everlasting	<i>Gnaphalium bicolor</i>	10 / 5	29	0.05 l 69	blue larkspur	<i>Delphinium parryi ssp. parryi</i>	30 / 5	12
0.92 l 164	chaparral beard-tongue	<i>Keckiella antirrhinoides var. antirrhinoides</i>	30 / 9	10	0.06 r 70	mustang mint	<i>Monardella lanceolata</i>	5 / 1	5
0.92 r 165	San Diego mountain mahogany	<i>Cercocarpus minutiflorus</i>	3 / 2	12	0.06 l 71	San Diego pea	<i>Lathyrus vestitus var. alefeldii</i>	2 / 2	20
0.97 b 166	California sagebrush	<i>Artemisia californica</i>	10 / 4	46	0.06 l 72	seashore bentgrass	<i>Agrostis pallens</i>	30 / 3	8
0.99	First of many local high points; elevation ~1840 feet (560 m)				0.07 l 73	*sow thistle	<i>Sonchus oleraceus</i>	20 / 9	39
1.15	Check for different <i>Cuscuta sp.</i>				0.07 l 74	Pacific sanicle	<i>Sanicula crassicaulis</i>	3 / 1	21
1.21 b 167	bird's-foot fern	<i>Pellaea mucronata var. mucronata</i>	10 / 9	30	0.07 l 75	cobwebby thistle	<u><i>Cirsium occidentale var. occidentale</i></u> [±]	3 / 2	7
1.21	Cross small drainage.				0.07 r 76	California everlasting	<i>Gnaphalium californicum</i>	99 / 9	42
1.28 b 168	hollyleaf cherry	<i>Prunus ilicifolia ssp. ilicifolia</i>	5 / 1	12	0.07 b 77	coast live oak	<i>Quercus agrifolia var. agrifolia</i>	5 / 5	42
1.30 b 169	common monkeyflower	<i>Mimulus guttatus</i>	20 / 1	13	0.07 r 78	threadstem	<i>Pterostegia drymarioides</i>	20 / 9	29
1.30 l	deergrass	<i>Muhlenbergia rigens</i>		/	0.07 r 79	southern miner's lettuce	<i>Claytonia perfoliata ssp. mexicana</i>	30 / 5	25
1.30 b 170	variegated clover	<i>Trifolium variegatum</i>	20 / 1	4	0.07 r 80	common bedstraw	<i>Galium aparine</i>	30 / 5	39
1.30 b 171	wrinkled rush	<i>Juncus rugulosus</i>	10 / 1	9	0.07 r 81	*common chickweed	<i>Stellaria media</i>	30 / 3	28
1.30 r 172	slim vetch	<i>Vicia ludoviciana var. ludoviciana</i>	5 / 1	8	0.07 r 82	giant wild-rye	<i>Leymus condensatus</i>	1 / 1	27
1.30	Cross dike cutting boulder in trail				0.07 b 83	*bull thistle	<u><i>Cirsium vulgare</i></u> [±]	2 / 1	16
1.30	Cross middle of bridge; local low point; elevation ~1755 feet (535 m)				0.07 r 84	*ripgut brome	<i>Bromus diandrus</i>	30 / 3	51
1.30 l 173	California poppy	<i>Eschscholzia californica</i>	2 / 1	29	0.07 r 85	checkerbloom	<i>Sidalcea malviflora ssp. sparsifolia</i>	10 / 3	25
1.32	Cross small drainage				0.07 b 86	johnny jump-up	<i>Viola pedunculata</i>	30 / 3	15
					0.07 r 87	ssp *foxtail barley	<i>Hordeum murinum</i>	10 / 2	

0.07 r 88	*hedge mustard	<i>Sisymbrium officinale</i>	5 / 2	20	0.50 l 155	*rabbits-foot grass	<i>Polypogon monspeliensis</i>	3 / 1	20	
0.07 r 89 ~	basket rush	<i>Juncus textilis</i>	10 / 1	4	0.51	156	*Bermuda grass	<i>Cynodon dactylon</i>	10 / 1	90
0.07 r 90	blue wildrye	<i>Elymus glaucus ssp. glaucus</i>	20 / 9	20	0.52	Local low point on trail, followed by minor local high point then minor local low point				
0.07 r 91	white-flowering currant	<i>Ribes indecorum</i>	3 / 3	22	0.53	View of San Jacinto Mountains at 2 o'clock.				
0.08 b 92	goldenrod	<i>Solidago californica</i>	2 / 1	34	0.54 b 157	yellow pincushion	<i>Chaenactis glabriuscula var. glabriuscula</i>	99 / 9	13	
0.08 l 93 ~	horseweed	<i>Conyza canadensis</i>	10 / 5	35	0.55	Local high point on trail				
0.08 l 94	sticky cinquefoil	<i>Potentilla glandulosa ssp. glandulosa</i>	5 / 1	15	0.60 r	(toyon, <i>Heteromeles arbutifolia</i>)				
0.08 l 95	*prickly lettuce	<i>Lactuca serriola</i>	99 / 9	42	0.60	Cross small drainage; local low point on trail, followed by a series of minor local high and low points				
0.08 l 96	long-leaved rush	<i>Juncus macrophyllus</i>	2 / 2	4	0.60 l 158	clustered toad rush	<i>Juncus bufonius var. congestus</i>	10 / 1	4	
0.08 r 97	*California burclover	<i>Medicago polymorpha</i>	30 / 3	41	0.66 l	Jct. cleared path?				
0.08 l 98	toad rush	<i>Juncus bufonius var. bufonius</i>	50 / 5	12	0.67 r 159	western toad rush	<i>Juncus bufonius var. occidentalis</i>	10 / 1	2	
0.08 l 99	*grass poly	<i>Lythrum hyssopifolia</i>	10 / 2	13	0.67 r 160	slender woolly marbles	<i>Psilocarphus tenellus var. tenellus</i>	20 / 1	4	
0.08 l	Check for a lupine that appeared here only in 2005				0.67 l 161	Venus looking-glass	<i>Triodanis biflora</i>	10 / 1	2	
0.08 b 100	western ragweed	<i>Ambrosia psilostachya</i>	10 / 1	36	0.77	Cross small drainage with black culvert				
0.08 b 101	*hairy rattail fescue	<i>Vulpia myuros var. hirsuta</i>	99 / 9	16	0.77 b 162	shiny lomatium	<i>Lomatium lucidum</i>	2 / 1	7	
0.08 r 102	American vetch	<i>Vicia americana var. americana</i>	2 / 1	9	0.81	Local low point; cross small drainage; elevation ~1750 feet (535 m); climb now steep.				
0.08 b 103	narrow-leaved miner's lettuce	<i>Claytonia parviflora ssp. parviflora</i>	10 / 1	21	0.90 r	southern California morning-glory	<u><i>Calystegia macrostegia ssp. arida</i></u> [±]	/		
0.08 l	(black sage, <i>Salvia mellifera</i>)									
0.08 l 104	*knotweed	<i>Polygonum arenastrum</i>	2 / 2	16						

0.37 b 143	San Diego wreathplant	<i>Stephanomeria diegensis</i>	30 / 9	20
0.38 r 144	caterpillar phacelia	<i>Phacelia cicutaria var. hispida</i>	30 / 5	15
0.38 l 145	laurel sumac	<i>Malosma laurina</i>	50 / 9	42
0.40	Local high point on trail; elevation 1840 feet (560 m)			
0.41 r 146	California peony	<i>Paeonia californica</i>	2 / 2	17
0.42 l 147	sugar bush	<i>Rhus ovata</i>	5 / 5	25
0.43 l	intermediate sun-cups	<u>Camissonia intermedia</u> [±]		/
0.43 r	Jct. use trail			
0.43 l	(honking California bee plant, <i>Scrophularia californica ssp. floribunda</i>)			
0.43 148	southern California morning-glory	<u>Calystegia macrostegia ssp. arida</u> [±]	10 / 9	17
0.44	Trail is flattish here, but continues to descend			
0.44 r	Check for different <i>Vulpia</i> sp.			
0.44 r 149	false monkeyflower	<i>Mimulus pilosus</i>	99 / 9	5
0.48 l 150	slender sunflower	<i>Helianthus gracilentus</i>	50 / 9	12
0.48 l 151	thick-leaved yerba santa	<i>Eriodictyon crassifolium var. crassifolium</i>	50 / 9	7
0.49 l	(bird's-foot fern, <i>Pellaea mucronata var. mucronata</i>)			
0.50 l 152	tomcat clover	<i>Trifolium willdenovii</i>	20 / 2	17
0.50 r 153	floriferous monkeyflower	<i>Mimulus floribundus</i>	20 / 3	5
0.50 r 154	California popcorn flower	<i>Plagiobothrys collinus var. fulvescens</i>	5 / 1	4

0.08 l	*Check for Bermuda grass, <i>Cynodon dactylon</i> , probably sighted here in 2005 but absent in 2006.10228			
0.08 l 105	*white-stemmed filaree	<i>Erodium moschatum</i>	10 / 1	22
0.08 l 106	*sourclover	<i>Melilotus indicus</i>	20 / 1	22
0.08 l 107	*Italian rye-grass	<i>Lolium multiflorum</i>	10 / 1	14
0.08 r 108	tree clover	<i>Trifolium ciliolatum</i>	20 / 5	10
0.09 l	(mule fat, <i>Baccharis salicifolia</i>)			
0.09 r 109	arroyo willow	<u>Salix lasiolepis</u> [±]	1 / 1	33
0.09 r	Begin bridge over small drainage. In drainage to left: California fuchsia, <i>Epilobium canum ssp. canum</i> ; rabbits-foot grass, <i>Polypogon monspeliensis</i> . In drainage to right: deergrass, <i>Muhlenbergia rigens</i> . In drainage on both sides: scarlet monkeyflower, <i>Mimulus cardinalis</i> .			
0.09 r 110	dwarf lupine	<i>Lupinus bicolor</i>	50 / 9	29
0.09 r 111	Durango root	<i>Datisca glomerata</i>	1 / 1	6
0.09 b 112	wild tarragon	<i>Artemisia dracunculus</i>	3 / 1	21
0.09	End bridge			
0.09 r 113	angel's gilia	<i>Gilia angelensis</i>	10 / 2	14
0.09 r 114	matchweed	<i>Gutierrezia sarothrae</i>	3 / 2	9
0.09 l 115 ~	bristly goldenaster	<i>Heterotheca sessiliflora ssp. echioides</i>	1 / 1	7
0.09 l 116	*wall bedstraw	<i>Galium parisiense</i>	20 / 1	7
0.09 l 117	*Crete weed	<i>Hedypnois cretica</i>	20 / 2	22
0.09 l 118	slender madia	<i>Madia gracilis</i>	10 / 2	17

0.10 l 119	long-stemmed buckwheat	<i>Eriogonum elongatum</i> var. <i>elongatum</i>	1 / 1	26	0.20 r 131	showy penstemon	<u><i>Penstemon spectabilis</i> var. <i>spectabilis</i></u> [±]	3 / 1	11
0.10 b 120	three spot	<i>Osmadenia tenella</i>	20 / 2	12	0.23 r	Jct. driveway into 40 acre inholding.			
0.10 r 121 ~	purple sanicle	<i>Sanicula bipinnatifida</i>	2 / 1	11	0.23 132	*Russian thistle	<i>Salsola tragus</i>	1 / 1	25
0.11	Jct. use trail				0.23 r 133	*common groundsel	<i>Senecio vulgaris</i>	2 / 1	19
0.11	Enter chamise forest				0.23	Jct. parking lot; elevation 1760 feet (535 m); continue on trail to right.			
0.11 l	(California bee plant, <i>Scrophularia californica</i> ssp. <i>floribunda</i>)				0.24 l 134	*pineapple weed	<i>Chamomilla suaveolens</i>	10 / 1	19
0.12 l 122	papillate dodder	<i>Cuscuta californica</i> var. <i>papillosa</i>	10 / 3	2	0.24 r	(California poppy, <i>Eschscholzia californica</i>)			
0.12 r 123	common skullcap	<i>Scutellaria tuberosa</i>	10 / 2	5	0.24 r	Go through gate; sign: "Trail"			
0.13 l	Jct. faint path; first of many beautiful patches of canchalagua, <i>Centaureum venustum</i>				0.24 r 135	cotton-batting plant	<i>Gnaphalium stramineum</i>	30 / 9	14
0.16 l	(common groundsel, <i>Senecio vulgaris</i>)				0.27 r	Sign: "Mountain Lion...".			
0.16 l 124	sharp-toothed sanicle	<i>Sanicula arguta</i>	2 / 2	18	0.28 l 136	black sage	<i>Salvia mellifera</i>	50 / 9	40
0.17 r 125	*long-beaked filaree	<i>Erodium botrys</i>	20 / 3	9	0.29 l 137	purple snapdragon	<i>Antirrhinum nuttallianum</i> ssp. <i>nuttallianum</i>	99 / 9	17
0.17 l 126	*curly dock	<i>Rumex crispus</i>	1 / 1	23	0.29	Begin uphill section			
0.17 r 127	rattlesnake weed	<i>Chamaesyce albomarginata</i>	10 / 1	7	0.33 r 138	California lace fern	<i>Aspidotis californica</i>	20 / 9	9
0.18 b 128	fringed spineflower	<i>Chorizanthe fimbriata</i> var. <i>fimbriata</i>	99 / 5	7	0.34 l 139	mission manzanita	<i>Xylococcus bicolor</i>	99 / 9	14
0.18 b 129	sapphire woolly-star	<i>Eriastrum sapphirinum</i>	99 / 9	7	0.34 l 140	wild-cucumber	<i>Marah macrocarpus</i> var. <i>macrocarpus</i>	5 / 5	43
0.18 l 130	deergrass	<u><i>Muhlenbergia rigens</i></u> [±]	5 / 2	21	0.34	Trail begins series of close-spaced 90° turns; enter forest of hoaryleaf ceanothus, <i>Ceanothus crassifolius</i> , and cross a minor drainage.			
0.18 r ~	(coyote bush, <i>Baccharis pilularis</i>)				0.34 l 141	meally white pincushion	<i>Chaenactis artemisiifolia</i>	50 / 9	14
0.19 l	(poison oak, <i>Toxicodendron diversilobum</i>)				0.35 l 142	California chicory	<i>Rafinesquia californica</i>	40 / 9	22