

3.72	l	166	Apache plume	<i>Fallugia paradoxa</i>	5 / 2
3.72	b	167	desert trumpet	<i>Eriogonum inflatum</i>	10 / 1
3.73	r	168	fourwing saltbush	<i>Atriplex canescens</i>	5 / 1
3.74	r	169	sp Buckwheat with terminal infl	<i>Eriogonum sp.</i>	x /
3.75	r	170	wing-nut cryptantha	<i>Cryptantha pterocarya</i>	x /
3.75	r	171	silver puffs	<i>Uropappus lindleyi</i>	1 / 1
3.92			Cross creekbed, with high-pressure water pipe elevated on left; CP #32, elevation 4093 feet (1248 m)		
4.02		172	catclaw	<i>Senegalia greggii</i>	50 / 3
4.09			Curve left 90°, cross streambed, then turn right 90°; CP #33, elevation 4029 feet (1228 m)		
4.10		173	blue grama	<i>Bouteloua gracilis</i>	30 / 3
4.12			Switchback right (only ~90°)		
4.36			Cross creekbed; CP #34, elevation 3884 feet (1184 m)		
4.40			Sign: "Indian Gardens" (arrow pointing downhill)		
4.41			Sign: "The plants you see here are the living desert. They grow by the inch and die by the foot".		
4.56		174	sacahuista	<i>Nolina microcarpa</i>	3 / 1
4.59		175	common reed	<i>Phragmites australis</i>	iN /
4.59		176	Fremont cottonwood	<i>Populus fremontii</i>	iN /
4.59		177	Canyon wild grape	<i>Vitis arizonica</i>	iN /
4.60		178	broom baccharis	<i>Baccharis sarothroides</i>	iN / 1
4.62		179	silverleaf nightshade	<i>Solanum elaeagnifolium</i>	iN / 3
4.65	l		Indian Gardens Resthouse		
4.66		180	narrowleaf willow	<i>Salix exigua</i>	iN /
4.66		181	water cress	<i>Nasturtium officinale</i>	iN /
4.68	l		Jct. Plateau Point Trail; end Plant Trail Guide		
			Additional species in Indian Gardens area off-trail		
IG		182	mule fat	<i>Baccharis salicifolia</i>	iN / 1
IG		183	*Japanese chess	<i>Bromus japonicus</i>	iN / 1
IG		184	sturdy sedge	<i>Carex alma</i>	V /
IG		185	froststem suncup	<i>Chylismia multijuga</i>	V /
IG		186	bigleaf marsh-elder	<i>Iva frutescens</i>	V /
IG		187	*tall fescue	<i>Lolium arundinaceum</i>	V /
IG		188	American tule	<i>Schoenoplectus americanus</i>	iN / 1
			Species only present off-trail are listed again here		
0.13		189	ponderosa pine	<i>Pinus ponderosa</i>	/
0.54	l	190	claret cup	<i>Echinocereus triglochidiatus</i>	/
0.55	r	191	fringed brome	<i>Bromus richardsonii</i>	/

http://tchester.org/gc/plants/guides/bright_angel_down.html
Updated 10 September 2022.

Plant Guide to Bright Angel Trail Grand Canyon National Park

Mile S	#	id?	(*)Common Name	Scientific Name	#Pls
0.00			Begin guide at signed Trailhead north of West Rim Drive bus stop, north of the mule corral; CP "S. Rim", elevation 6845 feet (2086 m), in Kaibab Limestone, thickness 350 feet here		
0.00	b	1	two-needle pinyon pine	<i>Pinus edulis</i>	50 / 9
0.00	l	2	pinyon pine dwarf-mistletoe	<i>Arceuthobium divaricatum</i>	2 / 2
0.00	b	3	desert gooseberry	<i>Ribes velutinum</i>	99 / 9
0.00	b	4	whisky currant	<i>Ribes cereum var. pedicellare</i>	99 / 9
0.00	b	5	hoary-aster	<i>Dieteria canescens</i>	50 / 9
0.00	b	6	Wright's thelypody	<i>Thelypodium wrightii</i>	10 / 3
0.00	r	7	*common mallow	<i>Malva neglecta</i>	10 / 2
0.00	b	8	*downy brome	<i>Bromus tectorum</i>	99 / 9
0.00	r	9	Gambel oak	<i>Quercus gambelii</i>	50 / 9
0.00	b	10	smooth spreading four o'clock	<i>Mirabilis oxybaphoides</i>	50 / 9
0.00	r	11	*knotweed	<i>Polygonum arenastrum</i>	5 / 2
0.00	r	12	*herb sophia	<i>Descurainia sophia</i>	99 / 9
0.00	r	13	*crossflower	<i>Chorispora tenella</i>	99 / 9
0.00	r	14	common pepper-grass	<i>Lepidium densiflorum</i>	5 / 1
0.00	b	15	threadleaf common rabbitbrush	<i>Ericameria nauseosa var. oreophila</i>	50 / 9
0.00	r	16	snowberry	<i>Symphoricarpos rotundifolius</i>	99 / 9
0.00	r	17	perennial rock-cress	<i>Boechera perennans</i>	40 / 9
0.00	r	18	*curveseed butterwort	<i>Ceratocephala testiculata</i>	99 / 9
0.00	b	19	Powell's amaranth	<i>Amaranthus powellii</i>	20 / 2
0.00	r	20	Utah service-berry	<i>Amelanchier utahensis</i>	99 / 9
0.00	l	21	Utah juniper	<i>Juniperus osteosperma</i>	20 / 9
0.01	r		Sign: "Mesozoic Rock Formations / Kaibab Limestone"		
0.01	l	22	*Russian thistle	<i>Salsola tragus</i>	20 / 3
0.02	b	23	*tumbling oracle	<i>Atriplex rosea</i>	40 / 2
0.02	l	24	*tumble pigweed	<i>Amaranthus albus</i>	5 / 2
0.02	b	25	matchweed	<i>Gutierrezia sarothrae</i>	5 / 2
0.02	r	26	littleleaf globe mallow	<i>Sphaeralcea parvifolia</i>	30 / 9
0.02	l	27	~ prairie sunflower	<i>Helianthus petiolaris</i>	1 / 1
0.02	l	28	*horehound	<i>Marrubium vulgare</i>	20 / 5
0.03	l	29	fern bush	<i>Chamaebatiaria millefolium</i>	20 / 9
0.03	r		(California brickellbush, <i>Brickellia californica</i>)		
0.03	b	30	*foxtail barley	<i>Hordeum murinum</i>	99 / 9
0.04	r	31	*Klamath pepper-grass	<i>Lepidium perfoliatum</i>	99 / 9
0.04	b	32	California brickellbush	<i>Brickellia californica</i>	99 / 9
0.04	r		Jct. path from Kolb Studio		
0.05	r	33	slender wheatgrass	<i>Elymus trachycaulus</i>	50 / 9

0.05 r 34	squirreltail	<i>Elymus elymoides</i>	30 / 9	3.19 l 147	rock spiraea	<i>Petrophytum caespitosum</i>	50 / 2
0.05 r 35	*catnip	<i>Nepeta cataria</i>	20 / 3	3.19 l 148	snapdragon vine	<i>Maurandya antirrhiniflora</i>	3 / 2
0.05 r 36	Palmer's penstemon	<i>Penstemon palmeri</i>	10 / 2	3.19 l	Check unk perennial with lobed leaves like <i>Artemisia ludoviciana</i>		
0.05 r 37	silver wormwood	<i>Artemisia ludoviciana</i>	99 / 9	3.21	Switchback right.		
0.05 r 38	Virginia creeper	<i>Parthenocissus inserta</i>	1 / 1	3.22	Curve right 90°.		
0.05 r	Sign: "Bright Angel Trail and Grand Canyon Information"			3.23	Switchback left.		
0.05 r 39	Arizona thistle	<i>Cirsium arizonicum</i>	30 / 9	3.26	Curve left 90°.		
0.05	Switchback left			3.28 149	resin brittlebush	<i>Encelia resinifera</i>	30 / 7
0.06 r 40	*London rocket	<i>Sisymbrium irio</i>	10 / 3	3.29	Switchback right at the closest part of the trail to the "Petrified Snow". CP #28, 4512 feet (1375 m)		
0.08 r	Sign: "When mules pass"			3.30 l 150	wire-lettuce	<i>Stephanomeria pauciflora</i>	/
0.08 r 41	Fremont's goosefoot	<i>Chenopodium fremontii</i>	20 / 5	3.32	Curve right 90°.		
0.08 r	(mutton grass, <i>Poa fendleriana</i>)			3.34	Switchback left.		
0.09 l 42	beautiful aster	<i>Eurybia glauca pulchra</i>	99 / 9	3.36	Curve left 90°.		
0.09 l 43	Grand Canyon rock-daisy	<i>Perityle congesta</i>	50 / 9	3.38	Switchback right.		
0.09 r 44	mutton grass	<i>Poa fendleriana</i>	99 / 9	3.40	Curve right 90°.		
0.10 l 45	creeping barberry	<i>Berberis repens</i>	20 / 5	3.41	Switchback left.		
0.12 l 46	Grand Canyon Goldenweed	<i>Ericameria arizonica</i>	20 / 8	3.44	Switchback right; CP #29, elevation 4396 feet (1340 m)		
0.13	(View ahead of bonsai Ponderosa Pine, <i>Pinus ponderosa</i> , and two-needle pinyon pine, <i>Pinus edulis</i> , on top of ridge with tunnel)			3.45	Trail curves left 90° and crosses small drainage		
0.14 r	(pallid hoptree, <i>Ptelea trifoliata ssp. pallida</i>)			3.46 r 151	brownfoot	<i>Acourtia wrightii</i>	2 / 2
0.14 r 47	pungent rabbitbrush	<i>Ericameria nauseosa var. graveolens</i>	1 / 1	3.46 r 152	California hedge-parsley	<i>Yabea microcarpa</i>	2 / 1
0.15 r 48	big sagebrush	<i>Artemisia tridentata</i>	30 / 9	3.46 r 153	common bedstraw	<i>Galium aparine</i>	1 / 1
0.15	First Tunnel; Indian pictographs on rim far above trail can be seen after the tunnel			3.50	Enter Temple Butte Limestone; thickness 35 feet here		
0.15 l	(Mojave prickly-pear, <i>Opuntia polyacantha var. erinacea</i>)			3.51 r 154	turpentine broom	<i>Thamnosma montana</i>	13 / 3
0.15 r	(green ephedra, <i>Ephedra viridis</i> ; Kaibab century plant, <i>Agave utahensis var. kaibabensis</i> ; desert prickly-pear, <i>Opuntia phaeacantha</i> ; far off-trail: rock spiraea, <i>Petrophytum caespitosum</i>)			3.51 l 155	longleaf phlox	<i>Phlox longifolia</i>	30 / 9
0.16 b 49	beaked penstemon	<i>Penstemon rostriflorus</i>	10 / 5	3.52 l 156	side-oats grama	<i>Bouteloua curtipendula</i>	50 / 9
0.16 l 50	Fendler's meadow-rue	<i>Thalictrum fendleri</i>	55 / 9	3.59 157	nodding scorpionflower	<i>Phacelia laxiflora</i>	iN / 1
0.16 r 51	flatspine stickseed	<i>Lappula occidentalis var. occidentalis</i>	30 / 9	3.61 r 158	rush rabbitbrush	<i>Ericameria nauseosa var. juncea</i>	40 / 9
0.17 l 52	Wright's bedstraw	<i>Galium wrightii</i>	2 / 2	3.61 l 159	poison milkweed	<i>Asclepias subverticillata</i>	1 / 1
0.20 l 53	fragrant snakeroot	<i>Ageratina herbacea</i>	30 / 5	3.61 l 160	winding mariposa	<i>Calochortus flexuosus</i>	10 / 2
0.20 r	(shrubby cream bush, <i>Holodiscus dumosus</i>)			3.61 l 161	Patagonia plantain	<i>Plantago patagonica</i>	10 / 1
0.21 r 54	pallid hoptree	<i>Ptelea trifoliata ssp. pallida</i>	50 / 9	3.61 l 162	red three-awn	<i>Aristida purpurea var. longiseta</i>	10 / 2
0.22 l 55	alfalfa	<i>Medicago sativa</i>	1 / 1	3.62 163	Grand Canyon beavertail	<i>Opuntia basilaris var. longiareolata</i>	iN / 1
0.23 r	Sign: "Do not attempt to hike to the bottom and back in one day..."			3.62	Switchback right; CP #30, elevation 4255 feet (1297 m)		
0.23	Switchback left at ridge, then S curve in trail			3.65 164 ?	unk spiny shrub	like <i>Prunus fremontii</i>	/
0.23 r 56	shepherd's purse	<i>Capsella bursa-pastoris</i>	10 / 3	3.65 l	First location of western bernardia, <i>Bernardia incana</i> , on trail		
0.23 r 57	black sagebrush	<i>Artemisia nova</i>	x / 1	3.65 l 165 ?	?	Like a shrubby <i>Artemisia ludoviciana</i> with entire leaves	/
0.25 l	(banana yucca, <i>Yucca baccata</i> ; Cooper's rubberweed, <i>Hymenoxys cooperi</i> ; southern mountain phlox, <i>Phlox austromontana</i>)			3.69	Long switchback left, cross good-sized side drainage; CP #31, elevation 4208 feet (1283 m); enter Muav Limestone, thickness 375 feet here. Below here, the trail is mostly on alluvial deposits, and the Muav Limestone and the Bright Angel Shale, thickness 350 feet, are not evident.		
0.25 l 58	rock whitefeather	<i>Ivesia arizonica arizonica</i>	40 / 2	3.69 l	Second location for Roaring Springs prickly-poppy, <i>Argemone arizonica</i>		
0.25 r 59	Utah fendlerbush	<i>Fendlerella utahensis</i>	1 / 1	3.70 l	Check these plants to see if they are young fourwing saltbush		
0.26 l 60	wallflower	<i>Erysimum capitatum var. purshii</i>	5 / 3				

2.25 r	Jct. with what looks like a previous segment of the Bright Angel Trail			0.26 l 61	*annual blue grass	<i>Poa annua</i>	1 / 1
2.33	Switchback right; CP #17, elevation 5244 feet (1598 m)			0.27 l 62	Cooper's rubberweed	<i>Hymenoxys cooperi</i>	5 / 2
2.39	Switchback left; CP #18, elevation 5197 feet (1584 m)			0.28 r	(Apache plume, <i>Fallugia paradoxa</i>)		
2.42 r 130	whitetop (removed by GC)	<i>Lepidium draba</i>	20 / 1	0.29	Cross Bright Angel Fault onto Toroweap Redbeds, thickness 250 feet here		
2.42 r 131	Kaibab century plant	<i>Agave utahensis var. kaibabensis</i>	1 / 1	0.29 l	(Rocky Mountain Douglas fir, <i>Pseudotsuga menziesii var. glauca</i>)		
2.43 l 132	black brush	<i>Coleogyne ramosissima</i>	50 / 3	0.30 l 63	Munz's bedstraw	<i>Galium munzii ssp. ambivalens</i>	40 / 9
2.43	Switchback right; CP #19, elevation 5165 feet (1574 m)			0.30 l 64	coral bells	<i>Heuchera rubescens</i>	7 / 4
2.45 133	desert needlegrass	<i>Pappostipa speciosa</i>	iN / 1	0.30 l 65	Drummond's false pennyroyal	<i>Hedeoma drummondii</i>	1 / 1
2.48	Switchback left; CP #20, elevation 5133 feet (1565 m)			0.30 l 66 ~	Aspen onion	<i>Allium bisceptrum var. palmeri</i>	5 / 1
2.50 r 134	hairy-podded pepper-grass	<i>Lepidium lasiocarpum var. lasiocarpum</i>	20 / 5	0.33 b 67	Simpson's buckwheat	<i>Eriogonum microthecum var. simpsonii</i>	50 / 9
2.52	Switchback right; CP #21, 5097 feet (1554 m)			0.33 r 68	Indian ricegrass	<i>Eriocoma hymenoides</i>	40 / 9
2.58	Trail curves left 90° at side drainage; CP #22, 5056 feet (1541 m)			0.34 r 69	green ephedra	<i>Ephedra viridis</i>	50 / 9
2.58 r	(bush peavine, <i>Lathyrus brachycalyx ssp. zionis</i>)			0.36 l 70	cliffrose	<i>Purshia stansburyana</i>	20 / 9
2.64 l 135	shrub live oak	<i>Quercus turbinella</i>	10 / 2	0.36 l 71	Basin butterweed	<i>Packera multilobata</i>	3 / 2
2.68	Switchback left, CP #23, elevation 4978 feet (1517 m)			0.36 l 72	*Bermuda grass	<i>Cynodon dactylon</i>	5 / 1
2.68	Confirmed location of Bigelow sagebrush, <i>Artemisia bigelovii</i>			0.36 r 73	yellow spiny daisy	<i>Xanthisma gracile</i>	x / 1
2.69 136	Engelmann prickly-pear	<i>Opuntia engelmannii var. engelmannii</i>	iN / 4	0.37 b 74 ~	slender cryptantha	<i>Cryptantha gracilis</i>	20 / 3
2.71	Switchback right; CP #24, elevation 4955 feet (1510 m)			0.38 r 75	Rocky Mountain Douglas fir	<i>Pseudotsuga menziesii var. glauca</i>	10 / 3
2.74 137	sacred datura	<i>Datura wrightii</i>	iN / 2	0.39 l 76	sticky snakeweed	<i>Gutierrezia microcephala</i>	30 / 9
2.75	Curve left 90°.			0.39 r 77	freckled milk-vetch	<i>Astragalus lentiginosus var. diphysus</i>	1 / 1
2.77 l 138	Mojave woodyaster	<i>Xylorhiza tortifolia</i>	20 / 9	0.39 l 78	Martin's paintbrush	<i>Castilleja chromosa</i>	3 / 1
2.77	Curve right 90°.			0.39 b 79	Fremont barberry	<i>Berberis fremontii</i>	10 / 9
2.78	Switchback left, CP #25, elevation 4897 feet (1493 m)				Switchback right; CP #1, elevation 6630 feet (2021 m). In a short distance on the side trail is narrow phacelia, <i>Phacelia filiformis</i> ; spiny greaseweed, <i>Glossopetalon spinescens var. aridum</i> ; and a different <i>Castilleja</i> sp.		
2.84	Switchback right at drainage; CP #26, elevation 4855 feet (1480 m)			0.40			
2.90	Curve right 90°.			0.41 l 80	sand dropseed	<i>Sporobolus cryptandrus</i>	10 / 1
2.90 r 139	Torrey's milkvetch	<i>Astragalus calycosus</i>	10 / 1	0.41 r 81	*smooth brome	<i>Bromus inermis</i>	99 / 9
2.91 r 140	bush peavine	<i>Lathyrus brachycalyx ssp. zionis</i>	2 / 1	0.43 l 82	banana yucca	<i>Yucca baccata</i>	45 / 9
2.95	Curve left 90°.			0.43 r	(Eaton's penstemon, <i>Penstemon eatonii ssp. undosus</i>)		
3.01	Jct. short path to 3 mile Resthouse; CP "(3 mile) Resthouse", elevation 4733 feet (1443 m). The following four species are found in the area just beyond the Resthouse:			0.44 r 83	desert prickly-pear	<i>Opuntia phaeacantha</i>	5 / 5
- - 141	slender lipfern	<i>Myriopteris gracilis</i>	2 / 1	0.44 r 84	rose heath	<i>Chaetopappa ericoides</i>	20 / 6
- - 142	mountain pepper-grass	<i>Lepidium montanum</i>	7 / 2	0.50	Cross Bright Angel Fault back onto Kaibab Limestone		
- - 143	western bernardia	<i>Bernardia incana</i>	4 / 3	0.51 r 85	Fendler bush	<i>Fendlera rupicola</i>	40 / 9
- -	Many plants of black brush, <i>Coleogyne ramosissima</i> , found here			0.54 r 86	shrubby cream bush	<i>Holodiscus dumosus</i>	10 / 3
3.01 r 144	needle & thread grass	<i>Hesperostipa comata</i>	10 / 2	0.54 l	(claret cup, <i>Echinocereus triglochidiatus</i>)		
3.03	Switchback left.			0.55 l	(blue elderberry, <i>Sambucus cerulea</i>)		
3.07 l 145	netleaf hackberry	<i>Celtis reticulata</i>	1 / 1	0.55 r	(Richardson's brome, <i>Bromus richardsonii</i>)		
3.10	Switchback right; CP #27, elevation 4663 feet (1422 m); enter Redwall Limestone, thickness 450 feet here			0.55 r	Contact between the Kaibab and Toroweap Formations		
3.12 r 146	rose bladderpod	<i>Physaria purpurea</i>	30 / 7	0.58 r 87	wild candytuft	<i>Noccaea fendleri</i>	8 / 3
3.12 r	Only location of mountain pepper-grass, <i>Lepidium montanum</i> , on trail proper			0.58 r 88	trailing fleabane	<i>Erigeron flagellaris</i>	30 / 9
3.13	Switchback left.			0.59 r 89	Eaton's penstemon	<i>Penstemon eatonii ssp. undosus</i>	20 / 9
3.15	Switchback right.			0.59 r	(*common mullein, <i>Verbascum thapsus</i>)		
3.16	Switchback left.			0.60 l 90 ~	blue elderberry	<i>Sambucus cerulea</i>	1 / 1
				0.61 l 91 ~	narrow-leaf four o'clock	<i>Mirabilis linearis</i>	2 / 1

0.63	r	92	scrambled eggs	<i>Corydalis aurea</i>	5 / 2	1.42	l	105 ?	western wheatgrass	<i>Elymus smithii</i>	3 / 1
0.64	r	93	southern mountain phlox	<i>Phlox austromontana</i>	10 / 5	1.46		106	Arizona prickly poppy	<i>Argemone arizonica</i>	6 / 2
0.66	r	~	(spike-moss, <i>Selaginella mutica</i>)			1.47	r	107	fragrant ash	<i>Fraxinus cuspidata</i>	30 / 9
0.70	l		Jct. use path			1.48			Trail bends right 90°; CP #9, elevation 5780 feet (1762 m)		
0.71	l		Jct. use path			1.51	r	108	gooseberryleaf globemallow	<i>Sphaeralcea grossulariifolia</i>	50 / 9
0.72	r		Kolb Seep Springs			1.53	l		(closest Kaibab century plant, <i>Agave utahensis</i> var. <i>kaibabensis</i>)		
0.72	r	94 ~	curly dock	<i>Rumex crispus</i>	1 / 1	1.54	r		(spike-moss, <i>Selaginella mutica</i>)		
0.73			Switchback left; CP #2, elevation 6364 feet (1940 m)			1.55			Trail curves right at ridge		
0.80		95	*wild alyssum	<i>Alyssum simplex</i>	iN / 1	1.57	r	109	tidy fleabane	<i>Erigeron concinnus</i>	50 / 9
0.80	l	96	spiny greasebush	<i>Glossopetalon spinescens</i> var. <i>aridum</i>	20 / 9	1.58		110	squirreltail barley	<i>Hordeum jubatum</i>	iN / 1
0.86	l	97	Knowlton hop hornbeam	<i>Ostrya knowltonii</i>	30 / 9	1.58	r		1.5 mile Resthouse; CP "(1.5 mile) resthouse", elevation 5714 feet (1742 m)		
0.87			Second Tunnel, through hardened Bright Angel Fault, CP "Tunnel (#2)", elevation 6248 feet (1904 m). Cross into Coconino Sandstone, thickness 350 feet here			1.58	r	111	western redbud	<i>Cercis orbiculata</i>	3 / 3
0.89	l		Grand Canyon rock-daisy, <i>Perityle congesta</i> , with ovate leaves (earlier plants had narrowly-elliptic leaves)			1.59			Cross drainage		
	98		velvety goldenrod	<i>Solidago velutina</i>	5 / 2	1.60	r	112	Mojave prickly-pear	<i>Opuntia polyacantha</i> var. <i>erinacea</i>	3 / 3
0.90			Switchback right; CP #3, elevation 6218 feet (1895 m). Begin series of short switchbacks (virgin's bower, <i>Clematis ligusticifolia</i> ; birchleaf buckthorn, <i>Frangula obovata</i> , in distance)			1.62	r		Jct. short trail to the 1.5 mile restrooms; switchback left; CP #10, elevation 5692 feet (1735 m)		
0.90	l		Switchback left			1.64			Cross drainage again; Indian pictographs above the trail somewhere before 2 mile corner		
0.96			Switchback left			1.64	l	113	common mullein	<i>Verbascum thapsus</i>	2 / 1
0.98	l	99	birchleaf buckthorn	<i>Frangula obovata</i>	2 / 2	1.68			Cross into Supai Group, thickness 950 feet here		
0.98	l	100	virgin's bower	<i>Clematis ligusticifolia</i>	5 / 2	1.70			Trail curves left 90°; CP #11, elevation 5644 feet (1720 m)		
0.98			Switchback right; CP #4, elevation 6153 feet (1875 m)			1.71	b	114	longleaf brickellbush	<i>Brickellia longifolia</i>	99 / 9
0.98	l		(Kaibab century plant, <i>Agave utahensis</i> var. <i>kaibabensis</i>)			1.77			"Shade View" - overhanging boulders giving shade with a great view.		
1.01			Trail curves right 90°.			1.77		115	Bigelow sagebrush	<i>Artemisia bigelovii</i>	iN / 2
1.05			Switchback left			1.80			Trail curves left 90°; CP #12, elevation 5582 feet (1701 m)		
1.08			Switchback right; CP #5, elevation 6073 feet (1851 m); cross into Hermit Shale, thickness 300 feet here, just below this point			1.81	l	116	spike-moss	<i>Selaginella mutica</i>	1 / 1
1.12	b	101	trumpet gooseberry	<i>Ribes leptanthum</i>	50 / 9	1.91			Long switchback right at main drainage; CP #13, elevation 5518 feet (1682 m)		
1.12			Switchback left			1.91	l		(Check for bush peavine, <i>Lathyrus brachycalyx</i> ssp. <i>zionis</i>)		
1.16			Switchback right; CP #6, elevation 6007 feet (1831 m)			1.93	l	117	single-leaf ash	<i>Fraxinus anomala</i>	10 / 5
1.17	r	102	skunkbush	<i>Rhus aromatica</i>	20 / 6	1.95	l	118	greenstem paperflower	<i>Psilostrophe sparsiflora</i>	5 / 2
1.17	r		Check for <i>Thelypodium integrifolium</i> (sepals erect in bloom, not spreading)			1.95	l	119	narrow phacelia	<i>Phacelia filiformis</i>	20 / 3
1.20			Switchback left.			1.95	l	120	eyed gilia	<i>Gilia ophthalmoides</i>	2 / 2
1.24			Switchback right; CP #7, elevation 5946 feet (1812 m)			1.95	l	121	Utah penstemon	<i>Penstemon utahensis</i>	20 / 7
1.27			Cross drainage			1.95	r	122	James' galleta	<i>Hilaria jamesii</i>	1 / 1
1.27	r		<i>Ribes leptanthum</i> (on left, white flowers) and <i>R. velutinum</i> (on right, yellow flowers) side by side.			1.97		123	Utah fleabane	<i>Erigeron utahensis</i>	iN / 1
1.27	r	103	narrow-leaved miner's lettuce	<i>Claytonia parviflora</i> ssp. <i>utahensis</i>	99 / 9	1.99	r	124 ~	Mormon needlegrass	<i>Eriocoma arida</i>	20 / 5
1.30			Switchback left; CP #8, elevation 5900 feet (1798 m)			2.00	l	125	*red brome	<i>Bromus rubens</i>	10 / 1
1.30	r		Jct. use path			2.01			Switchback right at 2 mile corner; CP #14, elevation 5443 feet (1659 m)		
1.31			Switchback right.			2.03	l	126	giant four o'clock	<i>Mirabilis multiflora</i>	20 / 5
1.33	r	104	barestem larkspur	<i>Delphinium scaposum</i>	10 / 5	2.04	r	127	*rippgut brome	<i>Bromus diandrus</i>	30 / 9
1.35	r		Jct. two use paths			2.05	r	128	bush muhly	<i>Muhlenbergia porteri</i>	10 / 2
						2.10			Long switchback left at red amphitheater in main drainage; CP #15, elevation 5407 feet (1648 m)		
						2.18	r	129 ~	Parish needlegrass	<i>Eriocoma parishii</i>	20 / 9
						2.25			Switchback left; CP #16, elevation 5305 feet (1617 m)		