

1.08 174 wide-throated yellow monkeyflower *Mimulus brevipes* / 23

2.26 175 nodding needlegrass *Stipa cernua* / 21

[http://tchester.org/sb/plants/guides/PCT\\_s\\_SR74.html](http://tchester.org/sb/plants/guides/PCT_s_SR74.html)

Updated 8 January 2016

## Plant Guide to Pacific Crest Trail South of SR74, San Jacinto Mountains - Garner Valley Area

Mile	S	#	id?	Common Name	Latin Name	#here	#all
0.00				Begin trail guide at SR74, elevation 4919 feet (1499 m). The following species are found in the immediate vicinity of the trail outside the fence, and are listed in alphabetical order.			
0.00		1		bur-ragweed	<i>Ambrosia acanthicarpa</i>	5 / 1	55
0.00		2		big sagebrush	<i>Artemisia tridentata</i>	20 / 3	50
0.00		3		*downy brome	<i>Bromus tectorum</i>	99 / 9	122
0.00		4		strigose suncup	<i>Camissonia strigulosa</i>	20 / 2	27
0.00		5		rattlesnake weed	<i>Chamaesyce albomarginata</i>	50 / 9	32
0.00		6	~	pit-seed goosefoot	<i>Chenopodium berlandieri</i>	5 / 1	12
0.00		7		Fremont's goosefoot	<i>Chenopodium fremontii</i>	20 / 4	68
0.00		8		popcorn flower	<i>Cryptantha intermedia</i> var. <i>intermedia</i>	99 / 9	67
0.00		9		Davidson's buckwheat	<i>Eriogonum davidsonii</i>	99 / 9	72
0.00		10		*redstem filaree	<i>Erodium cicutarium</i>	99 / 9	171
0.00		11		*shortpod mustard	<i>Hirschfeldia incana</i>	50 / 3	88
0.00		12		*foxtail barley	<i>Hordeum murinum</i>	99 / 3	36
0.00		13		wild pepper-grass	<i>Lepidium virginicum</i> ssp. <i>menziesii</i>	30 / 5	26
0.00		14		California-aster	<i>Corethrogyne filaginifolia</i>	50 / 9	122
0.00		15		sticky lessingia	<i>Lessingia glandulifera</i> var. <i>glandulifera</i>	99 / 5	19
0.00		16		Patagonia plantain	<i>Plantago patagonica</i>	50 / 3	17
0.00		17		*knotweed	<i>Polygonum aviculare</i> ssp. <i>depressum</i>	10 / 1	37
0.00		18		Palmer's oak	<i>Quercus palmeri</i>	10 / 2	4
0.00		19		*Russian thistle	<i>Salsola tragus</i>	5 / 1	50
0.00		20		blue elderberry	<i>Sambucus nigra</i> ssp. <i>caerulea</i>	1 / 1	117
0.00		21		*tumble-mustard	<i>Sisymbrium altissimum</i>	40 / 9	47
0.00		22		desert globemallow	<i>Sphaeralcea ambigua</i> var. <i>rugosa</i>	50 / 9	24
0.00				Pass through gate			
0.00		1		Sign: "PCT; Table Mountain Road 4.5 mi; Terwilliger Valley 10 mi; Coyote Canyon Road 11 mi; Indian Flat Campground 31 mi"			
0.00	r	23		combseed	<i>Pectocarya penicillata</i>	30 / 1	17
0.00		24		*puncture-vine	<i>Tribulus terrestris</i>	5 / 1	12
0.00	b			(Jeffrey pine, <i>Pinus jeffreyi</i> )			
0.00	l			(hoary aster, <i>Machaeranthera asteroides</i> ; oak mistletoe, <i>Phoradendron villosum</i> )			
0.00	r	25		sapphire woolly-star	<i>Eriastrum saphirinum</i>	30 / 3	22
0.00	b	26		coastal gilia	<i>Gilia diegensis</i>	99 / 9	21
0.00	b	27		*rattail fescue	<i>Festuca myuros</i>	99 / 1	67

0.00	l	28	slender wreathplant	<i>Stephanomeria exigua ssp. deanei</i>	30 / 9	27	2.26	r	(noddling needlegrass, <i>Stipa cernua</i> )				
0.00	l	29	creeping wild rye	<i>Elymus triticoides</i>	30 / 2	16	2.26	l	156	wire-lettuce	<i>Stephanomeria pauciflora</i>	7 / 1	113
0.00	r	30	golden daisy	<i>Pentachaeta aurea</i>	2 / 1	10	2.27	l	157 ~	Bigelow's linanthus	<i>Linanthus bigelovii</i>	30 / 1	8
0.00	l		(matchweed, <i>Gutierrezia sarothrae</i> )				2.46	l	158	chick lupine	<i>Lupinus microcarpus var. densiflorus</i>	13 / 1	2
0.00	l	31	San Bernardino suncup	<i>Camissoniopsis confusa</i>	10 / 5	17	2.61			Eighth and last viewpoint in drainage to Coyote Creek			
0.00	r	32	oak mistletoe	<i>Phoradendron serotinum ssp. tomentosum</i>	10 / 3	47	2.63	r	159 ~	papillate dodder	<i>Cuscuta californica var. papillosa</i>	5 / 2	24
0.00	b		(California evening-primrose, <i>Oenothera californica ssp. californica</i> )				2.66	r		(a number of California broomrape, <i>Orobanche californica ssp. feudgei</i> )			
0.00	r		(cotton-thorn, <i>Tetradymia comosa</i> )				2.72	l		Jct. 4WD trail to 4721 foot peak shown on topo map, but there is no evidence of it now here or at its western junction at mile 2.98			
0.01	r	33	California suncup	<i>Eulobus californicus</i>	99 / 5	124	3.11	r	160	beavertail cactus	<i>Opuntia basilaris var. basilaris</i>	10 / 9	118
0.01	l	34	matchweed	<i>Gutierrezia sarothrae</i>	99 / 9	95	3.15			Begin descent into Alkali Wash; elevation 4800 feet (1463 m)			
0.01	l		(imbricate phacelia, <i>Phacelia imbricata ssp. patula</i> )				3.17	l	161 ~	meally white pincushion	<i>Chaenactis artemisiifolia</i>	/	29
0.01	r	35	woolly yellow chaenactis	<i>Chaenactis glabriuscula var. lanosa</i>	50 / 9	5	3.24			Switchback right			
0.02	l	36	Wright's buckwheat	<i>Eriogonum wrightii var. membranaceum</i>	30 / 3	47	3.28			Switchback left			
0.03			Begin to cross wide drainage of upper Garner Valley Creek										
0.04	l	37	western lupine	<i>Lupinus formosus</i>	10 / 1	7	3.35			Switchback right			
0.04	l	38	white mugwort	<i>Artemisia ludoviciana ssp. albula</i>	50 / 5	25	3.43			Switchback left			
0.04	b	39	purple owl's-clover	<i>Castilleja exserta ssp. exserta</i>	99 / 3	23	3.48			Switchback right			
0.05	l	40	baby blue eyes	<i>Nemophila menziesii</i>	99 / 3	4	3.54			Cross drainage of Alkali Wash; elevation ~4540 feet (1384 m)			
0.05	l	41	small-flowered fiddleneck	<i>Amsinckia retrorsa</i>	2 / 2	19	3.60	r		Dense patch of blue larkspur, <i>Delphinium parryi ssp. parryi</i>			
0.05	r		(Mexican manzanita, <i>Arctostaphylos pungens</i> )				3.74			Cross second branch of Alkali Wash; elevation 4600 feet (1402 m)			
0.05	l		(California brome, <i>Bromus carinatus</i> ; phlox-leaved bedstraw, <i>Galium andrewsii ssp. andrewsii</i> ; southern honeysuckle, <i>Lonicera subspicata var. denudata</i> )				4.04	r	162	granite prickly phlox	<i>Linanthus pungens</i>	1 / 1	68
0.06	r	42	showy bajada lupine	<i>Lupinus concinnus ssp. optatus</i>	10 / 9	5	4.04			Cross third branch of Alkali Wash; elevation 4680 feet (1426 m)			
0.06	l		(chaparral bush mallow, <i>Malacothamnus fasciculatus</i> ; golden yarrow, <i>Eriophyllum confertiflorum var. confertiflorum</i> )				4.19			Switchback right on slope of Table Mountain; elevation 4760 feet (1451 m)			
0.06	r	43	Jones' prickly-nut cryptantha	<i>Cryptantha muricata var. jonesii</i>	99 / 5	20	4.19			End plant trail guide			
0.07	r		(threadleaf common rabbitbrush, <i>Ericameria nauseosa var. oreophila</i> )				4.63			Jct. Table Mountain Road; elevation ~4900 feet (1494 m)			
0.08	r		(cupped-leaf ceanothus, <i>Ceanothus greggii var. perplexans</i> )							Species seen only off-trail in the above guide are repeated here:			
0.09	l		(spear-leaved mountain dandelion, <i>Agoseris retrorsa</i> ; red shanks, <i>Adenostoma sparsifolium</i> )				0.00	163	Jeffrey pine	<i>Pinus jeffreyi</i>	/	128	
0.09	l	44	California buckwheat	<i>Eriogonum fasciculatum var. polifolium</i>	50 / 9	131	0.00	164	California evening-primrose	<i>Oenothera californica ssp. californica</i>	/	7	
0.09	r	45	blue dicks	<i>Dichelostemma capitatum ssp. capitatum</i>	50 / 9	87	0.01	165	imbricate phacelia	<i>Phacelia imbricata var. patula</i>	/	39	
0.09	r	46	southern honeysuckle	<i>Lonicera subspicata var. denudata</i>	99 / 9	84	0.05	166	California brome	<i>Bromus carinatus</i>	/	1	
0.09	l		(goosefoot yellow violet, <i>Viola purpurea ssp. quercetorum</i> ; California broomrape, <i>Orobanche californica ssp. feudgei</i> )				0.05	167	Mexican manzanita	<i>Arctostaphylos pungens</i>	/	19	
0.09	r		(coast live oak, <i>Quercus agrifolia var. agrifolia</i> )				0.06	168	chaparral bush mallow	<i>Malacothamnus fasciculatus</i>	/	20	
0.10	l	47	birch-leaf mountain-mahogany	<i>Cercocarpus betuloides var. betuloides</i>	50 / 9	72	0.07	169	threadleaf common rabbitbrush	<i>Ericameria nauseosa var. oreophila</i>	/	33	
							0.09	170	goosefoot yellow violet	<i>Viola purpurea ssp. quercetorum</i>	/	19	
							0.09	171	California broomrape	<i>Orobanche californica ssp. feudgei</i>	/	6	
							0.09	172	coast live oak	<i>Quercus agrifolia var. agrifolia</i>	/	51	
							0.82	173	*prickly lettuce	<i>Lactuca serriola</i>	/	72	

1.13	l	133	woolly Indian paintbrush	<i>Castilleja foliolosa</i>	5 / 3	29	0.10	b	48	mountain red-root cryptantha	<i>Cryptantha micrantha var. lepida</i>	99 / 5	33
1.22			Enter large patch of bigberry manzanita,	<i>Arctostaphylos glauca</i>			0.10	r	49	interior live oak	<i>Quercus wislizeni var. frutescens</i>	20 / 5	45
1.23	l	134	Parish's chaenactis	<i>Chaenactis parishii</i>	1 / 1	4				(closer Mexican manzanita, <i>Arctostaphylos pungens</i> ; strigose lotus, <i>Lotus strigosus</i> ;			
1.23			Cross small drainage				0.10	l		wild-cucumber, <i>Marah macrocarpus var. macrocarpus</i> ; coast- range melic, <i>Melica imperfecta</i> ;			
1.26			Switchback left at ridge							giant four o'clock, <i>Mirabilis multiflora var. pubescens</i> ; muilla, <i>Muilla maritima</i> ;			
1.26	r	135	cane cholla	<i>Cylindropuntia californica var. parkeri</i>	30 / 9	19	0.11	b	50	bristly bird's beak	<i>Cordylanthus rigidus ssp. setiger</i>	50 / 9	68
1.28	b	136	Parry pinyon pine	<i>Pinus quadrifolia</i>	10 / 5	5	0.12	l		(desert prickly-pear, <i>Opuntia phaeacantha</i> )			
1.29	l		(Acton encelia, <i>Encelia actoni</i> )				0.13	r		(ashy silk tassel, <i>Garrya flavescens</i> )			
1.31	b	137	Acton encelia	<i>Encelia actoni</i>	30 / 5	34	0.13	r	51	narrowleaf bedstraw	<i>Galium angustifolium ssp. angustifolium</i>	30 / 9	101
1.31	b	138	southern California silver-lotus	<i>Acmispon argophyllus var. argophyllus</i>	20 / 5	35	0.13	r	52	cupped-leaf ceanothus	<i>Ceanothus perplexans</i>	40 / 9	33
1.33	b	139	thick-leaved yerba santa	<i>Eriodictyon crassifolium</i>	10 / 1	3	0.13	r	53	scarlet bugler	<i>Penstemon centranthifolius</i>	20 / 5	48
1.35	l	140	mountain grape-soda lupine	<i>Lupinus excubitus var. austromontanus</i>	13 / 2	58	0.13	l	54	leafy daisy	<i>Erigeron foliosus var. foliosus</i>	20 / 3	117
1.35	l	141	phlox-leaved bedstraw	<i>Galium andrewsii ssp. andrewsii</i>	10 / 3	23	0.13	r	55	Parish's needleglass	<i>Stipa parishii var. parishii</i>	50 / 9	68
1.35	r	142	narrowleaf monardella	<i>Monardella linoides ssp. linoides</i>	5 / 1	14	0.13	b	56	purple nightshade	<i>Solanum xanti</i>	99 / 9	35
1.39			Cross small drainage				0.14	r	57	desert scrub oak	<i>Quercus cornelius-mulleri</i>	50 / 9	28
1.52			Cross second branch of Hamilton Creek; elevation 4880 feet (1487 m); enter flat area				0.14	l	58	San Diego pea	<i>Lathyrus vestitus var. alefeldii</i>	5 / 3	44
1.52	r	143	sacred datura	<i>Datura wrightii</i>	5 / 2	61	0.14	r	59	southern Chinese houses	<i>Collinsia concolor</i>	99 / 9	23
1.54	l	144	one-sided bluegrass	<i>Poa secunda ssp. secunda</i>	10 / 1	66	0.14	l	60	sp (baby pine tree, <i>Pinus</i> sp.)			
1.57	r	145 ~	Powell's amaranth	<i>Amaranthus powellii</i>	10 / 1	2	0.14	r	60	Mohave yucca	<i>Yucca schidigera</i>	10 / 9	64
1.62	l	146	Wallace's woolly daisy	<i>Eriophyllum wallacei var. wallacei</i>	50 / 3	14	0.14	l	61	basketbush	<i>Rhus aromatica</i>	5 / 2	57
1.63	l	147	purple three-awn	<i>Aristida purpurea</i>	10 / 1	61	0.14	r	62	showy penstemon	<i>Penstemon spectabilis var. spectabilis</i>	1 / 1	33
1.71	r	148	hoary aster	<i>Dieteria asteroides</i>	1 / 1	4	0.16	r	63	wild-cucumber	<i>Marah macrocarpa</i>	10 / 5	77
1.73	l	149	Fremont pincushion	<i>Chaenactis fremontii</i>	1 / 1	46	0.16	l	64	sand cress	<i>Calyptridium monandrum</i>	99 / 9	56
1.73			Cross very small drainage				0.16			Trail turns right 90°; now on north side of Lookout Mountain			
1.79	l	150	San Jacinto beardtongue	<i>Penstemon clevelandii var. connatus</i>	1 / 1	8	0.16	r	65	branching phacelia	<i>Phacelia ramosissima</i>	20 / 5	3
1.79			Switchback left at small ridge; elevation 4800 feet (1463 m)				0.16	b	66	scattered blazing star	<i>Mentzelia dispersa</i>	99 / 5	10
1.88			Viewpoint on lip of drainage to Coyote Creek (L); trail now parallels third branch of Hamilton Creek (R)				0.16	b	67	ashy silk tassel	<i>Garrya flavescens</i>	20 / 9	32
1.91	b	151	southern mountain woolly-star	<i>Eriastrum densifolium ssp. austromontanum</i>	30 / 2	41	0.17	l		(pink-bracted manzanita, <i>Arctostaphylos pringlei ssp. drupacea</i> )			
1.97	l	152	twiggy wreath plant	<i>Stephanomeria virgata</i>	10 / 3	26	0.18	l	68	whorledleaf penstemon	<i>Keckiella ternata var. ternata</i>	40 / 9	38
1.97			Second viewpoint in drainage to Coyote Creek				0.18	b	69	Mojave prickly-pear	<i>Opuntia polyacantha var. erinacea</i>	20 / 9	14
2.05			Third viewpoint in drainage to Coyote Creek; next 4 viewpoints not noted in guide				0.18	l	70	narrow-leaved miner's lettuce	<i>Claytonia parviflora ssp. parviflora</i>	99 / 9	44
2.09	l	153	southern jewel-flower	<i>Streptanthus campestris</i>	30 / 2	12	0.18	l	71	coast-range melic	<i>Melica imperfecta</i>	99 / 9	85
2.13	l	154	green miner's lettuce	<i>Claytonia parviflora ssp. viridis</i>	99 / 1	18	0.18	l	72	perennial rock-cress	<i>Boechea perennans</i>	18 / 9	33
2.24	l		Check for different Mariposa lily, <i>Calochortus</i> sp.				0.18	l	73	June grass	<i>Koeleria macrantha</i>	1 / 1	30
2.25	r	155	fringe-pod	<i>Thysanocarpus curvipes</i>	10 / 1	38	0.18	b	74	western wallflower	<i>Erysimum capitatum var. capitatum</i>	20 / 5	116
							0.18	l	75	hollyleaf cherry	<i>Prunus ilicifolia ssp. ilicifolia</i>	5 / 5	42
							0.19	r	76	California bee plant	<i>Scrophularia californica</i>	10 / 3	45

0.19	1	(annual malacothrix, <i>Malacothrix clevelandii</i> ; narrowleaf goldenbush, <i>Ericameria linearifolia</i> )			0.54	l	107	cotton-thorn	<i>Tetradymia comosa</i>	5 / 1	4
0.19	1	77	Martin's paintbrush	<i>Castilleja applegatei</i> ssp. <i>martinii</i>	1 / 1	79					
0.20	b	78	Purpus' wing-nut cryptantha	<i>Cryptantha pterocarya</i> var. <i>purpusii</i>	99 / 9	4					
0.20	r	79	sticky false-gilia	<i>Allophyllum glutinosum</i>	50 / 5	18					
0.20	r	80	squirreltail	<i>Elymus elymoides</i>	20 / 2	117					
0.20	l	81	southern tauschia	<i>Tauschia arguta</i>	30 / 9	27					
0.20	l	82	golden yarrow	<i>Eriophyllum confertiflorum</i> var. <i>confertiflorum</i>	99 / 9	141					
0.20	l	83	pink-bracted manzanita	<i>Arctostaphylos pringlei</i> ssp. <i>drupacea</i>	5 / 2	44					
0.21	l	84	California elegant rock-cress	<i>Boechera californica</i>	64 / 9	28					
0.22	l	85	red shanks	<i>Adenostoma sparsifolium</i>	99 / 9	20					
0.23	b	86	chamise	<i>Adenostoma fasciculatum</i>	99 / 9	76					
0.24	l	87	desert prickly-pear	<i>Opuntia phaeacantha</i>	10 / 9	48					
0.30	l	88	annual malacothrix	<i>Malacothrix clevelandii</i>	20 / 4	9					
0.30	r	89	western tansy-mustard	<i>Descurainia pinnata</i>	99 / 9	82					
0.32	l	90	giant four o'clock	<i>Mirabilis multiflora</i> var. <i>pubescens</i>	20 / 5	22					
0.32	l	91	common phacelia	<i>Phacelia distans</i>	50 / 9	107					
0.37	b	92	Veatch's blazing star	<i>Mentzelia veatchiana</i>	30 / 3	11					
0.37	l		(bigberry manzanita, <i>Arctostaphylos glauca</i> )								
0.43			Local high point on trail at east-west ridge near a saddle; elevation 5040 feet (1536 m); cross to southwest side of Lookout Mountain								
0.43	l	93	*pineapple weed	<i>Matricaria discoidea</i>	5 / 1	39					
0.43	r	94	*red brome	<i>Bromus madritensis</i> ssp. <i>rubens</i>	99 / 5	154					
0.44	l	95	sp mariposa lily	<i>Calochortus</i> sp.	3 / 2	2					
0.44	l	96	Parish's bluecurls	<i>Trichostema parishii</i>	3 / 3	22					
0.45	r	97	Parry's nolina	<i>Nolina parryi</i>	10 / 9	28					
0.45	r	98	three-lobed oxytheca	<i>Sidotheca trilobata</i>	20 / 5	12					
0.45	l	99	California chicory	<i>Rafinesquia californica</i>	10 / 5	41					
0.46	b	100	Hall's caulanthus	<i>Caulanthus hallii</i>	99 / 9	13					
0.48	l	101	spear-leaved mountain dandelion	<i>Agoseris retrorsa</i>	1 / 1	51					
0.49	b	102	southern gilia	<i>Saltugilia australis</i>	99 / 9	8					
0.52	r	103	California thistle	<i>Cirsium occidentale</i> var. <i>californicum</i>	6 / 2	51					
0.53	l	104	beady lipfern	<i>Cheilanthes covillei</i>	10 / 2	59					
0.53	b	105	silver puffs	<i>Uropappus lindleyi</i>	50 / 9	66					
0.53	r		(hollyleaf redberry, <i>Rhamnus ilicifolia</i> )								
0.54	l	106	goldback fern	<i>Pentagramma triangularis</i> ssp. <i>triangularis</i>	1 / 1	42					
0.54	r		(dead chaparral yucca, <i>Yucca whipplei</i> , in 2009)								
0.54	l	107									
0.54	l	108	narrowleaf goldenbush	<i>Ericameria linearifolia</i>	20 / 9	40					
0.54	r	109	hollyleaf redberry	<i>Rhamnus ilicifolia</i>	10 / 5	86					
0.54	l	110	fairy bowties, threadstem	<i>Pterostegia drymarioides</i>	1 / 1	83					
0.58	r	111	bigberry manzanita	<i>Arctostaphylos glauca</i>	40 / 9	34					
0.59	r	112	purple head	<i>Acourtia microcephala</i>	7 / 1	31					
0.61	l	113	sugar bush	<i>Rhus ovata</i>	7 / 4	68					
0.63	l	114	chaparral yucca	<i>Hesperoyucca whipplei</i>	30 / 9	99					
0.64	l	115	whispering bells	<i>Emmenanthe penduliflora</i> var. <i>penduliflora</i>	99 / 9	73					
0.64	b	116	*ripgut brome	<i>Bromus diandrus</i>	99 / 9	103					
0.65			Cross drainage								
0.66	b		(Parry pinyon pine, <i>Pinus quadrifolia</i> )								
0.67			Switchback left								
0.69	l	117	Payson's wild cabbage	<i>Caulanthus simulans</i>	99 / 9	12					
0.71	l	118	muilla	<i>Muilla maritima</i>	20 / 5	28					
0.73	r	119	*herb sophia	<i>Descurainia sophia</i>	1 / 1	6					
0.77	l	120	blue larkspur	<i>Delphinium parryi</i> ssp. <i>parryi</i>	20 / 5	33					
0.77		121	slender buckwheat	<i>Eriogonum gracile</i> var. <i>incultum</i>	2 / 1	28					
0.78	l		~30 baby plants in 5/2015 of California elegant rock-cress, <i>Arabis sparsiflora</i> var. <i>californica</i>								
0.78	l	122	short-winged deerweed	<i>Acmispon glaber</i> var. <i>brevialatus</i>	99 / 9	76					
0.80	b	123	desert needlegrass	<i>Stipa speciosa</i>	99 / 9	60					
0.80	l	124	strigose lotus	<i>Acmispon strigosus</i>	30 / 3	121					
0.80			Cross old road, now very overgrown								
0.81	l	125	wild canterbury bells	<i>Phacelia minor</i>	99 / 9	48					
0.82	r		(prickly lettuce, <i>Lactuca serriola</i> )								
0.83	b	126	giant needlegrass	<i>Stipa coronata</i>	30 / 9	45					
0.91			Cross bigger old overgrown road; elevation 5000 feet (1524 m)								
0.93	r		(Coulter's snapdragon, <i>Antirrhinum coulterianum</i> )								
0.96	l	127	bird's-foot fern	<i>Pellaea mucronata</i> var. <i>mucronata</i>	10 / 5	81					
0.99	l	128	Coulter's snapdragon	<i>Antirrhinum coulterianum</i>	99 / 9	25					
1.02	l	129	chia	<i>Salvia columbariae</i>	99 / 9	122					
1.05	r	130	*Mediterranean schismus	<i>Schismus barbatus</i>	99 / 9	126					
1.07			begin large patch of California suncup, <i>Camissonia californica</i>								
1.08	l		(wide-throated yellow monkeyflower, <i>Mimulus brevipes</i> )								
1.10	r	131	white sage	<i>Salvia apiana</i>	30 / 7	101					
1.10	r		(woolly Indian paintbrush, <i>Castilleja foliolosa</i> )								
1.12			Cross first branch of Hamilton Creek								
1.12	b	132	little monardella	<i>Monardella nana</i>	25 / 2	8					