

4.21	I		Check for different Mentzelia102172		
4.22	r	202	Lewis' flax	<i>Linum lewisii</i> var. <i>lewisii</i>	10 / 3   173
4.30			Switchback right175		
4.33	I	203	Parish's lupine	<i>Lupinus latifolius</i> var. <i>parishii</i>	/   177
4.38			Switchback left178		
4.35			Switchback right179		
4.45			Switchback left180		
4.46		204	San Jacinto lupine	<i>Lupinus hyacinthinus</i>	1 / 1   181
4.47		205	squirreltail	<i>Elymus elymoides</i>	/   182
4.60	r	206	Fremont silk tassel	<i>Garrya fremontii</i>	1 / 1   184
4.62			Switchback right185		
4.75	I		mountain rock-cress	<i>Arabis holboellii</i>	5 / 1   187
4.78			Switchback left188		
4.78			Jct PCT189		

[http://tchester.org/sb/plants/guides/spitler\\_peak.html](http://tchester.org/sb/plants/guides/spitler_peak.html)

Updated 13 April 2018.

## Plant Guide to Spitler Peak Trail

Mile	S	#	id?	Common Name	Latin Name	#here	GPS
0.00				Begin trail at Apple Canyon Road just before the sign "Spitler Peak Trail"; elevation 4940 feet (1506 m)			
0.00	b	1		*pineapple weed	<i>Chamomilla suaveolens</i>	5 / 1	1
0.00	b	2		California-aster	<i>Lessingia filaginifolia</i> var. <i>filaginifolia</i>	99 / 9	1
0.00	b	3	~	wild pepper-grass	<i>Lepidium virginicum</i> var. <i>pubescens</i>	10 / 2	1
0.00	b	4		*redstem filaree	<i>Erodium cicutarium</i>	99 / 3	1
0.00	b	5		*shortpod mustard	<i>Hirschfeldia incana</i>	5 / 1	1
0.00	r	6		yarrow	<i>Achillea millefolium</i>	30 / 3	1
0.00	r	7		*foxtail barley	<i>Hordeum murinum</i>	10 / 1	1
0.00	r	8		*downy brome	<i>Bromus tectorum</i>	99 / 9	1
0.00	r	9		dwarf lupine	<i>Lupinus bicolor</i>	2 / 1	1
0.00	r			(California wild rose, <i>Rosa californica</i> )			
0.00	r	10		birch-leaf mountain-mahogany	<i>Cercocarpus betuloides</i> var. <i>betuloides</i>	99 / 9	1
0.00	r	11		*ripgut brome	<i>Bromus diandrus</i>	50 / 3	1
0.00	r	12		San Diego pea	<i>Lathyrus vestitus</i> var. <i>alefeldii</i>	5 / 5	1
0.00	r	13		baby blue eyes	<i>Nemophila menziesii</i>	30 / 3	1
0.00	r	14		California brome	<i>Bromus carinatus</i> var. <i>carinatus</i>	20 / 2	1
0.00	r	15	~	*knotweed	<i>Polygonum arenastrum</i>	1 / 1	1
0.00	r	16		*tumble-mustard	<i>Sisymbrium altissimum</i>	10 / 2	1
0.00	r	17	?	sticky lessingia?	<i>Lessingia glandulifera</i> var. <i>glandulifera?</i>	1 / 1	
0.00	r	18		spear-leaved mountain dandelion	<i>Agoseris retrorsa</i>	10 / 5	1
0.00	I	19		Jeffrey pine	<i>Pinus jeffreyi</i>	1 / 1	1
0.00	I	20		California thistle	<i>Cirsium occidentale</i> var. <i>californicum</i>	5 / 3	1
0.00	I			(matchweed, <i>Gutierrezia sarothrae</i> )			
0.00	I	21		California buckwheat	<i>Eriogonum fasciculatum</i> var. <i>polifolium</i>	99 / 9	1
0.00	I			(arroyo willow, <i>Salix lasiolepis</i> )			
0.00	I	22	~	slender buckwheat	<i>Eriogonum gracile</i> var. <i>incultum</i>	99 / 5	1
0.00	I	23	~	slender wheatgrass	<i>Elymus trachycaulus</i>	2 / 2	1
0.00	r	24		blue dicks	<i>Dichelostemma capitatum</i> ssp. <i>capitatum</i>	30 / 3	1
0.00	r	25		southern Chinese houses	<i>Collinsia concolor</i>	99 / 9	1
0.00	r	26		interior live oak	<i>Quercus wislizeni</i> var. <i>frutescens</i>	99 / 9	1
0.00	r	27		common bedstraw	<i>Galium aparine</i>	5 / 1	1
0.00	r	28		graceful bedstraw	<i>Galium porrigens</i> var. <i>porrigens</i>	5 / 2	1
0.00	r			(southern honeysuckle, <i>Lonicera subspicata</i> var. <i>denudata</i> )			
0.00	I	29		cupped-leaf ceanothus	<i>Ceanothus greggii</i> var. <i>perplexans</i>	2 / 2	1

0.00	l		Sign: "Spitler Peak Trail"			
0.00	b	30	mugwort	<i>Artemisia douglasiana</i>	30 / 1	1
0.00	l	31	Mexican rush	<i>Juncus mexicanus</i>	20 / 1	1
0.00	l	32	arroyo willow	<i>Salix lasiolepis</i>	1 / 1	1
0.00	r	33	American vetch	<i>Vicia americana var. americana</i>	1 / 1	1
0.00	l	34	California wild rose	<i>Rosa californica</i>	30 / 1	1
0.00	r		(wild-cucumber, <i>Marah macrocarpus var. macrocarpus</i> )			
0.01	r	35	~ mountain mugwort	<i>Artemisia ludoviciana ssp. incompta</i>	50 / 9	1
0.01	r	36	southern honeysuckle	<i>Lonicera subspicata var. denudata</i>	99 / 9	1
0.01	l		Sign: "Be prepared ..."			
0.01	r	37	purple nightshade	<i>Solanum xanti</i>	20 / 4	1
0.01	l		(branching phacelia, <i>Phacelia ramosissima var. latifolia</i> )			
0.01	b	38	basketbush	<i>Rhus trilobata</i>	20 / 1	1
0.01	r	39	coastal gilia	<i>Gilia diegensis</i>	50 / 9	1
0.01	r	40	strigose sun-cup	<i>Camissonia strigulosa</i>	1 / 1	1
0.02	l	41	sp groundsmoke	<i>Gayophytum sp.</i>	2 / 1	
0.02	r	42	branching phacelia	<i>Phacelia ramosissima var. latifolia</i>	99 / 9	1
			Trail crosses dry wash, then			
0.02	l	43	Mexican manzanita	<i>Arctostaphylos pungens</i>	2 / 2	1
0.02	l		(in far distance: Parry's nolina, <i>Nolina parryi</i> )			
0.02	r	44	blue wildrye	<i>Elymus glaucus</i>	20 / 5	1
0.02	r	45	red shanks	<i>Adenostoma sparsifolium</i>	99 / 9	1
0.02	r	46	popcorn flower	<i>Cryptantha intermedia</i>	99 / 9	2
0.02	l	47	silver puffs	<i>Uropappus lindleyi</i>	10 / 3	3
0.03	l	48	hollyleaf redberry	<i>Rhamnus ilicifolia</i>	3 / 3	4
	r		Check for plants like <i>Eriogonum elongatum</i> 7			
0.04	r	49	yellow pincushion	<i>Chaenactis glabriuscula var. glabriuscula</i>	99 / 9	5
0.04	r		(chaparral yucca, <i>Yucca whipplei</i> )5			
0.04	r	50	globe gilia	<i>Gilia capitata ssp. abrotanifolia</i>	50 / 9	6
0.04	r		(phlox-leaved bedstraw, <i>Galium andrewsii ssp. andrewsii</i> )6			
			Look for first occurrence of <i>Galium andrewsii ssp. andrewsii</i> on trail			
0.04	r		(leafy daisy, <i>Erigeron foliosus var. foliosus</i> )7			
0.04	l		(golden yarrow, <i>Eriophyllum confertiflorum var. confertiflorum</i> )8			
0.06	r		(desert globemallow, <i>Sphaeralcea ambigua var. rugosa</i> )10			
0.07	r		(Vasey's prickly-pear, <i>Opuntia vaseyi</i> )11			
0.07	r	51	golden-bowl mariposa	<i>Calochortus concolor</i>	20 / 2	11
0.08	l	52	chamise	<i>Adenostoma fasciculatum</i>	99 / 9	12
0.08	r	53	narrowleaf bedstraw	<i>Galium angustifolium ssp. angustifolium</i>	40 / 9	12

			Switchback right			
3.76	r	182	large-flowered collomia	<i>Collomia grandiflora</i>	/	149
3.77	l	183	Davidson's phacelia	<i>Phacelia davidsonii</i>	40 / 3	151
			Switchback right153			
3.81	l	184	annual phlox	<i>Phlox gracilis</i>	3 / 1	154
3.83	l	185	pine cryptantha	<i>Cryptantha simulans</i>	30 / 5	155
3.83	l		bracken	<i>Pteridium aquilinum var. pubescens</i>	2 / 1	156
3.83	b		western columbine	<i>Aquilegia formosa</i>	2 / 2	156
3.83	l		white alder	<i>Alnus rhombifolia</i>	1 / 1	156
3.83			Cross moist drainage157			
3.83	l	186	thimbleberry	<i>Rubus parviflorus</i>	30 / 1	158
3.83	l	187	sp mountain sweet-cicely	<i>Osmorhiza chilensis</i>	10 / 2	158
3.8			Switchback left159			
	r	188	western azalea	<i>Rhododendron occidentale</i>	5 / 1	159
	l	189	fragile sheath sedge	<i>Carex fracta</i>	1 / 1	
			Cross creek with running water			
	r	190	woodland strawberry	<i>Fragaria vesca</i>	30 / 2	
3.86			Switchback right160			
3.86			Fragaria jackpot			
3.88			Switchback left			
3.9			Switchback right163			
		191	? leafless wintergreen	<i>Pyrola aphylla</i>	1 / 1	
			Switchback left			
	b	192	stream orchid	<i>Epipactis gigantea</i>	5 / 1	
			Cross flowing creek			
	e	193	glaucus willowherb	<i>Epilobium glaberrimum ssp. glaberrimum</i>	2 / 1	
	l	194	California bay	<i>Umbellularia californica</i>	1 / 1	
3.96	r	195	southern mountain woolly-star	<i>Eriastrum densifolium ssp. austromontanum</i>	5 / 2	164
3.96			Switchback right165			
3.98	l	196	bitter cherry	<i>Prunus emarginata</i>	10 / 2	166
4	l	197	broad-leaved lotus	<i>Lotus crassifolius var. crassifolius</i>	2 / 1	167
4	r	198	threadleaf common rabbitbrush	<i>Chrysothamnus nauseosus ssp. consimilis</i>	10 / 2	167
4	b	199	California coffeeberry	<i>Rhamnus californica</i>	2 / 1	167
4.04	l	200	wild tarragon	<i>Artemisia dracunculus</i>	2 / 2	168
4.08			Switchback left169			
		201	fringed brome	<i>Bromus richardsonii</i>	/	170

3.03	r	152	blue larkspur	<i>Delphinium parryi ssp. parryi</i>	3 / 1	112
3.03	l	153	plain mariposa lily	<i>Calochortus invenustus</i>	5 / 1	113
3.05	r	154	goldenrod	<i>Solidago californica</i>	20 / 3	114
3.05	r		(desert sandwort, <i>Arenaria macradenia var. macradenia</i> )114			
3.10	r	155	Parish's snowberry	<i>Symphoricarpos rotundifolius var. parishii</i>	40 / 7	116
3.13	r	156	slender wild cabbage	<i>Caulanthus major var. major</i>	/	118
3.13		157	woodland star	<i>Lithophragma affine</i>	20 / 3	119
3.14	l	158	Sierra gooseberry	<i>Ribes roezlii var. roezlii</i>	3 / 3	137
3.19			Cross steep drainage120			
3.24			Cross shallower drainage121			
3.24	r	159	winter cress	<i>Barbarea orthoceras</i>	6 / 2	220
3.31	r	160	imbricate phacelia	<i>Phacelia imbricata ssp. patula</i>	2 / 2	123
3.32	r	161	western morning-glory	<i>Calystegia occidentalis ssp. fulcrata</i>	50 / 7	124
3.34		162	thick-leaved yerba santa	<i>Eriodictyon crassifolium var. crassifolium</i>	1 / 1	125
3.34		163	clustered broom-rape	<i>Orobanche fasciculata</i>	5 / 1	125
3.34			Check for Thysanocarpus with non-clasping leaves125			
3.45	l	164	white-margined oxytheca	<i>Oxytheca emarginata</i>	10 / 1	132
3.45	l	165	granite prickly phlox	<i>Leptodactylon pungens</i>	2 / 2	221
3.46	r	166	southern miner's lettuce	<i>Claytonia perfoliata ssp. mexicana</i>	10 / 1	127
3.59	r	167	milk maids	<i>Cardamine californica</i>	20 / 1	128
3.59	r	168	mountain pink currant	<i>Ribes nevadense</i>	20 / 3	128
3.61	r	169	(blue elderberry, <i>Sambucus mexicana</i> )140			
3.66	r	170	shaggy-haired alumroot	<i>Heuchera hirsutissima</i>	2 / 1	142
3.66	b	171	rigid hedge-nettle	<i>Stachys ajugoides var. rigida</i>	5 / 2	143
3.66			Cross steep drainage143			
3.66		172 ?	scarlet monkeyflower	<i>Mimulus cardinalis</i>	30 / 1	
3.66	r	173	box elder	<i>Acer negundo var. californicum</i>	1 / 1	144
3.67	r	174	sugar pine	<i>Pinus lambertiana</i>	/	145
3.71			Switchback right146			
3.71	l	175	desert dudleya	<i>Dudleya saxosa ssp. aloides</i>	3 / 3	146
3.71	l	176 sp	slender everlasting	<i>Gnaphalium canescens ssp. thermale</i>	5 / 2	146
3.72	l	177 ?	brittle bladder fern	<i>Cystopteris fragilis</i>	/	147
3.75	r	178	diamond-petaled clarkia	<i>Clarkia rhomboidea</i>	20 / 2	148
3.75	l	179	strigose lotus	<i>Lotus strigosus</i>	1 / 1	148
3.75	l	180	bluish spike-moss	<i>Selaginella asprella</i>	1 / 1	148
3.76	l	181	California brickellbush	<i>Brickellia californica</i>	/	149
			Switchback right150 but no signal			

0.09	l	54	golden yarrow	<i>Eriophyllum confertiflorum var. confertiflorum</i>	99 / 9	13
0.09	r	55	Mojave prickly-pear	<i>Opuntia erinacea var. erinacea</i>	20 / 9	14
0.14	l	56	chaparral yucca	<i>Yucca whipplei</i>	40 / 5	15
0.19	r	57	western tansy-mustard	<i>Descurainia pinnata</i>	30 / 3	16
0.22	l	58	three-lobed oxytheca	<i>Oxytheca trilobata</i>	10 / 1	17
0.29	b	59	matchweed	<i>Gutierrezia sarothrae</i>	40 / 5	19
0.29	b		Jct. old road			
	l		(pink-bracted manzanita, <i>Arctostaphylos pringlei ssp. drupacea</i> )			
0.31	b	60	Parish's bluecurls	<i>Trichostema parishii</i>	2 / 1	20
0.40	r	61	showy penstemon	<i>Penstemon spectabilis var. spectabilis</i>	99 / 9	B2
0.45	l	62	desert prickly-pear	<i>Opuntia phaeacantha</i>	2 / 2	21
0.47	l	63	prickly cryptantha	<i>Cryptantha muricata</i>	50 / 9	22
0.49	l	64	pink-bracted manzanita	<i>Arctostaphylos pringlei ssp. drupacea</i>	50 / 9	24
0.49	r	65	long-styled rush	<i>Juncus longistylis</i>	20 / 1	24
0.49	r	66	deergrass	<i>Muhlenbergia rigens</i>	10 / 3	24
0.51	l	67	poodle-dog bush	<i>Turricula parryi</i>	99 / 2	B7
0.55	b	68	oak mistletoe	<i>Phoradendron villosum</i>	2 / 2	25
0.68		69	San Bernardino sun-cup	<i>Camissonia confusa</i>	99 / 9	27
0.68	l	70	hairy bush monkeyflower	<i>Mimulus aurantiacus var. pubescens</i>	99 / 9	28
0.70	l	71	chaparral whitethorn	<i>Ceanothus leucodermis</i>	99 / 9	29
0.84	r	72	oracle oak	<i>Quercus Xmorehus</i>	1 / 1	205
0.86	l	73	canyon live oak	<i>Quercus chrysolepis</i>	3 / 3	30
0.90	l	74	Coulter pine	<i>Pinus coulteri</i>	3 / 3	31
0.94	r	75 ~	California elegant rock-cress	<i>Arabis sparsiflora var. californica</i>	30 / 7	34
0.95	l	76	coast-range melic	<i>Melica imperfecta</i>	30 / 9	35
0.95	l	77	woolly Indian paintbrush	<i>Castilleja foliolosa</i>	5 / 3	36
0.95	l	78	mountain California-fuchsia	<i>Epilobium canum ssp. latifolium</i>	40 / 5	37
	l		(Nolina)			
0.96		79	southern California silver-lotus	<i>Lotus argophyllus var. argophyllus</i>	2 / 2	38
	l		(Salvia apiana)			
	l		~ (giant needlegrass, <i>Achnatherum coronatum</i> )			
0.96	l	80	white everlasting	<i>Gnaphalium canescens ssp. microcephalum</i>	3 / 3	
0.97	l	81	bristly bird's beak	<i>Cordylanthus rigidus ssp. setigerus</i>	30 / 9	40
0.97	b	82	Parish's chaenactis	<i>Chaenactis parishii</i>	20 / 5	41
0.99	r	83	Parry's nolina	<i>Nolina parryi</i>	40 / 9	42
0.99	l	84	Coulter's snapdragon	<i>Antirrhinum coulterianum</i>	30 / 9	43
1.02	r	85	rock goldenbush	<i>Ericameria cuneata var. cuneata</i>	50 / 5	44

1.02	l	86		beady lipfern	<i>Cheilanthes covillei</i>	10 / 5	44
1.03		87		ashy silk tassel	<i>Garrya flavescens</i>	30 / 1	45
1.06	r	88		Parish's tauschia	<i>Tauschia parishii</i>	5 / 2	46
1.08	l	89		leafy daisy	<i>Erigeron foliosus var. foliosus</i>	30 / 9	48
1.08	l	90		white sage	<i>Salvia apiana</i>	20 / 5	49
1.08	l	91		June grass	<i>Koeleria macrantha</i>	30 / 9	50
1.09	l	92		sticky false-gilia	<i>Allophyllum glutinosum</i>	5 / 3	51
1.10	l	93		Parish' Jacumba milk-vetch	<i>Astragalus douglasii var. parishii</i>	30 / 5	52
1.10	l	94		Orcutt's brome	<i>Bromus orcuttianus</i>	40 / 9	52
1.11	l	95		giant needlegrass	<i>Achnatherum coronatum</i>	20 / 3	53
1.12	l	96		whorleleaf penstemon	<i>Keckiella ternata var. ternata</i>	20 / 9	54
1.13	r			( <i>Prunus ilicifolia</i> ssp. <i>Illicifolia</i> )			
1.13	l	97		bird's-foot fern	<i>Pellaea mucronata var. mucronata</i>	3 / 2	56
1.15	l	98		wide-throated yellow monkeyflower	<i>Mimulus brevipes</i>	20 / 9	57
1.17	r	99		hollyleaf cherry	<i>Prunus ilicifolia</i> ssp. <i>ilicifolia</i>	99 / 7	58
1.23	l	100		one-sided bluegrass	<i>Poa secunda</i> ssp. <i>secunda</i>	20 / 3	60
1.24		101		fringe-pod	<i>Thysanocarpus curvipes</i>	/	61
1.24	l	102		splendid gilia	<i>Gilia splendens</i>	30 / 7	61
1.24	l	103		threadstem	<i>Pterostegia drymarioides</i>	2 / 2	61
1.29		104		Wright's buckwheat	<i>Eriogonum wrightii var. membranaceum</i>	10 / 2	64
1.30		105		mountain grape-soda lupine	<i>Lupinus excubitus var. austromontanus</i>	5 / 2	65
1.38		106		mountain blazing star	<i>Mentzelia montana</i>	20 / 4	68
1.44		107		desert needlegrass	<i>Achnatherum speciosum</i>	5 / 2	70
1.44		108		cane cholla	<i>Opuntia parryi</i>	5 / 3	71
1.44		109		Wallace's woolly daisy	<i>Eriophyllum wallacei</i>	5 / 1	72
1.44		110		Davidson's buckwheat	<i>Eriogonum davidsonii</i>	30 / 9	72
1.47		111		chia	<i>Salvia columbariae</i>	99 / 9	73
1.52		112		common phacelia	<i>Phacelia distans</i>	99 / 9	134
1.53	l		sp	(papillate dodder, <i>Cuscuta californica</i> var. <i>papillosa</i> )76			
		113			<i>Melica?</i>	/	77
1.55	l	114		twiggy wreath plant	<i>Stephanomeria virgata</i>	20 / 9	135
1.75	l	115		wild canterbury bells	<i>Phacelia minor</i>	99 / 3	78
1.75	l	116		California thistle	<i>Cirsium occidentale var. californicum</i>	5 / 1	
1.75				Switchback left79			
1.81	r	117		San Jacinto buckwheat	<i>Eriogonum apiculatum</i>	40 / 5	80
1.82	r	118	sp	papillate dodder	<i>Cuscuta californica</i> var. <i>papillosa</i>	2 / 2	81
1.84	r	119		beautiful hulsea	<i>Hulsea vestita</i> ssp. <i>callicarpa</i>	10 / 4	82
1.92	r	120		sand cress	<i>Calyptidium monandrum</i>	99 / 9	83

1.92	r	121	?	mountain rock-cress	<i>Arabis holboellii</i>	20 / 7	
2.13				Nice view of Garner Valley from large boulder / rock on trail			
2.18	r	122		Hall's caulanthus	<i>Caulanthus hallii</i>	1 / 1	133
2.28		123		Parish's goldenbush	<i>Ericameria parishii var. parishii</i>	3 / 3	210
2.29	r	124		California bee plant	<i>Scrophularia californica</i> ssp. <i>floribunda</i>	10 / 3	211
2.39	l			Jct. Trail213			
2.39	b	125		chaparral currant	<i>Ribes malvaceum</i> var. <i>viridifolium</i>	99 / 9	
2.39	b	126		scarlet larkspur	<i>Delphinium cardinale</i>	20 / 3	87
2.39	r	127		goosefoot yellow violet	<i>Viola purpurea</i> ssp. <i>quercetorum</i>	10 / 2	214
2.39	b	128		purple-root cryptantha	<i>Cryptantha micrantha</i>	/	88
2.40	l			(fern-leaved lomatium, <i>Lomatium dissectum</i> var. <i>multifidum</i> )89			
2.40	r			(squirreltail, <i>Elymus elymoides</i> )			
2.47	l	129		naked buckwheat	<i>Eriogonum nudum</i> var. <i>pauciflorum</i>	30 / 7	91
2.47	r	130		green miner's lettuce	<i>Claytonia parviflora</i> ssp. <i>viridis</i>	20 / 2	91
2.50	r	131		California black oak	<i>Quercus kelloggii</i>	50 / 5	92
2.50	r	132		different Collinsia, surrounded by C. concolor?			
2.50	b	133		incense-cedar	<i>Calocedrus decurrens</i>	30 / 5	92
2.50	l	134		California false-indigo	<i>Amorpha californica</i> var. <i>californica</i>	40 / 8	93
2.51	r	135		white catch-fly	<i>Silene verecunda</i> ssp. <i>platyota</i>	20 / 5	94
2.51	r			( <i>Ribes</i> malvaceum?)			
2.51	r	136		sulphur buckwheat	<i>Eriogonum umbellatum</i> var. <i>munzii</i>	10 / 3	94
2.51	r	137		San Jacinto Mtns. bedstraw	<i>Galium angustifolium</i> ssp. <i>jacinticum</i>	30 / 7	94
2.52	r	138		chaparral currant	<i>Ribes malvaceum</i> var. <i>viridifolium</i>	99 / 9	95
2.52	b	139		western wallflower	<i>Erysimum capitatum</i> ssp. <i>capitatum</i>	20 / 4	96
2.52	l	140		short-flowered monardella	<i>Monardella nana</i> ssp. <i>tenuiflora</i>	30 / 7	96
2.52	l	141		(bush poppy, <i>Dendromecon rigida</i> )			
2.56	r	142		Martin's paintbrush	<i>Castilleja applegatei</i> ssp. <i>martinii</i>	2 / 2	97
2.57	r	143		beaked penstemon	<i>Penstemon rostriflorus</i>	40 / 5	98
2.58	r			( <i>Phacelia</i> imbricata ssp. <i>patula</i> ~)100			
2.58	c	144	~	Parish's campion	<i>Silene parishii</i>	/	101
2.59	r	145		cliff sword fern	<i>Polystichum imbricans</i> ssp. <i>curtum</i>	5 / 2	102
2.62		146		white fir	<i>Abies concolor</i>	20 / 3	104
2.62		147		forest sedge	<i>Carex multicaulis</i>	5 / 3	104
2.63	l			( <i>Symphoricarpos</i> )105			
2.64	r	148		sticky cinquefoil	<i>Potentilla glandulosa</i> ssp. <i>reflexa</i>	10 / 4	106
2.65				Trail turns left at drainage107			
2.70	b	149		Laguna manzanita	<i>Arctostaphylos glandulosa</i> ssp. <i>adamsii</i>	50 / 2	109
		150		golden ear drops	<i>Dicentra chrysantha</i>	25 / 2	
3.03	r	151		curve-flowered skullcap	<i>Scutellaria siphocampyloides</i>	5 / 2	112