

Plant Guide to PCT from Cloudburst Summit to Three Points

Mile	S	#	id?	Common Name	Latin Name	#Pls
0.00				Begin at south side of SR2 at Cloudburst Summit, 7030 feet elevation; Species in first 0.01 mile given in alphabetical order.		
0.00	r	1		incense-cedar	<i>Calocedrus decurrens</i>	99
0.00		2		California-aster	<i>Corethrogyne filaginifolia</i>	99
0.00	r	3		squirreltail	<i>Elymus elymoides</i>	99
0.00	l	4		mountain California-fuchsia	<i>Epilobium canum ssp. latifolium</i>	99
0.00		5		San Bernardino rubber rabbitbrush	<i>Ericameria nauseosa var. bernardina</i>	50
0.00	l	6		leafy daisy	<i>Erigeron foliosus var. foliosus</i>	99
0.00		7		naked buckwheat	<i>Eriogonum nudum var. pauciflorum</i>	99
0.00	l	8		rock buckwheat	<i>Eriogonum saxatile</i>	99
0.00		9		Wright's buckwheat	<i>Eriogonum wrightii var. subscaposum</i>	99
0.00		10		golden yarrow	<i>Eriophyllum confertiflorum var. confertiflorum</i>	99
0.00	r	11		western wallflower	<i>Erysimum capitatum var. capitatum</i>	50
0.00		12		Mojave linanthus	<i>Leptosiphon breviculus</i>	99
0.00	l	13		southern mountain-monardella	<i>Monardella australis ssp. australis</i>	70
0.00	b	14		Grinnell's beardtongue	<i>Penstemon grinnellii var. grinnellii</i>	99
0.00	r	15		beaked penstemon	<i>Penstemon rostriflorus</i>	99
0.00	b	16		Jeffrey pine	<i>Pinus jeffreyi</i>	99
0.00	b	17		one-sided bluegrass	<i>Poa secunda ssp. secunda</i>	99
				Species now in trail order		
0.02	r	18		white fir	<i>Abies concolor</i>	99
0.02		19		Nevin's bird's beak	<i>Cordylanthus nevinii</i>	99
0.03	r	20		canyon live oak	<i>Quercus chrysolepis</i>	99
0.04	b	21		Jepson's bedstraw	<i>Galium jepsonii</i>	20
0.04				Switchback right		
0.05	r	22		white catch-fly	<i>Silene verecunda</i>	40
0.06	r	23		San Gabriel beardtongue	<i>Penstemon labrosus</i>	99
0.06	l	24		*downy brome	<i>Bromus tectorum</i>	99
0.07	l	25		southern mule's ears	<i>Wyethia ovata</i>	5
0.07	r	26		Davidson's lotus	<i>Acmispon nevadensis var. davidsonii</i>	50
0.08	l	27		sugar pine	<i>Pinus lambertiana</i>	50
0.09	l	28		goldenrod	<i>Solidago velutina ssp. californica</i>	99
0.11	r	29		smoothleaf yerba santa	<i>Eriodictyon trichocalyx var. trichocalyx</i>	99
0.14	b	30		granite prickly phlox	<i>Linanthus pungens</i>	30
0.15	r	31		santolina pincushion	<i>Chaenactis santolinoides</i>	50

0.15	r 32	mountain grape-soda lupine	<i>Lupinus excubitus</i> var. <i>austromontanus</i>	99
0.16	l 33	desert collinsia	<i>Collinsia callosa</i>	99
0.18		Switchback left at drainage		
0.19	34	sticky cinquefoil	<i>Drymocallis glandulosa</i> var. <i>viscida</i>	99
0.19	b 35	threadleaf common rabbitbrush	<i>Ericameria nauseosa</i> var. <i>oreophila</i>	50
0.19	l 36	hairy bush monkeyflower	<i>Mimulus aurantiacus</i> var. <i>pubescens</i>	50
0.19	l 37	Davidson's buckwheat	<i>Eriogonum davidsonii</i>	10
0.19	b 38	imbricate phacelia	<i>Phacelia imbricata</i> ssp. <i>patula</i>	99
0.19	r 39	Parish's tauschia	<i>Tauschia parishii</i>	28
0.20	r 40	strigose lotus	<i>Acmispon strigosus</i>	99
0.20	r 41	coast-range melic	<i>Melica imperfecta</i>	10
0.20	l 42	volcanic gilia	<i>Gilia ochroleuca</i> ssp. <i>vivida</i>	50
0.20	r 43	naked-stem bedstraw	<i>Galium angustifolium</i> ssp. <i>nudicaule</i>	40
0.21	l 44	San Gabriel Mtns. sunflower	<i>Hulsea vestita</i> ssp. <i>gabrielensis</i>	70
0.24	r 45	rock goldenbush	<i>Ericameria cuneata</i> var. <i>cuneata</i>	15
0.28	l 46	Davidson's phacelia	<i>Phacelia davidsonii</i>	99
0.28	l 47	Grant's gilia	<i>Saltugilia splendens</i> ssp. <i>grantii</i>	99
0.31	r 48	arroyo willow	<i>Salix lasiolepis</i>	30
0.35	r 49	chaparral yucca	<i>Hesperoyucca whipplei</i>	30
0.35		Switchback left at drainage		
0.35	r 50	*domestic apple	<i>Malus pumila</i>	1
0.37	r 51	California coffeeberry	<i>Frangula californica</i>	15
0.40	r 52	Parry manzanita	<i>Arctostaphylos parryana</i>	10
0.45	l 53	southern mountain woolly-star	<i>Eriastrum densifolium</i> ssp. <i>austromontanum</i>	99
0.45	r 54	California cliff-brake	<i>Pellaea mucronata</i> var. <i>californica</i>	6
0.45	b 55	Coulter pine	<i>Pinus coulteri</i>	99
0.54	r 56	slender everlasting	<i>Pseudognaphalium thermale</i>	2
0.60	l 57	mountain red-root cryptantha	<i>Cryptantha micrantha</i> var. <i>lepida</i>	20
0.62	r 58	sharp-nut cryptantha	<i>Cryptantha oxygona</i>	99
0.62	59	California brickellbush	<i>Brickellia californica</i>	99
0.62	r 60	oak mistletoe	<i>Phoradendron serotinum</i> ssp. <i>tomentosum</i>	99
0.62	r 61	interior live oak	<i>Quercus wislizeni</i> var. <i>frutescens</i>	50
0.62	r 62	canyon dudleya	<i>Dudleya cymosa</i> ssp. <i>pumila</i>	7
0.64	r 63	deerglass	<i>Muhlenbergia rigens</i>	99
0.64	r 64	Rydberg's horkelia	<i>Horkelia rydbergii</i>	20
0.65	r 65	small fescue	<i>Festuca microstachys</i>	10
0.71	l 66	mountain whitethorn	<i>Ceanothus cordulatus</i>	40
0.71		First crossing of SR2; elevation 6720 feet		
0.79	r 67	clustered broomrape	<i>Orobanche fasciculata</i>	1

~4.67	170	forest goosefoot	<i>Chenopodium atrovirens</i>	20	0.79	r 68	Jones' prickly-nut cryptantha	<i>Cryptantha muricata</i> var. <i>jonesii</i>	99
4.71	l 171	whorledleaf penstemon	<i>Keckiella ternata</i> var. <i>ternata</i>	75	0.82	l 69	scarlet bugler	<i>Penstemon centranthifolius</i>	16
4.71		Third and last crossing of SR2; elevation 5850 feet			0.83	l 70	pine dwarf-mistletoe	<i>Arceuthobium campylopodum</i>	96
4.74	r 172	Eastwood manzanita	<i>Arctostaphylos glandulosa</i>	10	0.83	r 71	narrowleaf goldenbush	<i>Ericameria linearifolia</i>	1
4.75	l 173	showy penstemon	<i>Penstemon spectabilis</i> var. <i>spectabilis</i>	2	0.84	r 72	bluish spike-moss	<i>Selaginella asprella</i>	5
4.76		End guide at Three Points Parking lot; elevation 5880 feet			0.84	r 73 ~	twiggy wreath plant	<i>Stephanomeria virgata</i>	1
		Species found by Michael Charters (or given to subspecies beyond the species name in the guide), or along SR2, without a definite location			0.85	b 74	field suncup	<i>Camissoniopsis hirtella</i>	50
	174	silky lotus	<i>Acmispon heermannii</i> var. <i>heermannii</i>	MC	0.85	b 75	desert needlegrass	<i>Stipa speciosa</i>	5
	175	Davis' pitted onion	<i>Allium lacunosum</i> var. <i>davisiae</i>	MC	0.87	l 76	sand cress	<i>Calyptridium monandrum</i>	1
		Transverse Range manzanita	<i>Arctostaphylos glandulosa</i> ssp. <i>mollis</i>	MC	0.87	r 77	June grass	<i>Koeleria macrantha</i>	99
		chaparral Parry manzanita	<i>Arctostaphylos parryana</i> ssp. <i>tumescens</i>	MC	0.87	r 78	showy prickly-nut cryptantha	<i>Cryptantha muricata</i> var. <i>muricata</i>	5
	176	Indian milkweed	<i>Asclepias eriocarpa</i>	MC	0.89	r 79	ashy silk tassel	<i>Garrya flavescens</i>	1
	177	pussy paws	<i>Calyptridium monospermum</i>	MC	0.89	l 80	small-flowered nemacladus	<i>Nemacladus sigmoideus</i>	50
	178	Durango root	<i>Datisca glomerata</i>	MC	0.89	l 81 ~	Johnston's bedstraw	<i>Galium johnstonii</i>	20
	179	willowherb	<i>Epilobium ciliatum</i> ssp. <i>ciliatum</i>	MC	0.90	r 82	bigcone-spruce	<i>Pseudotsuga macrocarpa</i>	25
	180	silky lupine	<i>Lupinus elatus</i>	3	0.91	83	Yosemite rockcress	<i>Boechera repanda</i>	30
	181	interior bush lupine	<i>Lupinus excubitus</i> var. <i>johnstonii</i>	MC	0.91	l 84	Middle of big switch back left; elevation 6685 feet		
	182	chia	<i>Salvia columbariae</i>	MC	0.91	l 85 ~	scale-bud	<i>Anisocoma acaulis</i>	30
	183 ?	variegated clover	<i>Trifolium variegatum</i>	MC	0.91	l 85 ~	San Bernardino Mountain onion	<i>Allium monticola</i>	40
					1.00	r 86	Parish's needlegrass	<i>Stipa parishii</i> var. <i>parishii</i>	3
					1.01	l 87	birch-leaf mountain-mahogany	<i>Cercocarpus betuloides</i> var. <i>betuloides</i>	99
					1.06	l 88	muilla	<i>Muilla maritima</i>	8
					1.12	l 89	California milkweed	<i>Asclepias californica</i>	1
					1.32		Middle of big switchback left to resume heading west; elevation 6560 feet		
					1.33	90	blue elderberry	<i>Sambucus nigra</i> ssp. <i>caerulea</i>	7
					1.34	l 91	fir mistletoe	<i>Phoradendron bolleanum</i>	37
					~1.38	92	western columbine	<i>Aquilegia formosa</i>	3
					~1.38	93	bracken	<i>Pteridium aquilinum</i> var. <i>pubescens</i>	99
					~1.38	94	mountain pink currant	<i>Ribes nevadense</i>	10
					1.41	l 95 ~	Coville's rush	<i>Juncus covillei</i>	10
					1.48	l 96	rock melica	<i>Melica stricta</i>	11
					1.51	r 97	snow-plant	<i>Sarcodes sanguinea</i>	8
					~1.53	98	western morning-glory	<i>Calystegia occidentalis</i> ssp. <i>fulcrata</i>	25
					~1.53	99	Parish's lupine	<i>Lupinus latifolius</i> var. <i>parishii</i>	40
					1.54	l 100	Sierra gooseberry	<i>Ribes roezlii</i> var. <i>roezlii</i>	2
					~1.54	r 101	virgin's bower	<i>Clematis ligusticifolia</i>	40
					OT	l 102	Parish's snowberry	<i>Symphoricarpos rotundifolius</i> var. <i>parishii</i>	1
					OT	l 103	narrowleaf monardella	<i>Monardella linoides</i> ssp. <i>stricta</i>	5
					OT	l 104	*Jerusalem oak	<i>Dysphania botrys</i>	1

http://tchester.org/sgm/plants/guides/pct_cloudburst_three_points.html

Updated 13 June 2015.

OT	l	105	Parish's buckwheat	<i>Eriogonum parishii</i>	5	2.84	r	137	Parish's larkspur	<i>Delphinium parishii ssp. parishii</i>	12
1.60	r	106	pinegrove groundsmoke	<i>Gayophytum oligospermum</i>	40	2.86	r	138	small-head field clover	<i>Trifolium microcephalum</i>	40
1.60	l	107	dwarf madia	<i>Hemizonella minima</i>	5	2.86	r	139	dwarf lupine	<i>Lupinus bicolor</i>	1
1.64	l		Hillside of <i>Allium</i> , probably <i>A. monticola</i>			2.87	r	140	California brome	<i>Bromus carinatus var. carinatus</i>	10
1.65	r	108	Tehachapi ragwort	<i>Packera ionophylla</i>	99	2.93			Second crossing of SR2; elevation 6270 feet		
1.65		109	sulphur buckwheat	<i>Eriogonum umbellatum var. munzii</i>	50	2.95	r	141	*tumble-mustard	<i>Sisymbrium altissimum</i>	10
1.76	l	110	western needlegrass	<i>Stipa occidentalis</i>	99	2.96			Cross moist drainage		
1.79	r	111 ~	clustered field sedge	<i>Carex praegracilis</i>	3	2.96		142	bur-ragweed	<i>Ambrosia acanthicarpa</i>	1
OT	l	112	lemon lily	<i>Lilium parryi</i>	50	2.96		143	slender wheatgrass	<i>Elymus trachycaulus ssp. trachycaulus</i>	10
OT	l	113	scarlet monkeyflower	<i>Mimulus cardinalis</i>	5	2.96	l	144	autumn willowweed	<i>Epilobium brachycarpum</i>	10
1.79			Switchback right at drainage; elevation 6380 feet			2.96	l	145	*rattail fescue	<i>Festuca myuros</i>	99
1.83			Switchback left at ridge			2.96	l	146	whisker-brush	<i>Leptosiphon ciliatus</i>	30
1.88	l	114	white alder	<i>Alnus rhombifolia</i>	20	2.96	l	147	common monkeyflower	<i>Mimulus guttatus</i>	20
1.89			Switchback right at drainage			2.96	l	148	spike primrose	<i>Epilobium densiflorum</i>	10
1.97		115	hoary-aster	<i>Dieteria canescens var. canescens</i>	10	2.96	l	149	Mojave phacelia	<i>Phacelia mohavensis</i>	99
2.08	l	116	Johnston's monkeyflower	<i>Mimulus johnstonii</i>	99	2.97	r	150	pine lousewort	<i>Pedicularis semibarbata</i>	20
2.08	l	117	woolly mountain-parsley	<i>Oreonana vestita</i>	15	OT	r	151	false monkeyflower	<i>Mimulus pilosus</i>	1
2.13	l	118	urn-flowered alumroot	<i>Heuchera elegans</i>	47	OT	r	152	southern bluecurls	<i>Trichostema austromontanum ssp. austromontanum</i>	2
2.27			Local low point; elevation 6200 feet								
2.39	l	119	spear-leaved mountain dandelion	<i>Agoseris retrorsa</i>	95	OT	r	153	wide-leaved Parish's yampah	<i>Perideridia parishii ssp. latifolia</i>	3
2.39	l	120	pine green-gentian	<i>Frasera neglecta</i>	99	3.07OT	r	154	mountain spray	<i>Holodiscus discolor var. microphyllus</i>	2
2.41	l	121	Martin's paintbrush	<i>Castilleja applegatei ssp. martinii</i>	15	3.26	r	155	Greata's aster	<i>Symphotrichum greatae</i>	30
2.41	r	122	Mojave goosefoot violet	<i>Viola purpurea ssp. mohavensis</i>	3	3.26	r	156	southern chinook brome	<i>Bromus pseudolaevipes</i>	1
2.41		123	cushion cryptantha	<i>Cryptantha circumscissa var. circumscissa</i>	11	3.33	l	157	red-stemmed miner's lettuce	<i>Claytonia rubra ssp. rubra</i>	3
2.47			Camp Glenwood; elevation 6260 feet			3.39	b	158 ~	iris-leaved rush	<i>Juncus xiphoides</i>	99
OT	r	124	California buckwheat	<i>Eriogonum fasciculatum var. polifolium</i>	50	3.39	l	159	wire rush	<i>Juncus balticus ssp. ater</i>	10
2.47	r	125	Mojave ceanothus	<i>Ceanothus vestitus</i>	3	3.60	l	160	white-veined wintergreen	<i>Pyrola dentata</i>	8
2.57	r	126	curl-leaf mountain-mahogany	<i>Cercocarpus ledifolius</i>	5	3.69	r	161	globe gilia	<i>Gilia capitata ssp. abrotanifolia</i>	1
2.60	r	127 ~	three-lobed oxytheca	<i>Sidotheca trilobata</i>	10	3.78	l	162	broad-leaved lotus	<i>Hosackia crassifolia var. crassifolia</i>	3
2.72	b	128	big sagebrush	<i>Artemisia tridentata</i>	99	3.80			Jct. use trail to 6680 foot peak to south		
2.72	l	129	deer brush	<i>Ceanothus integerrimus var. macrothyrsus</i>	99	3.89	l		Ridge of fault gouge!		
2.72	l	130	Coast Range triplet-lily	<i>Triteleia lugens</i>	99	3.90	l	163	California everlasting	<i>Pseudognaphalium californicum</i>	1
OT		131	California elegant rock-cress	<i>Boechera californica</i>	2	3.93	l	164	San Gabriel linanthus	<i>Linanthus concinnus</i>	50
2.75	r	132	annual hairgrass	<i>Deschampsia danthonioides</i>	30				Trail now parallels SR2 for next 0.05 miles		
2.75	r	133	poodle-dog bush	<i>Eriodictyon parryi</i>	99	4.14	l	165	ghostly rabbitbrush	<i>Ericameria nauseosa var. hololeuca</i>	20
2.75	r	134	Spanish clover	<i>Acmispon americanus var. americanus</i>	25	4.38		166	forest sedge	<i>Carex multicaulis</i>	1
2.75	r	135	yellow pincushion	<i>Chaenactis glabriuscula var. glabriuscula</i>	2	4.52			Jct. Mt. Waterman Trail; stay right		
2.82	l	136	plain mariposa lily	<i>Calochortus invenustus</i>	10	4.59	l	167	*redstem filaree	<i>Erodium cicutarium</i>	99
2.83			Local high point; elevation 6360 feet			4.65	r	168	yarrow	<i>Achillea millefolium</i>	44
						4.67	l	169	chaparral whitethorn	<i>Ceanothus leucodermis</i>	30